

Example Showing How to Order Press Rollers

TYPE **R 12 / 20 / 50 / S50R**

Inside diameter with ball bearing **R 12**
without ball bearing **R 28**

Width **20 mm**

Outside diameter **50 mm**

Material : Degree of Hardness : Colour :

S Silicon **30** Shore **B** Blue

S Silicon **50** Shore **R** Red

S Silicon **70** Shore **G** Yellow

S Silicon **90** Shore **Gr** Green

AL Hard aluminium

PO Polyamide

ST Steel

VA Stainless steel

SK Special plastic

R 12 / 15 / 70 / S70G Inside diameter 12 mm (with ball bearing)
Width 15 mm
Outside diameter 70 mm
Material Silicon , 70 Shore , yellow


R 28 / 350 / 70 / S30B Inside diameter 28 mm (without ball bearing)
Width 350 mm
Outside diameter 70 mm
Material Silicon , 30 Shore , blue

R 28 / 25 / 50 / AL Inside diameter 28 mm (without ball bearing)
Width 25 mm
Outside diameter 50 mm
Material Hard aluminium

R 12 / 20 / 70 / PO Inside diameter 12 mm (with ball bearing)
Width 20 mm
Outside diameter 70 mm
Material Polyamide


Guide roller with bearings
F 12 / 10 / 75 / S70G
Guide roller without bearings
F 28 / 10 / 75 / S70G

Silicon 70 Shore




Guide roller with bearings
F 12 / 10 / 75 / S90Gr
Guide roller without bearings
F 28 / 10 / 75 / S90Gr

Silicon 90 Shore




Guide roller with bearings
F 12 / 10 / 75 / AL
Guide roller without bearings
F 28 / 10 / 75 / AL

Aluminium




Guide roller with bearings
F 12 / 10 / 75 / PO
Guide roller without bearings
F 28 / 10 / 75 / PO

Polyamide




Guide roller with bearings
F 12 / 10 / 85 / S70G
Guide roller without bearings
F 28 / 10 / 85 / S70G




Silicon 70 Shore

Guide roller with bearings
F 12 / 10 / 85 / S90Gr
Guide roller without bearings
F 28 / 10 / 85 / S90Gr




Silicon 90 Shore

Guide roller with bearings
F 12 / 10 / 85 / AL
Guide roller without bearings
F 28 / 10 / 85 / AL




Aluminium

Guide roller with bearings
F 12 / 10 / 85 / PO
Guide roller without bearings
F 28 / 10 / 85 / PO




Polyamide

Guide roller with bearings
F 12 / 15 / 85 / S70G
Guide roller without bearings
F 28 / 15 / 85 / S70G




Silicon 70 Shore

Guide roller with bearings
F 12 / 15 / 85 / S90Gr
Guide roller without bearings
F 28 / 15 / 85 / S90Gr




Silicon 90 Shore

Guide roller with bearings
F 12 / 15 / 85 / AL
Guide roller without bearings
F 28 / 15 / 85 / AL




Aluminium

Guide roller with bearings
F 12 / 15 / 85 / PO
Guide roller without bearings
F 28 / 15 / 85 / PO




Polyamide

Guide roller with bearings
F 12 / 20 / 85 / S70G
Guide roller without bearings
F 28 / 20 / 85 / S70G




Silicon 70 Shore

Guide roller with bearings
F 12 / 20 / 85 / S90Gr
Guide roller without bearings
F 28 / 20 / 85 / S90Gr




Silicon 90 Shore

Guide roller with bearings
F 12 / 20 / 85 / AL
Guide roller without bearings
F 28 / 20 / 85 / AL




Aluminium

Guide roller with bearings
F 12 / 20 / 85 / PO
Guide roller without bearings
F 28 / 20 / 85 / PO




Polyamide

Guide roller with bearings
F12 / 10 / 100 / S70G
Guide roller without bearings
F28 / 10 / 100 / S70G




Silicon 70 Shore

Guide roller with bearings
F12 / 10 / 100 / S90Gr
Guide roller without bearings
F28 / 10 / 100 / S90Gr




Silicon 90 Shore

Guide roller with bearings
F12 / 10 / 100 / AL
Guide roller without bearings
F28 / 10 / 100 / AL



Aluminium

Guide roller with bearings
F12 / 10 / 100 / PO
Guide roller without bearings
F28 / 10 / 100 / PO




Polyamide

Other dimensions and
Materials available on request


Press roll with bearing
 R 12 / 15 / 50 / S30B
 Press roll without bearing
 R 28 / 15 / 50 / S30B

Silicon 30 Shore




Press roll with bearing
 R 12 / 15 / 50 / S50R
 Press roll without bearing
 R 28 / 15 / 50 / S50R

Silicon 50 Shore




Press roll with bearing
 R 12 / 15 / 50 / S70G
 Press roll without bearing
 R 28 / 15 / 50 / S70G

Silicon 70 Shore




Press roll with bearing
 R 12 / 15 / 50 / S90Gr
 Press roll without bearing
 R 28 / 15 / 50 / S90Gr

Silicon 90 Shore




Press roll with bearing
 R 12 / 15 / 50 / AL
 Press roll without bearing
 R 28 / 15 / 50 / AL

Aluminium



Press roll with bearing
 R 12 / 15 / 50 / PO
 Press roll without bearing
 R 28 / 15 / 50 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
 R 12 / 20 / 50 / S30B
 Press roll without bearing
 R 28 / 20 / 50 / S30B

Silicon 30 Shore




Press roll with bearing
 R 12 / 20 / 50 / S50R
 Press roll without bearing
 R 28 / 20 / 50 / S50R

Silicon 50 Shore




Press roll with bearing
 R 12 / 20 / 50 / S70G
 Press roll without bearing
 R 28 / 20 / 50 / S70G

Silicon 70 Shore




Press roll with bearing
 R 12 / 20 / 50 / S90Gr
 Press roll without bearing
 R 28 / 20 / 50 / S90Gr

Silicon 90 Shore




Press roll with bearing
 R 12 / 20 / 50 / AL
 Press roll without bearing
 R 28 / 20 / 50 / AL

Aluminium



Press roll with bearing
 R 12 / 20 / 50 / PO
 Press roll without bearing
 R 28 / 20 / 50 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
R 12 / 25 / 50 / S30B
Press roll without bearing
R 28 / 25 / 50 / S30B

Silicon 30 Shore




Press roll with bearing
R 12 / 25 / 50 / S50R
Press roll without bearing
R 28 / 25 / 50 / S50R

Silicon 50 Shore




Press roll with bearing
R 12 / 25 / 50 / S70G
Press roll without bearing
R 28 / 25 / 50 / S70G

Silicon 70 Shore




Press roll with bearing
R 12 / 25 / 50 / S90Gr
Press roll without bearing
R 28 / 25 / 50 / S90Gr

Silicon 90 Shore




Press roll with bearing
R 12 / 25 / 50 / AL
Press roll without bearing
R 28 / 25 / 50 / AL

Aluminium



Press roll with bearing
R 12 / 25 / 50 / PO
Press roll without bearing
R 28 / 25 / 50 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
R 12 / 30 / 50 / S30B
Press roll without bearing
R 28 / 30 / 50 / S30B

Silicon 30 Shore




Press roll with bearing
R 12 / 30 / 50 / S50R
Press roll without bearing
R 28 / 30 / 50 / S50R

Silicon 50 Shore




Press roll with bearing
R 12 / 30 / 50 / S70G
Press roll without bearing
R 28 / 30 / 50 / S70G

Silicon 70 Shore




Press roll with bearing
R 12 / 30 / 50 / S90Gr
Press roll without bearing
R 28 / 30 / 50 / S90Gr

Silicon 90 Shore




Press roll with bearing
R 12 / 30 / 50 / AL
Press roll without bearing
R 28 / 30 / 50 / AL

Aluminium



Press roll with bearing
R 12 / 30 / 50 / PO
Press roll without bearing
R 28 / 30 / 50 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
 RB 12 / 50 / 50 / S30B
 Press roll without bearing
 RB 28 / 50 / 50 / S30B

Silicon 30 Shore




Press roll with bearing
 RB 12 / 50 / 50 / S50R
 Press roll without bearing
 RB 28 / 50 / 50 / S50R

Silicon 50 Shore




Press roll with bearing
 RB 12 / 50 / 50 / S70G
 Press roll without bearing
 RB 28 / 50 / 50 / S70G

Silicon 70 Shore




Press roll with bearing
 RB 12 / 50 / 50 / S90Gr
 Press roll without bearing
 RB 28 / 50 / 50 / S90Gr

Silicon 90 Shore




Press roll with bearing
 RB 12 / 50 / 50 / AL
 Press roll without bearing
 RB 28 / 50 / 50 / AL

Aluminium



Press roll with bearing
 RB 12 / 50 / 50 / PO
 Press roll without bearing
 RB 28 / 50 / 50 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
 R 12 / 50 / 50 / S30B
 Press roll without bearing
 R 28 / 50 / 50 / S30B

Silicon 30 Shore




Press roll with bearing
 R 12 / 50 / 50 / S50R
 Press roll without bearing
 R 28 / 50 / 50 / S50R

Silicon 50 Shore




Press roll with bearing
 R 12 / 50 / 50 / S70G
 Press roll without bearing
 R 28 / 50 / 50 / S70G

Silicon 70 Shore




Press roll with bearing
 R 12 / 50 / 50 / S90Gr
 Press roll without bearing
 R 28 / 50 / 50 / S90Gr

Silicon 90 Shore




Press roll with bearing
 R 12 / 50 / 50 / AL
 Press roll without bearing
 R 28 / 50 / 50 / AL

Aluminium



Press roll with bearing
 R 12 / 50 / 50 / PO
 Press roll without bearing
 R 28 / 50 / 50 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
R 12 / 15 / 70 / S30B
Press roll without bearing
R 28 / 15 / 70 / S30B

Silicon 30 Shore




Press roll with bearing
R 12 / 15 / 70 / S50R
Press roll without bearing
R 28 / 15 / 70 / S50R

Silicon 50 Shore




Press roll with bearing
R 12 / 15 / 70 / S70G
Press roll without bearing
R 28 / 15 / 70 / S70G

Silicon 70 Shore




Press roll with bearing
R 12 / 15 / 70 / S90Gr
Press roll without bearing
R 28 / 15 / 70 / S90Gr

Silicon 90 Shore




Press roll with bearing
R 12 / 15 / 70 / AL
Press roll without bearing
R 28 / 15 / 70 / AL

Aluminium



Press roll with bearing
R 12 / 15 / 70 / PO
Press roll without bearing
R 28 / 15 / 70 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
R 12 / 20 / 70 / S30B
Press roll without bearing
R 28 / 20 / 70 / S30B

Silicon 30 Shore




Press roll with bearing
R 12 / 20 / 70 / S50R
Press roll without bearing
R 28 / 20 / 70 / S50R

Silicon 50 Shore




Press roll with bearing
R 12 / 20 / 70 / S70G
Press roll without bearing
R 28 / 20 / 70 / S70G

Silicon 70 Shore




Press roll with bearing
R 12 / 20 / 70 / S90Gr
Press roll without bearing
R 28 / 20 / 70 / S90Gr

Silicon 90 Shore




Press roll with bearing
R 12 / 20 / 70 / AL
Press roll without bearing
R 28 / 20 / 70 / AL

Aluminium



Press roll with bearing
R 12 / 20 / 70 / PO
Press roll without bearing
R 28 / 20 / 70 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
 R 12 / 25 / 70 / S30B
 Press roll without bearing
 R 28 / 25 / 70 / S30B

Silicon 30 Shore




Press roll with bearing
 R 12 / 25 / 70 / S50R
 Press roll without bearing
 R 28 / 25 / 70 / S50R

Silicon 50 Shore




Press roll with bearing
 R 12 / 25 / 70 / S70G
 Press roll without bearing
 R 28 / 25 / 70 / S70G

Silicon 70 Shore




Press roll with bearing
 R 12 / 25 / 70 / S90Gr
 Press roll without bearing
 R 28 / 25 / 70 / S90Gr

Silicon 90 Shore




Press roll with bearing
 R 12 / 25 / 70 / AL
 Press roll without bearing
 R 28 / 25 / 70 / AL

Aluminium



Press roll with bearing
 R 12 / 25 / 70 / PO
 Press roll without bearing
 R 28 / 25 / 70 / PO


Polyamide



Other dimensions and
 materials available on request!


Press roll with bearing
 R 12 / 30 / 70 / S30B
 Press roll without bearing
 R 28 / 30 / 70 / S30B

Silicon 30 Shore




Press roll with bearing
 R 12 / 30 / 70 / S50R
 Press roll without bearing
 R 28 / 30 / 70 / S50R

Silicon 50 Shore




Press roll with bearing
 R 12 / 30 / 70 / S70G
 Press roll without bearing
 R 28 / 30 / 70 / S70G

Silicon 70 Shore




Press roll with bearing
 R 12 / 30 / 70 / S90Gr
 Press roll without bearing
 R 28 / 30 / 70 / S90Gr

Silicon 90 Shore




Press roll with bearing
 R 12 / 30 / 70 / AL
 Press roll without bearing
 R 28 / 30 / 70 / AL

Aluminium



Press roll with bearing
 R 12 / 30 / 70 / PO
 Press roll without bearing
 R 28 / 30 / 70 / PO


Polyamide



Other dimensions and
 materials available on request!


Press roll with bearing
 RB 12 / 50 / 70 / S30B
 Press roll without bearing
 RB 28 / 50 / 70 / S30B

Silicon 30 Shore




Press roll with bearing
 RB 12 / 50 / 70 / S50R
 Press roll without bearing
 RB 28 / 50 / 70 / S50R

Silicon 50 Shore




Press roll with bearing
 RB 12 / 50 / 70 / S70G
 Press roll without bearing
 RB 28 / 50 / 70 / S70G

Silicon 70 Shore




Press roll with bearing
 RB 12 / 50 / 70 / S90Gr
 Press roll without bearing
 RB 28 / 50 / 70 / S90Gr

Silicon 90 Shore




Press roll with bearing
 RB 12 / 50 / 70 / AL
 Press roll without bearing
 RB 28 / 50 / 70 / AL

Aluminium



Press roll with bearing
 RB 12 / 50 / 70 / PO
 Press roll without bearing
 RB 28 / 50 / 70 / PO


Polyamide



Other dimensions and
 materials available on request!


Press roll with bearing
 R 12 / 50 / 70 / S30B
 Press roll without bearing
 R 28 / 50 / 70 / S30B

Silicon 30 Shore




Press roll with bearing
 R 12 / 50 / 70 / S50R
 Press roll without bearing
 R 28 / 50 / 70 / S50R

Silicon 50 Shore




Press roll with bearing
 R 12 / 50 / 70 / S70G
 Press roll without bearing
 R 28 / 50 / 70 / S70G

Silicon 70 Shore




Press roll with bearing
 R 12 / 50 / 70 / S90Gr
 Press roll without bearing
 R 28 / 50 / 70 / S90Gr

Silicon 90 Shore




Press roll with bearing
 R 12 / 50 / 70 / AL
 Press roll without bearing
 R 28 / 50 / 70 / AL

Aluminium



Press roll with bearing
 R 12 / 50 / 70 / PO
 Press roll without bearing
 R 28 / 50 / 70 / PO


Polyamide



Other dimensions and
 materials available on request!


Press roll with bearing
R 12 / 100 / 70 / S30B
Press roll without bearing
R 28 / 100 / 70 / S30B

Silicon 30 Shore




Press roll with bearing
R 12 / 100 / 70 / S50R
Press roll without bearing
R 28 / 100 / 70 / S50R

Silicon 50 Shore




Press roll with bearing
R 12 / 100 / 70 / S70G
Press roll without bearing
R 28 / 100 / 70 / S70G

Silicon 70 Shore




Press roll with bearing
R 12 / 100 / 70 / S90Gr
Press roll without bearing
R 28 / 100 / 70 / S90Gr

Silicon 90 Shore




Press roll with bearing
R 12 / 100 / 70 / AL
Press roll without bearing
R 28 / 100 / 70 / AL

Aluminium



Press roll with bearing
R 12 / 100 / 70 / PO
Press roll without bearing
R 28 / 100 / 70 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
R 12 / 150 / 70 / S30B
Press roll without bearing
R 28 / 150 / 70 / S30B

Silicon 30 Shore




Press roll with bearing
R 12 / 150 / 70 / S50R
Press roll without bearing
R 28 / 150 / 70 / S50R

Silicon 50 Shore




Press roll with bearing
R 12 / 150 / 70 / S70G
Press roll without bearing
R 28 / 150 / 70 / S70G

Silicon 70 Shore




Press roll with bearing
R 12 / 150 / 70 / S90Gr
Press roll without bearing
R 28 / 150 / 70 / S90Gr

Silicon 90 Shore




Press roll with bearing
R 12 / 150 / 70 / AL
Press roll without bearing
R 28 / 150 / 70 / AL

Aluminium



Press roll with bearing
R 12 / 150 / 70 / PO
Press roll without bearing
R 28 / 150 / 70 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
R 12 / 200 / 70 / S30B
Press roll without bearing
R 28 / 200 / 70 / S30B

Silicon 30 Shore




Press roll with bearing
R 12 / 200 / 70 / S50R
Press roll without bearing
R 28 / 200 / 70 / S50R

Silicon 50 Shore




Press roll with bearing
R 12 / 200 / 70 / S70G
Press roll without bearing
R 28 / 200 / 70 / S70G

Silicon 70 Shore




Press roll with bearing
R 12 / 200 / 70 / S90Gr
Press roll without bearing
R 28 / 200 / 70 / S90Gr

Silicon 90 Shore




Press roll with bearing
R 12 / 200 / 70 / AL
Press roll without bearing
R 28 / 200 / 70 / AL

Aluminium



Press roll with bearing
R 12 / 200 / 70 / PO
Press roll without bearing
R 28 / 200 / 70 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
R 12 / 250 / 70 / S30B
Press roll without bearing
R 28 / 250 / 70 / S30B

Silicon 30 Shore




Press roll with bearing
R 12 / 250 / 70 / S50R
Press roll without bearing
R 28 / 250 / 70 / S50R

Silicon 50 Shore




Press roll with bearing
R 12 / 250 / 70 / S70G
Press roll without bearing
R 28 / 250 / 70 / S70G

Silicon 70 Shore




Press roll with bearing
R 12 / 250 / 70 / S90Gr
Press roll without bearing
R 28 / 250 / 70 / S90Gr

Silicone 90 Shore




Press roll with bearing
R 12 / 250 / 70 / AL
Press roll without bearing
R 28 / 250 / 70 / AL

Aluminium



Press roll with bearing
R 12 / 250 / 70 / PO
Press roll without bearing
R 28 / 250 / 70 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
R 12 / 300 / 70 / S30B
Press roll without bearing
R 28 / 300 / 70 / S30B

Silicon 30 Shore




Press roll with bearing
R 12 / 300 / 70 / S50R
Press roll without bearing
R 28 / 300 / 70 / S50R

Silicon 50 Shore




Press roll with bearing
R 12 / 300 / 70 / S70G
Press roll without bearing
R 28 / 300 / 70 / S70G

Silicone 70 Shore




Press roll with bearing
R 12 / 300 / 70 / S90Gr
Press roll without bearing
R 28 / 300 / 70 / S90Gr

Silicon 90 Shore




Press roll with bearing
R 12 / 300 / 70 / AL
Press roll without bearing
R 28 / 300 / 70 / AL

Aluminium



Press roll with bearing
R 12 / 300 / 70 / PO
Press roll without bearing
R 28 / 300 / 70 / PO


Polyamide



Other dimensions and materials available on request!


Press roll with bearing
R 12 / 350 / 70 / S30B
Press roll without bearing
R 28 / 350 / 70 / S30B

Silicon 30 Shore




Press roll with bearing
R 12 / 350 / 70 / S50R
Press roll without bearing
R 28 / 350 / 70 / S50R

Silicon 50 Shore




Press roll with bearing
R 12 / 350 / 70 / S70G
Press roll without bearing
R 28 / 350 / 70 / S70G

Silicon 70 Shore




Press roll with bearing
R 12 / 350 / 70 / S90Gr
Press roll without bearing
R 28 / 350 / 70 / S90Gr

Silicon 90 Shore




Press roll with bearing
R 12 / 350 / 70 / AL
Press roll without bearing
R 28 / 350 / 70 / AL

Aluminium




Press roll with bearing
R 12 / 350 / 70 / PO
Press roll without bearing
R 28 / 350 / 70 / PO

Polyamide




Other dimensions and materials available on request!

Press roll with bearing
R 8 / 15 / 40 / S30B
Press roll without bearing
R 22 / 15 / 40 / S30B




Silicon 30 shore

Press roll with bearing
R 8 / 15 / 40 / S50R
Press roll without bearing
R 22 / 15 / 40 / S50R




Silicon 50 shore

Press roll with bearing
R 8 / 15 / 40 / S70G
Press roll without bearing
R 22 / 15 / 40 / S70G




Silicon 70 shore

Press roll with bearing
R 8 / 15 / 40 / S90Gr
Press roll without bearing
R 22 / 15 / 40 / S90Gr




Silicon 90 shore

Press roll with bearing
R 8 / 15 / 40 / AL
Press roll without bearing
R 22 / 15 / 40 / AL




Aluminium

Press roll with bearing
R 8 / 15 / 40 / SK
Press roll without bearing
R 22 / 15 / 40 / SK




Special Plastic

Press roll with bearing
R 8 / 15 / 40 / ST
Press roll without bearing
R 22 / 15 / 40 / ST




Steel

Press roll with bearing
R 8 / 20 / 40 / S30B
Press roll without bearing
R 22 / 20 / 40 / S30B




Silicon 30 shore

Press roll with bearing
R 8 / 20 / 40 / S50R
Press roll without bearing
R 22 / 20 / 40 / S50R




Silicon 50 shore

Press roll with bearing
R 8 / 20 / 40 / S70G
Press roll without bearing
R 22 / 20 / 40 / S70G




Silicon 70 shore

Press roll with bearing
R 8 / 20 / 40 / S90Gr
Press roll without bearing
R 22 / 20 / 40 / S90Gr




Silicon 90 shore

Press roll with bearing
R 8 / 20 / 40 / AL
Press roll without bearing
R 22 / 20 / 40 / AL




Aluminium

Press roll with bearing
R 8 / 20 / 40 / SK
Press roll without bearing
R 22 / 20 / 40 / SK




Special Plastic

Press roll with bearing
R 8 / 20 / 40 / ST
Press roll without bearing
R 22 / 20 / 40 / ST




Steel

Press roll with bearing
R 8 / 30 / 40 / S30B
Press roll without bearing
R 22 / 30 / 40 / S30B




Silicon 30 shore

Press roll with bearing
R 8 / 30 / 40 / S50R
Press roll without bearing
R 22 / 30 / 40 / S50R




Silicon 50 shore

Press roll with bearing
R 8 / 30 / 40 / S70G
Press roll without bearing
R 22 / 30 / 40 / S70G




Silicon 70 shore

Press roll with bearing
R 8 / 30 / 40 / S90Gr
Press roll without bearing
R 22 / 30 / 40 / S90Gr




Silicon 90 shore

Press roll with bearing
R 8 / 30 / 40 / AL
Press roll without bearing
R 22 / 30 / 40 / AL




Aluminium

Press roll with bearing
R 8 / 30 / 40 / SK
Press roll without bearing
R 22 / 30 / 40 / SK




Special Plastic

Press roll with bearing
R 8 / 30 / 40 / ST
Press roll without bearing
R 22 / 30 / 40 / ST




Steel

Press roll with bearing
R 8 / 40 / 40 / S30B
Press roll without bearing
R 22 / 40 / 40 / S30B




Silicon 30 shore

Press roll with bearing
R 8 / 40 / 40 / S50R
Press roll without bearing
R 22 / 40 / 40 / S50R




Silicon 50 shore

Press roll with bearing
R 8 / 40 / 40 / S70G
Press roll without bearing
R 22 / 40 / 40 / S70G




Silicon 70 shore

Press roll with bearing
R 8 / 40 / 40 / S90Gr
Press roll without bearing
R 22 / 40 / 40 / S90Gr




Silicon 90 shore

Press roll with bearing
R 8 / 40 / 40 / AL
Press roll without bearing
R 22 / 40 / 40 / AL




Aluminium

Press roll with bearing
R 8 / 40 / 40 / SK
Press roll without bearing
R 22 / 40 / 40 / SK



Special Plastic


Press roll with bearing
R 8 / 40 / 40 / ST
Press roll without bearing
R 22 / 40 / 40 / ST



Steel


Corner roller with bearing
ER 12 / 20 / 45 / S70G
Corner roller without bearing
ER 28 / 20 / 45 / S70G

Silicon 70 Shore




Corner roller with bearing
ER 12 / 20 / 45 / S90Gr
Corner roller without bearing
ER 28 / 20 / 45 / S90Gr

Silicon 90 Shore




Corner roller with bearing
ER 12 / 20 / 45 / AL
Corner roller without bearing
ER 28 / 20 / 45 / AL

Aluminium



Corner roller with bearing
ER 12 / 20 / 45 / PO
Corner roller without bearing
ER 28 / 20 / 45 / PO


Polyamide



Other dimensions and materials available on request!


Corner roller with bearing
ER 12 / 25 / 80 / S30B
Corner roller without bearing
ER 28 / 25 / 80 / S30B

Silicon 30 Shore




Corner roller with bearing
ER 12 / 25 / 80 / S50R
Corner roller without bearing
ER 28 / 25 / 80 / S50R

Silicon 50 Shore




Corner roller with bearing
ER 12 / 25 / 80 / S70G
Corner roller without bearing
ER 28 / 25 / 80 / S70G

Silicon 70 Shore




Corner roller with bearing
ER 12 / 25 / 80 / S90Gr
Corner roller without bearing
ER 28 / 25 / 80 / S90Gr

Silicon 90 Shore




Corner roller with bearing
ER 12 / 25 / 80 / AL
Corner roller without bearing
ER 28 / 25 / 80 / AL

Aluminium







Corner roller with bearing
ER 12 / 25 / 80 / PO
Corner roller without bearing
ER 28 / 25 / 80 / PO







Polyamide



Other dimensions and materials available on request!




Other dimensions and materials available on request!




Other dimensions and materials available on request!


Radius roller with bearings
RR 12 / 30 / R15 / S30B
Radius roller without bearings
RR 28 / 30 / R15 / S30B
Silicon 30 Shore




Radius roller with bearings
RR 12 / 30 / R15 / S50R
Radius roller without bearings
RR 28 / 30 / R15 / S50R
Silicon 50 Shore




Radius roller with bearings
RR 12 / 30 / R15 / S70G
Radius roller without bearings
RR 28 / 30 / R15 / S70G
Silicon 70 Shore




Radius roller with bearings
RR 12 / 30 / R15 / S90Gr
Radius roller without bearings
RR 28 / 30 / R15 / S90Gr
Silicon 90 Shore



Radius roller with bearings
RR 12 / 30 / R15 / AL
Radius roller without bearings
RR 28 / 30 / R15 / AL
Aluminium




Radius roller with bearings
RR 12 / 30 / R15 / PO
Radius roller without bearings
RR 28 / 30 / R15 / PO
Polyamide




Other dimensions and materials available on request!


Radius roller with bearings
NR 12 / 20 / R5 / S30B
Radius roller without bearings
NR 28 / 20 / R5 / S30B
Silicon 30 Shore




Radius roller with bearings
NR 12 / 20 / R5 / S50R
Radius roller without bearings
NR 28 / 20 / R5 / S50R
Silicon 50 Shore




Radius roller with bearings
NR 12 / 20 / R5 / S70G
Radius roller without bearings
NR 28 / 20 / R5 / S70G
Silicon 70 Shore




Radius roller with bearings
NR 12 / 20 / R5 / S90Gr
Radius roller without bearings
NR 28 / 20 / R5 / S90Gr
Silicon 90 Shore



Radius roller with bearings
NR 12 / 20 / R5 / AL
Radius roller without bearings
NR 28 / 20 / R5 / AL
Aluminium




Radius roller with bearings
NR 12 / 20 / R5 / PO
Radius roller without bearings
NR 28 / 20 / R5 / PO
Polyamide




Other dimensions and materials available on request!


Form roller with bearings
FR 12 / 20 / R3 / S70G
Form roller without bearings
FR 28 / 20 / R3 / S70G




Form roller with bearings
FR 12 / 20 / R3 / S90Gr
Form roller without bearings
FR 28 / 20 / R3 / S90Gr



Form roller with bearings
FR 12 / 20 / R3 / AL
Form roller without bearings
FR 28 / 20 / R3 / AL




Form roller with bearings
FR 12 / 20 / R3 / PO
Form roller without bearings
FR 28 / 20 / R3 / PO




Form roller with bearings
FR 12 / 20 / K3 / AL
Form roller without bearings
FR 28 / 20 / K3 / AL

Aluminium




Form roller with bearings
FR 12 / 20 / K3 / PO
Form roller without bearings
FR 28 / 20 / K3 / PO

Polyamide




Form roller with bearings
FR 12 / 20 / K3 / ST
Form roller without bearings
FR 28 / 20 / K3 / ST

Steel




Form roller with bearings
FR 12 / 20 / 45 / AL
Form roller without bearings
FR 28 / 20 / 45 / AL

Aluminium




Form roller with bearings
FR 12 / 20 / 45 / PO
Form roller without bearings
FR 28 / 20 / 45 / PO

Polyamide




Form roller with bearings
FR 12 / 20 / 45 / ST
Form roller without bearings
FR 28 / 20 / 45 / ST

Steel




Form roller with bearings
FR 12 / 20 / 30 / ST
Form roller without bearings
FR 28 / 20 / 30 / ST

Steel




Form roller with bearings
FR 12 / 20 / 30 / VA
Form roller without bearings
FR 28 / 20 / 30 / VA

Stainless steel




Other dimensions and materials available on request!

Basic form roller with bearings
 R 12 / 10 / 75 / S30B
 Basic form roller without bearings
 R 28 / 10 / 75 / S30B




Silicon 30 shore

Basic form roller with bearings
 R 12 / 10 / 75 / S50R
 Basic form roller without bearings
 R 28 / 10 / 75 / S50R




Silicon 50 shore

Basic form roller with bearings
 R 12 / 10 / 75 / S70G
 Basic form roller without bearings
 R 28 / 10 / 75 / S70G



Silicon 70 shore


Basic form roller with bearings
 R 12 / 10 / 75 / S90Gr
 Basic form roller without bearings
 R 28 / 10 / 75 / S90Gr



Silicon 90 shore


Other dimensions and materials available on request!

Radius roller with bearings
 RRL 12 / 16 / R2 / S30B
 Radius roller without bearings
 RRL 28 / 16 / R2 / S30B




Silicon 30 shore

Radius roller with bearings
 RRL 12 / 16 / R2 / S50R
 Radius roller without bearings
 RRL 28 / 16 / R2 / S50R




Silicon 50 shore

Radius roller with bearings
 RRL 12 / 16 / R2 / S70G
 Radius roller without bearings
 RRL 28 / 16 / R2 / S70G




Silicon 70 shore

Radius roller with bearings
 RRL 12 / 16 / R2 / S90Gr
 Radius roller without bearings
 RRL 28 / 16 / R2 / S90Gr




Silicon 90 shore

Radius roller with bearings
 RRL 12 / 18 / R5 / S30B
 Radius roller without bearings
 RRL 28 / 18 / R5 / S30B




Silicon 30 shore

Radius roller with bearings
 RRL 12 / 18 / R5 / S50R
 Radius roller without bearings
 RRL 28 / 18 / R5 / S50R




Silicon 50 shore

Radius roller with bearings
 RRL 12 / 18 / R5 / S70G
 Radius roller without bearings
 RRL 28 / 18 / R5 / S70G




Silicon 70 shore

Radius roller with bearings
 RRL 12 / 18 / R5 / S90Gr
 Radius roller without bearings
 RRL 28 / 18 / R5 / S90Gr




Silicon 90 shore

Corner roller with bearings
ERL 12 / 18 / L43 / S30B
Corner roller without bearings
ERL 28 / 18 / L43 / S30B




Silicon 30 shore

Corner roller with bearings
ERL 12 / 18 / L43 / S50R
Corner roller without bearings
ERL 28 / 18 / L43 / S50R




Silicon 50 shore

Corner roller with bearings
ERL 12 / 18 / L43 / S70G
Corner roller without bearings
ERL 28 / 18 / L43 / S70G




Silicon 70 shore

Corner roller with bearings
ERL 12 / 18 / L43 / S90Gr
Corner roller without bearings
ERL 28 / 18 / L43 / S90Gr




Silicon 90 shore

Corner roller with bearings
ERL 12 / 16 / R43 / S30B
Corner roller without bearings
ERL 28 / 16 / R43 / S30B




Silicon 30 shore

Corner roller with bearings
ERL 12 / 16 / R43 / S50R
Corner roller without bearings
ERL 28 / 16 / R43 / S50R




Silicon 50 shore

Corner roller with bearings
ERL 12 / 16 / R43 / S70G
Corner roller without bearings
ERL 28 / 16 / R43 / S70G




Silicon 70 shore

Corner roller with bearings
ERL 12 / 16 / R43 / S90Gr
Corner roller without bearings
ERL 28 / 16 / R43 / S90Gr




Silicon 90 shore

Corner roller with bearings
ERL 12 / 16 / 45 / S30B
Corner roller without bearings
ERL 28 / 16 / 45 / S30B




Silicon 30 shore

Corner roller with bearings
ERL 12 / 16 / 45 / S50R
Corner roller without bearings
ERL 28 / 16 / 45 / S50R




Silicon 50 shore

Corner roller with bearings
ERL 12 / 16 / 45 / S70G
Corner roller without bearings
ERL 28 / 16 / 45 / S70G




Silicon 70 shore

Corner roller with bearings
ERL 12 / 16 / 45 / S90Gr
Corner roller without bearings
ERL 28 / 16 / 45 / S90Gr




Silicon 90 shore

Corner roller with bearings
ERL 12 / 18 / 80 / S30B
Corner roller without bearings
ERL 28 / 18 / 80 / S30B




Silicon 30 shore

Corner roller with bearings
ERL 12 / 18 / 80 / S50R
Corner roller without bearings
ERL 28 / 18 / 80 / S50R




Silicon 50 shore

Corner roller with bearings
ERL 12 / 18 / 80 / S70G
Corner roller without bearings
ERL 28 / 18 / 80 / S70G




Silicon 70 shore

Corner roller with bearings
ERL 12 / 18 / 80 / S90Gr
Corner roller without bearings
ERL 28 / 18 / 80 / S90Gr




Silicon 90 shore

Flat front roller with bearings
SR8 / 25 / 12 / S30B




Silicon 30 shore

Flat front roller with bearings
SR8 / 25 / 12 / S50R




Silicon 50 shore

Flat front roller with bearings
SR8 / 25 / 12 / S70G




Silicon 70 shore

Flat front roller with bearings
SR8 / 25 / 12 / S90R




Silicon 90 shore

Corner 45° front roller with bearings
SR8 / 20 / 45 / S70G



Silicon 70 shore


Corner 45° front roller with bearings
SR8 / 20 / 45 / S90Gr



Silicon 90 shore


Other dimensions and materials available on request!

Corner roller with bearings
ERL 12 / 15 / 43 / S30B
Corner roller without bearings
ERL 28 / 15 / 43 / S30B




Silicon 30 shore

Corner roller with bearings
ERL 12 / 15 / 43 / S50R
Corner roller without bearings
ERL 28 / 15 / 43 / S50R




Silicon 50 shore

Corner roller with bearings
ERL 12 / 15 / 43 / S70G
Corner roller without bearings
ERL 28 / 15 / 43 / S70G



Silicon 70 shore


Corner roller with bearings
ERL 12 / 15 / 43 / S90Gr
Corner roller without bearings
ERL 28 / 15 / 43 / S90Gr



Silicon 90 shore

Other dimensions and
materials available on request!


Cross clamp - right
KK 22 / R




Cross clamp - left
KK 22 / L




Single clamp
EK 80




Single clamp
EK 125
EK 225
EK 275
EK 325




Cross clamp - right
KKU / R




Cross clamp - left
KKU / L



Single clamp
EKU 70




Single clamp
EKU 125
EKU 225
EKU 275
EKU 325




Connecting rod Ø 22

- VB 22 / 85
- VB 22 / 185
- VB 22 / 235
- VB 22 / 285
- VB 22 / 335
- VB 22 / 385
- VB 22 / 435
- VB 22 / 485




Connecting rod □ 20


- VBQ 20 / 85
- VBQ 20 / 185
- VBQ 20 / 235
- VBQ 20 / 285
- VBQ 20 / 335
- VBQ 20 / 385
- VBQ 20 / 435
- VBQ 20 / 485




Fastening element
BF 35 / 22




Fastening element
KF 22 / 80 / M8




Clamp
KR 22




Clamp
KG 22 / M 12




Roller holder
RA 12 / 12 - 15 / M8




Roller holder
RA 12 / 20 - 30 / M8




Roller holder
RA 12 / 50 / M8




Roller holder
RA 12 / 12 - 15 / M12




Roller holder
RA 12 / 20 - 30 / M12




Roller holder
RA 12 / 50 / M12




Roller holder
RA 8 / 15 / M8



Roller holder
RA 8 / 20 / M8




Allen wrench for Allen head screws
S - SW 6 / 100



Other dimensions and materials available on request!


Fixed roller assembly

FR 12 / 12-15 A / 100
 FR 12 / 12-15 A / 200
 FR 12 / 12-15 A / 250
 FR 12 / 12-15 A / 300




Fixed roller assembly

FR 12 / 20-30 A / 100
 FR 12 / 20-30 A / 200
 FR 12 / 20-30 A / 250
 FR 12 / 20-30 A / 300




Fixed roller assembly

FR 12 / 50 A / 100
 FR 12 / 50 A / 200
 FR 12 / 50 A / 250
 FR 12 / 50 A / 300




Fixed roller assembly

FR 12 / 50 C / 100
 FR 12 / 50 C / 200
 FR 12 / 50 C / 250
 FR 12 / 50 C / 300




Fixed roller assembly

FR 12 / 12-15 B / 100
 FR 12 / 12-15 B / 200
 FR 12 / 12-15 B / 250
 FR 12 / 12-15 B / 300




Fixed roller assembly

FR 12 / 20-30 B / 100
 FR 12 / 20-30 B / 200
 FR 12 / 20-30 B / 250
 FR 12 / 20-30 B / 300




Fixed roller assembly

FR 12 / 50 B / 100
 FR 12 / 50 B / 200
 FR 12 / 50 B / 250
 FR 12 / 50 B / 300




Fixed roller assembly

FR 8 / 15 A / 100
 FR 8 / 15 A / 200
 FR 8 / 15 A / 250
 FR 8 / 15 A / 300




Fixed roller assembly

FR 8 / 20 A / 100
 FR 8 / 20 A / 200
 FR 8 / 20 A / 250
 FR 8 / 20 A / 300




Fixed roller assembly

FR 8 / 15 B / 100
 FR 8 / 15 B / 200
 FR 8 / 15 B / 250
 FR 8 / 15 B / 300



Fixed roller assembly


FR 8 / 20 B / 100
 FR 8 / 20 B / 200
 FR 8 / 20 B / 250
 FR 8 / 20 B / 300



Other dimensions and materials available on request!


Fixed roller assembly

- FR 12 / 50 / 100
- FR 12 / 50 / 200
- FR 12 / 50 / 250
- FR 12 / 50 / 300




Fixed roller assembly

- FR 12 / 100 / 100
- FR 12 / 100 / 200
- FR 12 / 100 / 250
- FR 12 / 100 / 300




Fixed roller assembly

- FR 12 / 150 / 100
- FR 12 / 150 / 200
- FR 12 / 150 / 250
- FR 12 / 150 / 300




Fixed roller assembly

- FR 12 / 200 / 100
- FR 12 / 200 / 200
- FR 12 / 200 / 250
- FR 12 / 200 / 300




Fixed roller assembly

- FR 12 / 250 / 100
- FR 12 / 250 / 200
- FR 12 / 250 / 250
- FR 12 / 250 / 300




Fixed roller assembly

- FR 12 / 300 / 100
- FR 12 / 300 / 200
- FR 12 / 300 / 250
- FR 12 / 300 / 300



Fixed roller assembly


- FR 12 / 350 / 100
- FR 12 / 350 / 200
- FR 12 / 350 / 250
- FR 12 / 350 / 300



Other dimensions and materials available on request!


Spring-mounted roller assembly

GRB 12 / 12-15 A / 150
 GRB 12 / 12-15 A / 200
 GRB 12 / 12-15 A / 250




Spring-mounted roller assembly

GRB 12 / 20-30 A / 150
 GRB 12 / 20-30 A / 200
 GRB 12 / 20-30 A / 250




Spring-mounted roller assembly

GRB 12 / 50 A / 150
 GRB 12 / 50 A / 200
 GRB 12 / 50 A / 250




Spring-mounted roller assembly

GRB 12 / 50 C / 150
 GRB 12 / 50 C / 200
 GRB 12 / 50 C / 250




Spring-mounted roller assembly

GR 8 / 15 A / 100
 GR 8 / 15 A / 200
 GR 8 / 15 A / 250



Spring-mounted roller assembly


GR 8 / 20 A / 100
 GR 8 / 20 A / 200
 GR 8 / 20 A / 250



Other dimensions and materials available on request!


Spring-mounted roller assembly

GRB 12 / 50 / 150
GRB 12 / 50 / 200
GRB 12 / 50 / 250




Spring-mounted roller assembly

GR 12 / 100 / 150
GR 12 / 100 / 200
GR 12 / 100 / 250




Spring-mounted roller assembly

GR 12 / 150 / 150
GR 12 / 150 / 200
GR 12 / 150 / 250




Spring-mounted roller assembly

GR 12 / 200 / 150
GR 12 / 200 / 200
GR 12 / 200 / 250




Spring-mounted roller assembly

GR 12 / 250 / 150
GR 12 / 250 / 200
GR 12 / 250 / 250




Spring-mounted roller assembly

GR 12 / 300 / 150
GR 12 / 300 / 200
GR 12 / 300 / 250



Spring-mounted roller assembly


GR 12 / 350 / 150
GR 12 / 350 / 200
GR 12 / 350 / 250



Other dimensions and materials available on request!


Straight guide roller assembly

K20G12/ 12-15/100
 K20G12/ 12-15/200
 K20G12/ 12-15/250
 K20G12/ 12-15/300




Straight guide roller assembly

K20G12/20-30/100
 K20G12/20-30/200
 K20G12/20-30/250
 K20G12/20-30/300




Straight guide roller assembly

K20G12/50/ 100
 K20G12/50/ 200
 K20G12/50/ 250
 K20G12/50/ 300




Guide roller assembly - left

K20SL12/12-15/100
 K20SL12/12-15/200
 K20SL12/12-15/250
 K20SL12/12-15/300




Guide roller assembly - left

K20SL12/20-30/100
 K20SL12/20-30/200
 K20SL12/20-30/250
 K20SL12/20-30/300




Guide roller assembly - left

K20SL12/50/ 100
 K20SL12/50/ 200
 K20SL12/50/ 250
 K20SL12/50/ 300




The low gradient of 1.5° set the guide roller obliquely. So the profile is pressed with slight pressure. **This left version must be arranged with the right version.**



view direction


Guide roller assembly - right

K20SR12/12-15/100
 K20SR12/12-15/200
 K20SR12/12-15/250
 K20SR12/12-15/300




Guide roller assembly - right

K20SR12/20-30/100
 K20SR12/20-30/200
 K20SR12/20-30/250
 K20SR12/20-30/300




Guide roller assembly - right

K20SR12/50/ 100
 K20SR12/50/ 200
 K20SR12/50/ 250
 K20SR12/50/ 300



The low gradient of 1.5° set the guide roller obliquely. So the profile is pressed with slight pressure. **This right version must be arranged with the left version.**




view direction

Other dimensions and
 Materials available on request


Swiveling roller assembly □ 20

- RQD 12 / 12-15 / 100
- RQD 12 / 12-15 / 200
- RQD 12 / 12-15 / 250
- RQD 12 / 12-15 / 300




Swiveling roller assembly □ 20

- RQD 12 / 20-30 / 100
- RQD 12 / 20-30 / 200
- RQD 12 / 20-30 / 250
- RQD 12 / 20-30 / 300



Swiveling roller assembly □ 20


- RQD 12 / 50 / 100
- RQD 12 / 50 / 200
- RQD 12 / 50 / 250
- RQD 12 / 50 / 300



Other dimensions and materials available on request!


Universal roller assembly □ 20

- RQU 12 / 12-15 / 100
- RQU 12 / 12-15 / 200
- RQU 12 / 12-15 / 250
- RQU 12 / 12-15 / 300




Universal roller assembly □ 20

- RQU 12 / 20-30 / 100
- RQU 12 / 20-30 / 200
- RQU 12 / 20-30 / 250
- RQU 12 / 20-30 / 300



Universal roller assembly □ 20


- RQU 12 / 50 / 100
- RQU 12 / 50 / 200
- RQU 12 / 50 / 250
- RQU 12 / 50 / 300



Other dimensions and materials available on request!


Square roller assembly

- QRC 12 / 50 / 80
- QRC 12 / 50 / 180
- QRC 12 / 50 / 230
- QRC 12 / 50 / 280




Square roller assembly

- QR 12 / 50 / 80
- QR 12 / 50 / 180
- QR 12 / 50 / 230
- QR 12 / 50 / 280




Square roller assembly

- QR 12 / 100 / 80
- QR 12 / 100 / 180
- QR 12 / 100 / 230
- QR 12 / 100 / 280




Square roller assembly

- QR 12 / 150 / 80
- QR 12 / 150 / 180
- QR 12 / 150 / 230
- QR 12 / 150 / 280



Square roller assembly


- QR 12 / 200 / 80
- QR 12 / 200 / 180
- QR 12 / 200 / 230
- QR 12 / 200 / 280



Other dimensions and materials available on request!


Fixed roller assembly
with roller F 12 / 10 / 75 / S70G

- FRA12/ 100 /F/10/75/S70G
- FRA12/ 200 /F/10/75/S70G
- FRA12/ 250 /F/10/75/S70G
- FRA12/ 300 /F/10/75/S70G




Fixed roller assembly
with roller F 12 / 10 / 75 / S90Gr

- FRA12/ 100 /F/10/75/S90Gr
- FRA12/ 200 /F/10/75/S90Gr
- FRA12/ 250 /F/10/75/S90Gr
- FRA12/ 300 /F/10/75/S90Gr




Fixed roller assembly
with roller F 12 / 10 / 75 / AL

- FRA12/ 100 /F/10/75/AL
- FRA12/ 200 /F/10/75/AL
- FRA12/ 250 /F/10/75/AL
- FRA12/ 300 /F/10/75/AL




Fixed roller assembly
with roller F 12 / 10 / 75 / PO

- FRA12/ 100 /F/10/75/PO
- FRA12/ 200 /F/10/75/PO
- FRA12/ 250 /F/10/75/PO
- FRA12/ 300 /F/10/75/PO




Fixed roller assembly
with roller F 12 / 10 / 85 / S70G

- FRA12/ 100 /F/10/85/S70G
- FRA12/ 200 /F/10/85/S70G
- FRA12/ 250 /F/10/85/S70G
- FRA12/ 300 /F/10/85/S70G




Fixed roller assembly
with roller F 12 / 10 / 85 / S90Gr

- FRA12/ 100 /F/10/85/S90Gr
- FRA12/ 200 /F/10/85/S90Gr
- FRA12/ 250 /F/10/85/S90Gr
- FRA12/ 300 /F/10/85/S90Gr




Fixed roller assembly
with roller F 12 / 10 / 85 / AL

- FRA12/ 100 /F/10/85/AL
- FRA12/ 200 /F/10/85/AL
- FRA12/ 250 /F/10/85/AL
- FRA12/ 300 /F/10/85/AL




Fixed roller assembly
with roller F 12 / 10 / 85 / PO

- FRA12/ 100 /F/10/85/PO
- FRA12/ 200 /F/10/85/PO
- FRA12/ 250 /F/10/85/PO
- FRA12/ 300 /F/10/85/PO




Fixed roller assembly
with roller F 12 / 15 / 85 / S70G

- FRA12/ 100 /F/15/85/S70G
- FRA12/ 200 /F/15/85/S70G
- FRA12/ 250 /F/15/85/S70G
- FRA12/ 300 /F/15/85/S70G




Fixed roller assembly
with roller F 12 / 15 / 85 / S90Gr

- FRA12/ 100 /F/15/85/S90Gr
- FRA12/ 200 /F/15/85/S90Gr
- FRA12/ 250 /F/15/85/S90Gr
- FRA12/ 300 /F/15/85/S90Gr




Fixed roller assembly
with roller F 12 / 15 / 85 / AL

- FRA12/ 100 /F/15/85/AL
- FRA12/ 200 /F/15/85/AL
- FRA12/ 250 /F/15/85/AL
- FRA12/ 300 /F/15/85/AL




Fixed roller assembly
with roller F 12 / 15 / 85 / PO

- FRA12/ 100 /F/15/85/PO
- FRA12/ 200 /F/15/85/PO
- FRA12/ 250 /F/15/85/PO
- FRA12/ 300 /F/15/85/PO




Fixed roller assembly
with roller F 12 / 20 / 85 / S70G

- FRA12/ 100 /F/20/85/S70G
- FRA12/ 200 /F/20/85/S70G
- FRA12/ 250 /F/20/85/S70G
- FRA12/ 300 /F/20/85/S70G




Fixed roller assembly
with roller F 12 / 20 / 85 / S90Gr

- FRA12/ 100 /F/20/85/S90Gr
- FRA12/ 200 /F/20/85/S90Gr
- FRA12/ 250 /F/20/85/S90Gr
- FRA12/ 300 /F/20/85/S90Gr




Fixed roller assembly
with roller F 12 / 20 / 85 / AL

- FRA12/ 100 /F/20/85/AL
- FRA12/ 200 /F/20/85/AL
- FRA12/ 250 /F/20/85/AL
- FRA12/ 300 /F/20/85/AL




Fixed roller assembly
with roller F 12 / 20 / 85 / PO

- FRA12/ 100 /F/20/85/PO
- FRA12/ 200 /F/20/85/PO
- FRA12/ 250 /F/20/85/PO
- FRA12/ 300 /F/20/85/PO




**Fixed roller assembly
with roller F 12 / 10 / 100 / S70G**

- FRA12/ 100 /F/10/100/S70G
- FRA12/ 200 /F/10/100/S70G
- FRA12/ 250 /F/10/100/S70G
- FRA12/ 300 /F/10/100/S70G




**Fixed roller assembly
with roller F 12 / 10 / 100 / S90Gr**

- FRA12/ 100 /F/10/100/S90Gr
- FRA12/ 200 /F/10/100/S90Gr
- FRA12/ 250 /F/10/100/S90Gr
- FRA12/ 300 /F/10/100/S90Gr




**Fixed roller assembly
with roller F 12 / 10 / 100 / AL**

- FRA12/ 100 /F/10/100/AL
- FRA12/ 200 /F/10/100/AL
- FRA12/ 250 /F/10/100/AL
- FRA12/ 300 /F/10/100/AL



**Fixed roller assembly
with roller F 12 / 10 / 100 / PO**


- FRA12/ 100 /F/10/100/PO
- FRA12/ 200 /F/10/100/PO
- FRA12/ 250 /F/10/100/PO
- FRA12/ 300 /F/10/100/PO



Other dimensions and
materials available on request!


Fixed roller assembly with roller R 12 / 15 / 50 / S30B

- FRA12/ 100 /15/50/S30B
- FRA12/ 200 /15/50/S30B
- FRA12/ 250 /15/50/S30B
- FRA12/ 300 /15/50/S30B




Fixed roller assembly with roller R 12 / 15 / 50 / S50R

- FRA12/ 100 /15/50/S50R
- FRA12/ 200 /15/50/S50R
- FRA12/ 250 /15/50/S50R
- FRA12/ 300 /15/50/S50R




Fixed roller assembly with roller R 12 / 15 / 50 / S70G

- FRA12/ 100 /15/50/S70G
- FRA12/ 200 /15/50/S70G
- FRA12/ 250 /15/50/S70G
- FRA12/ 300 /15/50/S70G




Fixed roller assembly with roller R 12 / 15 / 50 / S90Gr

- FRA12/ 100 /15/50/S90Gr
- FRA12/ 200 /15/50/S90Gr
- FRA12/ 250 /15/50/S90Gr
- FRA12/ 300 /15/50/S90Gr




Fixed roller assembly with roller R 12 / 15 / 50 / AL

- FRA12/ 100 /15/50/AL
- FRA12/ 200 /15/50/AL
- FRA12/ 250 /15/50/AL
- FRA12/ 300 /15/50/AL



Fixed roller assembly with roller R 12 / 15 / 50 / PO


- FRA12/ 100 /15/50/PO
- FRA12/ 200 /15/50/PO
- FRA12/ 250 /15/50/PO
- FRA12/ 300 /15/50/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller R 12 / 20 / 50 / S30B

- FRA12/ 100 /20/50/S30B
- FRA12/ 200 /20/50/S30B
- FRA12/ 250 /20/50/S30B
- FRA12/ 300 /20/50/S30B




Fixed roller assembly with roller R 12 / 20 / 50 / S50R

- FRA12/ 100 /20/50/S50R
- FRA12/ 200 /20/50/S50R
- FRA12/ 250 /20/50/S50R
- FRA12/ 300 /20/50/S50R




Fixed roller assembly with roller R 12 / 20 / 50 / S70G

- FRA12/ 100 /20/50/S70G
- FRA12/ 200 /20/50/S70G
- FRA12/ 250 /20/50/S70G
- FRA12/ 300 /20/50/S70G




Fixed roller assembly with roller R 12 / 20 / 50 / S90Gr

- FRA12/ 100 /20/50/S90Gr
- FRA12/ 200 /20/50/S90Gr
- FRA12/ 250 /20/50/S90Gr
- FRA12/ 300 /20/50/S90Gr




Fixed roller assembly with roller R 12 / 20 / 50 / AL

- FRA12/ 100 /20/50/AL
- FRA12/ 200 /20/50/AL
- FRA12/ 250 /20/50/AL
- FRA12/ 300 /20/50/AL



Fixed roller assembly with roller R 12 / 20 / 50 / PO


- FRA12/ 100 /20/50/PO
- FRA12/ 200 /20/50/PO
- FRA12/ 250 /20/50/PO
- FRA12/ 300 /20/50/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller R 12 / 25 / 50 / S30B

- FRA12/ 100 /25/50/S30B
- FRA12/ 200 /25/50/S30B
- FRA12/ 250 /25/50/S30B
- FRA12/ 300 /25/50/S30B




Fixed roller assembly with roller R 12 / 25 / 50 / S50R

- FRA12/ 100 /25/50/S50R
- FRA12/ 200 /25/50/S50R
- FRA12/ 250 /25/50/S50R
- FRA12/ 300 /25/50/S50R




Fixed roller assembly with roller R 12 / 25 / 50 / S70G

- FRA12/ 100 /25/50/S70G
- FRA12/ 200 /25/50/S70G
- FRA12/ 250 /25/50/S70G
- FRA12/ 300 /25/50/S70G




Fixed roller assembly with roller R 12 / 25 / 50 / S90Gr

- FRA12/ 100 /25/50/S90Gr
- FRA12/ 200 /25/50/S90Gr
- FRA12/ 250 /25/50/S90Gr
- FRA12/ 300 /25/50/S90Gr




Fixed roller assembly with roller R 12 / 25 / 50 / AL

- FRA12/ 100 /25/50/AL
- FRA12/ 200 /25/50/AL
- FRA12/ 250 /25/50/AL
- FRA12/ 300 /25/50/AL



Fixed roller assembly with roller R 12 / 25 / 50 / PO


- FRA12/ 100 /25/50/PO
- FRA12/ 200 /25/50/PO
- FRA12/ 250 /25/50/PO
- FRA12/ 300 /25/50/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller R 12 / 30 / 50 / S30B

- FRA12/ 100 /30/50/S30B
- FRA12/ 200 /30/50/S30B
- FRA12/ 250 /30/50/S30B
- FRA12/ 300 /30/50/S30B




Fixed roller assembly with roller R 12 / 30 / 50 / S50R

- FRA12/ 100 /30/50/S50R
- FRA12/ 200 /30/50/S50R
- FRA12/ 250 /30/50/S50R
- FRA12/ 300 /30/50/S50R




Fixed roller assembly with roller R 12 / 30 / 50 / S70G

- FRA12/ 100 /30/50/S70G
- FRA12/ 200 /30/50/S70G
- FRA12/ 250 /30/50/S70G
- FRA12/ 300 /30/50/S70G




Fixed roller assembly with roller R 12 / 30 / 50 / S90Gr

- FRA12/ 100 /30/50/S90Gr
- FRA12/ 200 /30/50/S90Gr
- FRA12/ 250 /30/50/S90Gr
- FRA12/ 300 /30/50/S90Gr




Fixed roller assembly with roller R 12 / 30 / 50 / AL

- FRA12/ 100 /30/50/AL
- FRA12/ 200 /30/50/AL
- FRA12/ 250 /30/50/AL
- FRA12/ 300 /30/50/AL



Fixed roller assembly with roller R 12 / 30 / 50 / PO


- FRA12/ 100 /30/50/PO
- FRA12/ 200 /30/50/PO
- FRA12/ 250 /30/50/PO
- FRA12/ 300 /30/50/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller RB 12 / 50 / 50 / S30B**

- FRA12/ 100 /50/50/S30B
- FRA12/ 200 /50/50/S30B
- FRA12/ 250 /50/50/S30B
- FRA12/ 300 /50/50/S30B




**Fixed roller assembly
with roller RB 12 / 50 / 50 / S50R**

- FRA12/ 100 /50/50/S50R
- FRA12/ 200 /50/50/S50R
- FRA12/ 250 /50/50/S50R
- FRA12/ 300 /50/50/S50R




**Fixed roller assembly
with roller RB 12 / 50 / 50 / S70G**

- FRA12/ 100 /50/50/S70G
- FRA12/ 200 /50/50/S70G
- FRA12/ 250 /50/50/S70G
- FRA12/ 300 /50/50/S70G




**Fixed roller assembly
with roller RB 12 / 50 / 50 / S90Gr**

- FRA12/ 100 /50/50/S90Gr
- FRA12/ 200 /50/50/S90Gr
- FRA12/ 250 /50/50/S90Gr
- FRA12/ 300 /50/50/S90Gr




**Fixed roller assembly
with roller RB 12 / 50 / 50 / AL**

- FRA12/ 100 /50/50/AL
- FRA12/ 200 /50/50/AL
- FRA12/ 250 /50/50/AL
- FRA12/ 300 /50/50/AL



**Fixed roller assembly
with roller RB 12 / 50 / 50 / PO**


- FRA12/ 100 /50/50/PO
- FRA12/ 200 /50/50/PO
- FRA12/ 250 /50/50/PO
- FRA12/ 300 /50/50/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller R 12 / 50 / 50 / S30B**

- FR12/ 100 /50/50/S30B
- FR12/ 200 /50/50/S30B
- FR12/ 250 /50/50/S30B
- FR12/ 300 /50/50/S30B




**Fixed roller assembly
with roller R 12 / 50 / 50 / S50R**

- FR12/ 100 /50/50/S50R
- FR12/ 200 /50/50/S50R
- FR12/ 250 /50/50/S50R
- FR12/ 300 /50/50/S50R




**Fixed roller assembly
with roller R 12 / 50 / 50 / S70G**

- FR12/ 100 /50/50/S70G
- FR12/ 200 /50/50/S70G
- FR12/ 250 /50/50/S70G
- FR12/ 300 /50/50/S70G




**Fixed roller assembly
with roller R 12 / 50 / 50 / S90Gr**

- FR12/ 100 /50/50/S90Gr
- FR12/ 200 /50/50/S90Gr
- FR12/ 250 /50/50/S90Gr
- FR12/ 300 /50/50/S90Gr




**Fixed roller assembly
with roller R 12 / 50 / 50 / AL**

- FR12/ 100 /50/50/AL
- FR12/ 200 /50/50/AL
- FR12/ 250 /50/50/AL
- FR12/ 300 /50/50/AL



**Fixed roller assembly
with roller R 12 / 50 / 50 / PO**


- FR12/ 100 /50/50/PO
- FR12/ 200 /50/50/PO
- FR12/ 250 /50/50/PO
- FR12/ 300 /50/50/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller R 12 / 15 / 50 / S30B**

- FRB12/ 100 /15/50/S30B
- FRB12/ 200 /15/50/S30B
- FRB12/ 250 /15/50/S30B
- FRB12/ 300 /15/50/S30B




**Fixed roller assembly
with roller R 12 / 15 / 50 / S50R**

- FRB12/ 100 /15/50/S50R
- FRB12/ 200 /15/50/S50R
- FRB12/ 250 /15/50/S50R
- FRB12/ 300 /15/50/S50R




**Fixed roller assembly
with roller R 12 / 15 / 50 / S70G**

- FRB12/ 100 /15/50/S70G
- FRB12/ 200 /15/50/S70G
- FRB12/ 250 /15/50/S70G
- FRB12/ 300 /15/50/S70G




**Fixed roller assembly
with roller R 12 / 15 / 50 / S90Gr**

- FRB12/ 100 /15/50/S90Gr
- FRB12/ 200 /15/50/S90Gr
- FRB12/ 250 /15/50/S90Gr
- FRB12/ 300 /15/50/S90Gr



**Fixed roller assembly
with roller R 12 / 15 / 50 / AL**

- FRB12/ 100 /15/50/AL
- FRB12/ 200 /15/50/AL
- FRB12/ 250 /15/50/AL
- FRB12/ 300 /15/50/AL



**Fixed roller assembly
with roller R 12 / 15 / 50 / PO**


- FRB12/ 100 /15/50/PO
- FRB12/ 200 /15/50/PO
- FRB12/ 250 /15/50/PO
- FRB12/ 300 /15/50/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller R 12 / 20 / 50 / S30B**

- FRB12/ 100 /20/50/S30B
- FRB12/ 200 /20/50/S30B
- FRB12/ 250 /20/50/S30B
- FRB12/ 300 /20/50/S30B




**Fixed roller assembly
with roller R 12 / 20 / 50 / S50R**

- FRB12/ 100 /20/50/S50R
- FRB12/ 200 /20/50/S50R
- FRB12/ 250 /20/50/S50R
- FRB12/ 300 /20/50/S50R




**Fixed roller assembly
with roller R 12 / 20 / 50 / S70G**

- FRB12/ 100 /20/50/S70G
- FRB12/ 200 /20/50/S70G
- FRB12/ 250 /20/50/S70G
- FRB12/ 300 /20/50/S70G




**Fixed roller assembly
with roller R 12 / 20 / 50 / S90Gr**

- FRB12/ 100 /20/50/S90Gr
- FRB12/ 200 /20/50/S90Gr
- FRB12/ 250 /20/50/S90Gr
- FRB12/ 300 /20/50/S90Gr




**Fixed roller assembly
with roller R 12 / 20 / 50 / AL**

- FRB12/ 100 /20/50/AL
- FRB12/ 200 /20/50/AL
- FRB12/ 250 /20/50/AL
- FRB12/ 300 /20/50/AL



**Fixed roller assembly
with roller R 12 / 20 / 50 / PO**


- FRB12/ 100 /20/50/PO
- FRB12/ 200 /20/50/PO
- FRB12/ 250 /20/50/PO
- FRB12/ 300 /20/50/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller R 12 / 25 / 50 / S30B

- FRB12/ 100 /25/50/S30B
- FRB12/ 200 /25/50/S30B
- FRB12/ 250 /25/50/S30B
- FRB12/ 300 /25/50/S30B




Fixed roller assembly with roller R 12 / 25 / 50 / S50R

- FRB12/ 100 /25/50/S50R
- FRB12/ 200 /25/50/S50R
- FRB12/ 250 /25/50/S50R
- FRB12/ 300 /25/50/S50R




Fixed roller assembly with roller R 12 / 25 / 50 / S70G

- FRB12/ 100 /25/50/S70G
- FRB12/ 200 /25/50/S70G
- FRB12/ 250 /25/50/S70G
- FRB12/ 300 /25/50/S70G




Fixed roller assembly with roller R 12 / 25 / 50 / S90Gr

- FRB12/ 100 /25/50/S90Gr
- FRB12/ 200 /25/50/S90Gr
- FRB12/ 250 /25/50/S90Gr
- FRB12/ 300 /25/50/S90Gr




Fixed roller assembly with roller R 12 / 25 / 50 / AL

- FRB12/ 100 /25/50/AL
- FRB12/ 200 /25/50/AL
- FRB12/ 250 /25/50/AL
- FRB12/ 300 /25/50/AL



Fixed roller assembly with roller R 12 / 25 / 50 / PO


- FRB12/ 100 /25/50/PO
- FRB12/ 200 /25/50/PO
- FRB12/ 250 /25/50/PO
- FRB12/ 300 /25/50/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller R 12 / 30 / 50 / S30B

- FRB12/ 100 /30/50/S30B
- FRB12/ 200 /30/50/S30B
- FRB12/ 250 /30/50/S30B
- FRB12/ 300 /30/50/S30B




Fixed roller assembly with roller R 12 / 30 / 50 / S50R

- FRB12/ 100 /30/50/S50R
- FRB12/ 200 /30/50/S50R
- FRB12/ 250 /30/50/S50R
- FRB12/ 300 /30/50/S50R




Fixed roller assembly with roller R 12 / 30 / 50 / S70G

- FRB12/ 100 /30/50/S70G
- FRB12/ 200 /30/50/S70G
- FRB12/ 250 /30/50/S70G
- FRB12/ 300 /30/50/S70G




Fixed roller assembly with roller R 12 / 30 / 50 / S90Gr

- FRB12/ 100 /30/50/S90Gr
- FRB12/ 200 /30/50/S90Gr
- FRB12/ 250 /30/50/S90Gr
- FRB12/ 300 /30/50/S90Gr




Fixed roller assembly with roller R 12 / 30 / 50 / AL

- FRB12/ 100 /30/50/AL
- FRB12/ 200 /30/50/AL
- FRB12/ 250 /30/50/AL
- FRB12/ 300 /30/50/AL



Fixed roller assembly with roller R 12 / 30 / 50 / PO


- FRB12/ 100 /30/50/PO
- FRB12/ 200 /30/50/PO
- FRB12/ 250 /30/50/PO
- FRB12/ 300 /30/50/PO



Other dimensions and materials available on request!


Fixed roller assembly
with roller RB 12 / 50 / 50 / S30B

- FRB12/ 100 /50/50/S30B
- FRB12/ 200 /50/50/S30B
- FRB12/ 250 /50/50/S30B
- FRB12/ 300 /50/50/S30B




Fixed roller assembly
with roller RB 12 / 50 / 50 / S50R

- FRB12/ 100 /50/50/S50R
- FRB12/ 200 /50/50/S50R
- FRB12/ 250 /50/50/S50R
- FRB12/ 300 /50/50/S50R




Fixed roller assembly
with roller RB 12 / 50 / 50 / S70G

- FRB12/ 100 /50/50/S70G
- FRB12/ 200 /50/50/S70G
- FRB12/ 250 /50/50/S70G
- FRB12/ 300 /50/50/S70G




Fixed roller assembly
with roller RB 12 / 50 / 50 / S90Gr

- FRB12/ 100 /50/50/S90Gr
- FRB12/ 200 /50/50/S90Gr
- FRB12/ 250 /50/50/S90Gr
- FRB12/ 300 /50/50/S90Gr




Fixed roller assembly
with roller RB 12 / 50 / 50 / AL

- FRB12/ 100 /50/50/AL
- FRB12/ 200 /50/50/AL
- FRB12/ 250 /50/50/AL
- FRB12/ 300 /50/50/AL



Fixed roller assembly
with roller RB 12 / 50 / 50 / PO


- FRB12/ 100 /50/50/PO
- FRB12/ 200 /50/50/PO
- FRB12/ 250 /50/50/PO
- FRB12/ 300 /50/50/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller R 12 / 15 / 70 / S30B**

- FRA12/ 100 /15/70/S30B
- FRA12/ 200 /15/70/S30B
- FRA12/ 250 /15/70/S30B
- FRA12/ 300 /15/70/S30B




**Fixed roller assembly
with roller R 12 / 15 / 70 / S50R**

- FRA12/ 100 /15/70/S50R
- FRA12/ 200 /15/70/S50R
- FRA12/ 250 /15/70/S50R
- FRA12/ 300 /15/70/S50R




**Fixed roller assembly
with roller R 12 / 15 / 70 / S70G**

- FRA12/ 100 /15/70/S70G
- FRA12/ 200 /15/70/S70G
- FRA12/ 250 /15/70/S70G
- FRA12/ 300 /15/70/S70G




**Fixed roller assembly
with roller R 12 / 15 / 70 / S90Gr**

- FRA12/ 100 /15/70/S90Gr
- FRA12/ 200 /15/70/S90Gr
- FRA12/ 250 /15/70/S90Gr
- FRA12/ 300 /15/70/S90Gr




**Fixed roller assembly
with roller R 12 / 15 / 70 / AL**

- FRA12/ 100 /15/70/AL
- FRA12/ 200 /15/70/AL
- FRA12/ 250 /15/70/AL
- FRA12/ 300 /15/70/AL



**Fixed roller assembly
with roller R 12 / 15 / 70 / PO**


- FRA12/ 100 /15/70/PO
- FRA12/ 200 /15/70/PO
- FRA12/ 250 /15/70/PO
- FRA12/ 300 /15/70/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller R 12 / 20 / 70 / S30B**

- FRA12/ 100 /20/70/S30B
- FRA12/ 200 /20/70/S30B
- FRA12/ 250 /20/70/S30B
- FRA12/ 300 /20/70/S30B




**Fixed roller assembly
with roller R 12 / 20 / 70 / S50R**

- FRA12/ 100 /20/70/S50R
- FRA12/ 200 /20/70/S50R
- FRA12/ 250 /20/70/S50R
- FRA12/ 300 /20/70/S50R




**Fixed roller assembly
with roller R 12 / 20 / 70 / S70G**

- FRA12/ 100 /20/70/S70G
- FRA12/ 200 /20/70/S70G
- FRA12/ 250 /20/70/S70G
- FRA12/ 300 /20/70/S70G




**Fixed roller assembly
with roller R 12 / 20 / 70 / S90Gr**

- FRA12/ 100 /20/70/S90Gr
- FRA12/ 200 /20/70/S90Gr
- FRA12/ 250 /20/70/S90Gr
- FRA12/ 300 /20/70/S90Gr




**Fixed roller assembly
with roller R 12 / 20 / 70 / AL**

- FRA12/ 100 /20/70/AL
- FRA12/ 200 /20/70/AL
- FRA12/ 250 /20/70/AL
- FRA12/ 300 /20/70/AL



**Fixed roller assembly
with roller R 12 / 20 / 70 / PO**


- FRA12/ 100 /20/70/PO
- FRA12/ 200 /20/70/PO
- FRA12/ 250 /20/70/PO
- FRA12/ 300 /20/70/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller R 12 / 25 / 70 / S30B

- FRA12/ 100 /25/70/S30B
- FRA12/ 200 /25/70/S30B
- FRA12/ 250 /25/70/S30B
- FRA12/ 300 /25/70/S30B




Fixed roller assembly with roller R 12 / 25 / 70 / S50R

- FRA12/ 100 /25/70/S50R
- FRA12/ 200 /25/70/S50R
- FRA12/ 250 /25/70/S50R
- FRA12/ 300 /25/70/S50R




Fixed roller assembly with roller R 12 / 25 / 70 / S70G

- FRA12/ 100 /25/70/S70G
- FRA12/ 200 /25/70/S70G
- FRA12/ 250 /25/70/S70G
- FRA12/ 300 /25/70/S70G




Fixed roller assembly with roller R 12 / 25 / 70 / S90Gr

- FRA12/ 100 /25/70/S90Gr
- FRA12/ 200 /25/70/S90Gr
- FRA12/ 250 /25/70/S90Gr
- FRA12/ 300 /25/70/S90Gr




Fixed roller assembly with roller R 12 / 25 / 70 / AL

- FRA12/ 100 /25/70/AL
- FRA12/ 200 /25/70/AL
- FRA12/ 250 /25/70/AL
- FRA12/ 300 /25/70/AL



Fixed roller assembly with roller R 12 / 25 / 70 / PO


- FRA12/ 100 /25/70/PO
- FRA12/ 200 /25/70/PO
- FRA12/ 250 /25/70/PO
- FRA12/ 300 /25/70/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller R 12 / 30 / 70 / S30B

- FRA12/ 100 /30/70/S30B
- FRA12/ 200 /30/70/S30B
- FRA12/ 250 /30/70/S30B
- FRA12/ 300 /30/70/S30B




Fixed roller assembly with roller R 12 / 30 / 70 / S50R

- FRA12/ 100 /30/70/S50R
- FRA12/ 200 /30/70/S50R
- FRA12/ 250 /30/70/S50R
- FRA12/ 300 /30/70/S50R




Fixed roller assembly with roller R 12 / 30 / 70 / S70G

- FRA12/ 100 /30/70/S70G
- FRA12/ 200 /30/70/S70G
- FRA12/ 250 /30/70/S70G
- FRA12/ 300 /30/70/S70G




Fixed roller assembly with roller R 12 / 30 / 70 / S90Gr

- FRA12/ 100 /30/70/S90Gr
- FRA12/ 200 /30/70/S90Gr
- FRA12/ 250 /30/70/S90Gr
- FRA12/ 300 /30/70/S90Gr




Fixed roller assembly with roller R 12 / 30 / 70 / AL

- FRA12/ 100 /30/70/AL
- FRA12/ 200 /30/70/AL
- FRA12/ 250 /30/70/AL
- FRA12/ 300 /30/70/AL



Fixed roller assembly with roller R 12 / 30 / 70 / PO


- FRA12/ 100 /30/70/PO
- FRA12/ 200 /30/70/PO
- FRA12/ 250 /30/70/PO
- FRA12/ 300 /30/70/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller RB 12 / 50 / 70 / S30B**

- FRA12/ 100 /50/70/S30B
- FRA12/ 200 /50/70/S30B
- FRA12/ 250 /50/70/S30B
- FRA12/ 300 /50/70/S30B




**Fixed roller assembly
with roller RB 12 / 50 / 70 / S50R**

- FRA12/ 100 /50/70/S50R
- FRA12/ 200 /50/70/S50R
- FRA12/ 250 /50/70/S50R
- FRA12/ 300 /50/70/S50R




**Fixed roller assembly
with roller RB 12 / 50 / 70 / S70G**

- FRA12/ 100 /50/70/S70G
- FRA12/ 200 /50/70/S70G
- FRA12/ 250 /50/70/S70G
- FRA12/ 300 /50/70/S70G




**Fixed roller assembly
with roller RB 12 / 50 / 70 / S90Gr**

- FRA12/ 100 /50/70/S90Gr
- FRA12/ 200 /50/70/S90Gr
- FRA12/ 250 /50/70/S90Gr
- FRA12/ 300 /50/70/S90Gr




**Fixed roller assembly
with roller RB 12 / 50 / 70 / AL**

- FRA12/ 100 /50/70/AL
- FRA12/ 200 /50/70/AL
- FRA12/ 250 /50/70/AL
- FRA12/ 300 /50/70/AL



**Fixed roller assembly
with roller RB 12 / 50 / 70 / PO**


- FRA12/ 100 /50/70/PO
- FRA12/ 200 /50/70/PO
- FRA12/ 250 /50/70/PO
- FRA12/ 300 /50/70/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller R 12 / 50 / 70 / S30B**

- FR12/ 100 /50/70/S30B
- FR12/ 200 /50/70/S30B
- FR12/ 250 /50/70/S30B
- FR12/ 300 /50/70/S30B




**Fixed roller assembly
with roller R 12 / 50 / 70 / S50R**

- FR12/ 100 /50/70/S50R
- FR12/ 200 /50/70/S50R
- FR12/ 250 /50/70/S50R
- FR12/ 300 /50/70/S50R




**Fixed roller assembly
with roller R 12 / 50 / 70 / S70G**

- FR12/ 100 /50/70/S70G
- FR12/ 200 /50/70/S70G
- FR12/ 250 /50/70/S70G
- FR12/ 300 /50/70/S70G




**Fixed roller assembly
with roller R 12 / 50 / 70 / S90Gr**

- FR12/ 100 /50/70/S90Gr
- FR12/ 200 /50/70/S90Gr
- FR12/ 250 /50/70/S90Gr
- FR12/ 300 /50/70/S90Gr




**Fixed roller assembly
with roller R 12 / 50 / 70 / AL**

- FR12/ 100 /50/70/AL
- FR12/ 200 /50/70/AL
- FR12/ 250 /50/70/AL
- FR12/ 300 /50/70/AL



**Fixed roller assembly
with roller R 12 / 50 / 70 / PO**


- FR12/ 100 /50/70/PO
- FR12/ 200 /50/70/PO
- FR12/ 250 /50/70/PO
- FR12/ 300 /50/70/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller R 12 / 15 / 70 / S30B

- FRB12/ 100 /15/70/S30B
- FRB12/ 200 /15/70/S30B
- FRB12/ 250 /15/70/S30B
- FRB12/ 300 /15/70/S30B




Fixed roller assembly with roller R 12 / 15 / 70 / S50R

- FRB12/ 100 /15/70/S50R
- FRB12/ 200 /15/70/S50R
- FRB12/ 250 /15/70/S50R
- FRB12/ 300 /15/70/S50R




Fixed roller assembly with roller R 12 / 15 / 70 / S70G

- FRB12/ 100 /15/70/S70G
- FRB12/ 200 /15/70/S70G
- FRB12/ 250 /15/70/S70G
- FRB12/ 300 /15/70/S70G



Fixed roller assembly with roller R 12 / 15 / 70 / S90Gr

- FRB12/ 100 /15/70/S90Gr
- FRB12/ 200 /15/70/S90Gr
- FRB12/ 250 /15/70/S90Gr
- FRB12/ 300 /15/70/S90Gr




Fixed roller assembly with roller R 12 / 15 / 70 / AL

- FRB12/ 100 /15/70/AL
- FRB12/ 200 /15/70/AL
- FRB12/ 250 /15/70/AL
- FRB12/ 300 /15/70/AL



Fixed roller assembly with roller R 12 / 15 / 70 / PO


- FRB12/ 100 /15/70/PO
- FRB12/ 200 /15/70/PO
- FRB12/ 250 /15/70/PO
- FRB12/ 300 /15/70/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller R 12 / 20 / 70 / S30B

- FRB12/ 100 /20/70/S30B
- FRB12/ 200 /20/70/S30B
- FRB12/ 250 /20/70/S30B
- FRB12/ 300 /20/70/S30B




Fixed roller assembly with roller R 12 / 20 / 70 / S50R

- FRB12/ 100 /20/70/S50R
- FRB12/ 200 /20/70/S50R
- FRB12/ 250 /20/70/S50R
- FRB12/ 300 /20/70/S50R




Fixed roller assembly with roller R 12 / 20 / 70 / S70G

- FRB12/ 100 /20/70/S70G
- FRB12/ 200 /20/70/S70G
- FRB12/ 250 /20/70/S70G
- FRB12/ 300 /20/70/S70G




Fixed roller assembly with roller R 12 / 20 / 70 / S90Gr

- FRB12/ 100 /20/70/S90Gr
- FRB12/ 200 /20/70/S90Gr
- FRB12/ 250 /20/70/S90Gr
- FRB12/ 300 /20/70/S90Gr




Fixed roller assembly with roller R 12 / 20 / 70 / AL

- FRB12/ 100 /20/70/AL
- FRB12/ 200 /20/70/AL
- FRB12/ 250 /20/70/AL
- FRB12/ 300 /20/70/AL



Fixed roller assembly with roller R 12 / 20 / 70 / PO


- FRB12/ 100 /20/70/PO
- FRB12/ 200 /20/70/PO
- FRB12/ 250 /20/70/PO
- FRB12/ 300 /20/70/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller R 12 / 25 / 70 / S30B**

- FRB12/ 100 /25/70/S30B
- FRB12/ 200 /25/70/S30B
- FRB12/ 250 /25/70/S30B
- FRB12/ 300 /25/70/S30B




**Fixed roller assembly
with roller R 12 / 25 / 70 / S50R**

- FRB12/ 100 /25/70/S50R
- FRB12/ 200 /25/70/S50R
- FRB12/ 250 /25/70/S50R
- FRB12/ 300 /25/70/S50R




**Fixed roller assembly
with roller R 12 / 25 / 70 / S70G**

- FRB12/ 100 /25/70/S70G
- FRB12/ 200 /25/70/S70G
- FRB12/ 250 /25/70/S70G
- FRB12/ 300 /25/70/S70G




**Fixed roller assembly
with roller R 12 / 25 / 70 / S90Gr**

- FRB12/ 100 /25/70/S90Gr
- FRB12/ 200 /25/70/S90Gr
- FRB12/ 250 /25/70/S90Gr
- FRB12/ 300 /25/70/S90Gr




**Fixed roller assembly
with roller R 12 / 25 / 70 / AL**

- FRB12/ 100 /25/70/AL
- FRB12/ 200 /25/70/AL
- FRB12/ 250 /25/70/AL
- FRB12/ 300 /25/70/AL



**Fixed roller assembly
with roller R 12 / 25 / 70 / PO**


- FRB12/ 100 /25/70/PO
- FRB12/ 200 /25/70/PO
- FRB12/ 250 /25/70/PO
- FRB12/ 300 /25/70/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller R 12 / 30 / 70 / S30B**

- FRB12/ 100 /30/70/S30B
- FRB12/ 200 /30/70/S30B
- FRB12/ 250 /30/70/S30B
- FRB12/ 300 /30/70/S30B




**Fixed roller assembly
with roller R 12 / 30 / 70 / S50R**

- FRB12/ 100 /30/70/S50R
- FRB12/ 200 /30/70/S50R
- FRB12/ 250 /30/70/S50R
- FRB12/ 300 /30/70/S50R




**Fixed roller assembly
with roller R 12 / 30 / 70 / S70G**

- FRB12/ 100 /30/70/S70G
- FRB12/ 200 /30/70/S70G
- FRB12/ 250 /30/70/S70G
- FRB12/ 300 /30/70/S70G




**Fixed roller assembly
with roller R 12 / 30 / 70 / S90Gr**

- FRB12/ 100 /30/70/S90Gr
- FRB12/ 200 /30/70/S90Gr
- FRB12/ 250 /30/70/S90Gr
- FRB12/ 300 /30/70/S90Gr




**Fixed roller assembly
with roller R 12 / 30 / 70 / AL**

- FRB12/ 100 /30/70/AL
- FRB12/ 200 /30/70/AL
- FRB12/ 250 /30/70/AL
- FRB12/ 300 /30/70/AL



**Fixed roller assembly
with roller R 12 / 30 / 70 / PO**


- FRB12/ 100 /30/70/PO
- FRB12/ 200 /30/70/PO
- FRB12/ 250 /30/70/PO
- FRB12/ 300 /30/70/PO



Other dimensions and materials available on request!


Fixed roller assembly
with roller RB 12 / 50 / 70 / S30B

- FRB12/ 100 /50/70/S30B
- FRB12/ 200 /50/70/S30B
- FRB12/ 250 /50/70/S30B
- FRB12/ 300 /50/70/S30B




Fixed roller assembly
with roller RB 12 / 50 / 70 / S50R

- FRB12/ 100 /50/70/S50R
- FRB12/ 200 /50/70/S50R
- FRB12/ 250 /50/70/S50R
- FRB12/ 300 /50/70/S50R




Fixed roller assembly
with roller RB 12 / 50 / 70 / S70G

- FRB12/ 100 /50/70/S70G
- FRB12/ 200 /50/70/S70G
- FRB12/ 250 /50/70/S70G
- FRB12/ 300 /50/70/S70G




Fixed roller assembly
with roller RB 12 / 50 / 70 / S90Gr

- FRB12/ 100 /50/70/S90Gr
- FRB12/ 200 /50/70/S90Gr
- FRB12/ 250 /50/70/S90Gr
- FRB12/ 300 /50/70/S90Gr




Fixed roller assembly
with roller RB 12 / 50 / 70 / AL

- FRB12/ 100 /50/70/AL
- FRB12/ 200 /50/70/AL
- FRB12/ 250 /50/70/AL
- FRB12/ 300 /50/70/AL



Fixed roller assembly
with roller RB 12 / 50 / 70 / PO


- FRB12/ 100 /50/70/PO
- FRB12/ 200 /50/70/PO
- FRB12/ 250 /50/70/PO
- FRB12/ 300 /50/70/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller **R 12 / 100 / 70 / S30B**

- FR12/ 100 /100/70/S30B
- FR12/ 200 /100/70/S30B
- FR12/ 250 /100/70/S30B
- FR12/ 300 /100/70/S30B




Fixed roller assembly with roller **R 12 / 100 / 70 / S50R**

- FR12/ 100 /100/70/S50R
- FR12/ 200 /100/70/S50R
- FR12/ 250 /100/70/S50R
- FR12/ 300 /100/70/S50R




Fixed roller assembly with roller **R 12 / 100 / 70 / S70G**

- FR12/ 100 /100/70/S70G
- FR12/ 200 /100/70/S70G
- FR12/ 250 /100/70/S70G
- FR12/ 300 /100/70/S70G




Fixed roller assembly with roller **R 12 / 100 / 70 / S90Gr**

- FR12/ 100 /100/70/S90Gr
- FR12/ 200 /100/70/S90Gr
- FR12/ 250 /100/70/S90Gr
- FR12/ 300 /100/70/S90Gr




Fixed roller assembly with roller **R 12 / 100 / 70 / AL**

- FR12/ 100 /100/70/AL
- FR12/ 200 /100/70/AL
- FR12/ 250 /100/70/AL
- FR12/ 300 /100/70/AL



Fixed roller assembly with roller **R 12 / 100 / 70 / PO**


- FR12/ 100 /100/70/PO
- FR12/ 200 /100/70/PO
- FR12/ 250 /100/70/PO
- FR12/ 300 /100/70/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller **R 12 / 150 / 70 / S30B**

- FR12/ 100 /150/70/S30B
- FR12/ 200 /150/70/S30B
- FR12/ 250 /150/70/S30B
- FR12/ 300 /150/70/S30B




Fixed roller assembly with roller **R 12 / 150 / 70 / S50R**

- FR12/ 100 /150/70/S50R
- FR12/ 200 /150/70/S50R
- FR12/ 250 /150/70/S50R
- FR12/ 300 /150/70/S50R




Fixed roller assembly with roller **R 12 / 150 / 70 / S70G**

- FR12/ 100 /150/70/S70G
- FR12/ 200 /150/70/S70G
- FR12/ 250 /150/70/S70G
- FR12/ 300 /150/70/S70G




Fixed roller assembly with roller **R 12 / 150 / 70 / S90Gr**

- FR12/ 100 /150/70/S90Gr
- FR12/ 200 /150/70/S90Gr
- FR12/ 250 /150/70/S90Gr
- FR12/ 300 /150/70/S90Gr




Fixed roller assembly with roller **R 12 / 150 / 70 / AL**

- FR12/ 100 /150/70/AL
- FR12/ 200 /150/70/AL
- FR12/ 250 /150/70/AL
- FR12/ 300 /150/70/AL



Fixed roller assembly with roller **R 12 / 150 / 70 / PO**


- FR12/ 100 /150/70/PO
- FR12/ 200 /150/70/PO
- FR12/ 250 /150/70/PO
- FR12/ 300 /150/70/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller **R 12 / 200 / 70 / S30B**

- FR12/ 100 /200/70/S30B
- FR12/ 200 /200/70/S30B
- FR12/ 250 /200/70/S30B
- FR12/ 300 /200/70/S30B




Fixed roller assembly with roller **R 12 / 200 / 70 / S50R**

- FR12/ 100 /200/70/S50R
- FR12/ 200 /200/70/S50R
- FR12/ 250 /200/70/S50R
- FR12/ 300 /200/70/S50R




Fixed roller assembly with roller **R 12 / 200 / 70 / S70G**

- FR12/ 100 /200/70/S70G
- FR12/ 200 /200/70/S70G
- FR12/ 250 /200/70/S70G
- FR12/ 300 /200/70/S70G




Fixed roller assembly with roller **R 12 / 200 / 70 / S90Gr**

- FR12/ 100 /200/70/S90Gr
- FR12/ 200 /200/70/S90Gr
- FR12/ 250 /200/70/S90Gr
- FR12/ 300 /200/70/S90Gr




Fixed roller assembly with roller **R 12 / 200 / 70 / AL**

- FR12/ 100 /200/70/AL
- FR12/ 200 /200/70/AL
- FR12/ 250 /200/70/AL
- FR12/ 300 /200/70/AL




Fixed roller assembly with roller **R 12 / 200 / 70 / PO**

- FR12/ 100 /200/70/PO
- FR12/ 200 /200/70/PO
- FR12/ 250 /200/70/PO
- FR12/ 300 /200/70/PO




Other dimensions and materials available on request!


Fixed roller assembly with roller **R 12 / 250 / 70 / S30B**
 FR12/ 100 /250/70/S30B
 FR12/ 200 /250/70/S30B
 FR12/ 250 /250/70/S30B
 FR12/ 300 /250/70/S30B




Fixed roller assembly with roller **R 12 / 250 / 70 / S50R**
 FR12/ 100 /250/70/S50R
 FR12/ 200 /250/70/S50R
 FR12/ 250 /250/70/S50R
 FR12/ 300 /250/70/S50R




Fixed roller assembly with roller **R 12 / 250 / 70 / S70G**
 FR12/ 100 /250/70/S70G
 FR12/ 200 /250/70/S70G
 FR12/ 250 /250/70/S70G
 FR12/ 300 /250/70/S70G




Fixed roller assembly with roller **R 12 / 250 / 70 / S90Gr**
 FR12/ 100 /250/70/S90Gr
 FR12/ 200 /250/70/S90Gr
 FR12/ 250 /250/70/S90Gr
 FR12/ 300 /250/70/S90Gr



Fixed roller assembly with roller **R 12 / 250 / 70 / AL**
 FR12/ 100 /250/70/AL
 FR12/ 200 /250/70/AL
 FR12/ 250 /250/70/AL
 FR12/ 300 /250/70/AL




Fixed roller assembly with roller **R 12 / 250 / 70 / PO**
 FR12/ 100 /250/70/PO
 FR12/ 200 /250/70/PO
 FR12/ 250 /250/70/PO
 FR12/ 300 /250/70/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller **R 12 / 300 / 70 / S30B**

- FR12/ 100 /300/70/S30B
- FR12/ 200 /300/70/S30B
- FR12/ 250 /300/70/S30B
- FR12/ 300 /300/70/S30B




Fixed roller assembly with roller **R 12 / 300 / 70 / S50R**

- FR12/ 100 /300/70/S50R
- FR12/ 200 /300/70/S50R
- FR12/ 250 /300/70/S50R
- FR12/ 300 /300/70/S50R




Fixed roller assembly with roller **R 12 / 300 / 70 / S70G**

- FR12/ 100 /300/70/S70G
- FR12/ 200 /300/70/S70G
- FR12/ 250 /300/70/S70G
- FR12/ 300 /300/70/S70G




Fixed roller assembly with roller **R 12 / 300 / 70 / S90gr**

- FR12/ 100 /300/70/S90Gr
- FR12/ 200 /300/70/S90Gr
- FR12/ 250 /300/70/S90Gr
- FR12/ 300 /300/70/S90Gr




Fixed roller assembly with roller **R 12 / 300 / 70 / AL**

- FR12/ 100 /300/70/AL
- FR12/ 200 /300/70/AL
- FR12/ 250 /300/70/AL
- FR12/ 300 /300/70/AL



Fixed roller assembly with roller **R 12 / 300 / 70 / PO**


- FR12/ 100 /300/70/PO
- FR12/ 200 /300/70/PO
- FR12/ 250 /300/70/PO
- FR12/ 300 /300/70/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller **R 12 / 350 / 70 / S30B**

- FR12/ 100 /350/70/S30B
- FR12/ 200 /350/70/S30B
- FR12/ 250 /350/70/S30B
- FR12/ 300 /350/70/S30B




Fixed roller assembly with roller **R 12 / 350 / 70 / S50R**

- FR12/ 100 /350/70/S50R
- FR12/ 200 /350/70/S50R
- FR12/ 250 /350/70/S50R
- FR12/ 300 /350/70/S50R




Fixed roller assembly with roller **R 12 / 350 / 70 / S70G**

- FR12/ 100 /350/70/S70G
- FR12/ 200 /350/70/S70G
- FR12/ 250 /350/70/S70G
- FR12/ 300 /350/70/S70G




Fixed roller assembly with roller **R 12 / 350 / 70 / S90Gr**

- FR12/ 100 /350/70/S90Gr
- FR12/ 200 /350/70/S90Gr
- FR12/ 250 /350/70/S90Gr
- FR12/ 300 /350/70/S90Gr




Fixed roller assembly with roller **R 12 / 350 / 70 / AL**

- FR12/ 100 /350/70/AL
- FR12/ 200 /350/70/AL
- FR12/ 250 /350/70/AL
- FR12/ 300 /350/70/AL



Fixed roller assembly with roller **R 12 / 350 / 70 / PO**


- FR12/ 100 /350/70/PO
- FR12/ 200 /350/70/PO
- FR12/ 250 /350/70/PO
- FR12/ 300 /350/70/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller R 8 / 15 / 40 / S30B**

- FRA 8 / 100 / 15/40/S30B
- FRA 8 / 200 / 15/40/S30B
- FRA 8 / 250 / 15/40/S30B
- FRA 8 / 300 / 15/40/S30B




**Fixed roller assembly
with roller R 8 / 15 / 40 / S50R**

- FRA 8 / 100 / 15/40/S50R
- FRA 8 / 200 / 15/40/S50R
- FRA 8 / 250 / 15/40/S50R
- FRA 8 / 300 / 15/40/S50R




**Fixed roller assembly
with roller R 8 / 15 / 40 / S70G**

- FRA 8 / 100 / 15/40/S70G
- FRA 8 / 200 / 15/40/S70G
- FRA 8 / 250 / 15/40/S70G
- FRA 8 / 300 / 15/40/S70G




**Fixed roller assembly
with roller R 8 / 15 / 40 / S90Gr**

- FRA 8 / 100 / 15/40/S90Gr
- FRA 8 / 200 / 15/40/S90Gr
- FRA 8 / 250 / 15/40/S90Gr
- FRA 8 / 300 / 15/40/S90Gr




**Fixed roller assembly
with roller R 8 / 15 / 40 / AL**

- FRA 8 / 100 / 15/40/AL
- FRA 8 / 200 / 15/40/AL
- FRA 8 / 250 / 15/40/AL
- FRA 8 / 300 / 15/40/AL




**Fixed roller assembly
with roller R 8 / 15 / 40 / SK**

- FRA 8 / 100 / 15/40/SK
- FRA 8 / 200 / 15/40/SK
- FRA 8 / 250 / 15/40/SK
- FRA 8 / 300 / 15/40/SK




**Fixed roller assembly
with roller R 8 / 15 / 40 / ST**

- FRA 8 / 100 / 15/40/ST
- FRA 8 / 200 / 15/40/ST
- FRA 8 / 250 / 15/40/ST
- FRA 8 / 300 / 15/40/ST




**Fixed roller assembly
with roller R 8 / 20 / 40 / S30B**

- FRA 8 / 100 / 20/40/S30B
- FRA 8 / 200 / 20/40/S30B
- FRA 8 / 250 / 20/40/S30B
- FRA 8 / 300 / 20/40/S30B




**Fixed roller assembly
with roller R 8 / 20 / 40 / S50R**

- FRA 8 / 100 / 20/40/S50R
- FRA 8 / 200 / 20/40/S50R
- FRA 8 / 250 / 20/40/S50R
- FRA 8 / 300 / 20/40/S50R




**Fixed roller assembly
with roller R 8 / 20 / 40 / S70G**

- FRA 8 / 100 / 20/40/S70G
- FRA 8 / 200 / 20/40/S70G
- FRA 8 / 250 / 20/40/S70G
- FRA 8 / 300 / 20/40/S70G




**Fixed roller assembly
with roller R 8 / 20 / 40 / S90Gr**

- FRA 8 / 100 / 20/40/S90Gr
- FRA 8 / 200 / 20/40/S90Gr
- FRA 8 / 250 / 20/40/S90Gr
- FRA 8 / 300 / 20/40/S90Gr




**Fixed roller assembly
with roller R 8 / 20 / 40 / AL**

- FRA 8 / 100 / 20/40/AL
- FRA 8 / 200 / 20/40/AL
- FRA 8 / 250 / 20/40/AL
- FRA 8 / 300 / 20/40/AL




**Fixed roller assembly
with roller R 8 / 20 / 40 / SK**

- FRA 8 / 100 / 20/40/SK
- FRA 8 / 200 / 20/40/SK
- FRA 8 / 250 / 20/40/SK
- FRA 8 / 300 / 20/40/SK




**Fixed roller assembly
with roller R 8 / 20 / 40 / ST**

- FRA 8 / 100 / 20/40/ST
- FRA 8 / 200 / 20/40/ST
- FRA 8 / 250 / 20/40/ST
- FRA 8 / 300 / 20/40/ST




Fixed roller assembly with roller R 8 / 30 / 40 / S30B

- FRA 8/ 100 /30/40/S30B
- FRA 8/ 200 /30/40/S30B
- FRA 8/ 250 /30/40/S30B
- FRA 8/ 300 /30/40/S30B




Fixed roller assembly with roller R 8 / 30 / 40 / S50R

- FRA 8/ 100 /30/40/S50R
- FRA 8/ 200 /30/40/S50R
- FRA 8/ 250 /30/40/S50R
- FRA 8/ 300 /30/40/S50R




Fixed roller assembly with roller R 8 / 30 / 40 / S70G

- FRA 8/ 100 /30/40/S70G
- FRA 8/ 200 /30/40/S70G
- FRA 8/ 250 /30/40/S70G
- FRA 8/ 300 /30/40/S70G




Fixed roller assembly with roller R 8 / 30 / 40 / S90Gr

- FRA 8/ 100 /30/40/S90Gr
- FRA 8/ 200 /30/40/S90Gr
- FRA 8/ 250 /30/40/S90Gr
- FRA 8/ 300 /30/40/S90Gr




Fixed roller assembly with roller R 8 / 30 / 40 / AL

- FRA 8/ 100 /30/40/AL
- FRA 8/ 200 /30/40/AL
- FRA 8/ 250 /30/40/AL
- FRA 8/ 300 /30/40/AL




Fixed roller assembly with roller R 8 / 30 / 40 / SK

- FRA 8/ 100 /30/40/SK
- FRA 8/ 200 /30/40/SK
- FRA 8/ 250 /30/40/SK
- FRA 8/ 300 /30/40/SK




Fixed roller assembly with roller R 8 / 30 / 40 / ST

- FRA 8/ 100 /30/40/ST
- FRA 8/ 200 /30/40/ST
- FRA 8/ 250 /30/40/ST
- FRA 8/ 300 /30/40/ST




Fixed roller assembly with roller R 8 / 40 / 40 / S30B

- FRA 8/ 100 /40/40/S30B
- FRA 8/ 200 /40/40/S30B
- FRA 8/ 250 /40/40/S30B
- FRA 8/ 300 /40/40/S30B




Fixed roller assembly with roller R 8 / 40 / 40 / S50R

- FRA 8/ 100 /40/40/S50R
- FRA 8/ 200 /40/40/S50R
- FRA 8/ 250 /40/40/S50R
- FRA 8/ 300 /40/40/S50R




Fixed roller assembly with roller R 8 / 40 / 40 / S70G

- FRA 8/ 100 /40/40/S70G
- FRA 8/ 200 /40/40/S70G
- FRA 8/ 250 /40/40/S70G
- FRA 8/ 300 /40/40/S70G




Fixed roller assembly with roller R 8 / 40 / 40 / S90Gr

- FRA 8/ 100 /40/40/S90Gr
- FRA 8/ 200 /40/40/S90Gr
- FRA 8/ 250 /40/40/S90Gr
- FRA 8/ 300 /40/40/S90Gr




Fixed roller assembly with roller R 8 / 40 / 40 / AL

- FRA 8/ 100 /40/40/AL
- FRA 8/ 200 /40/40/AL
- FRA 8/ 250 /40/40/AL
- FRA 8/ 300 /40/40/AL




Fixed roller assembly with roller R 8 / 40 / 40 / SK

- FRA 8/ 100 /40/40/SK
- FRA 8/ 200 /40/40/SK
- FRA 8/ 250 /40/40/SK
- FRA 8/ 300 /40/40/SK




Fixed roller assembly with roller R 8 / 40 / 40 / ST

- FRA 8/ 100 /40/40/ST
- FRA 8/ 200 /40/40/ST
- FRA 8/ 250 /40/40/ST
- FRA 8/ 300 /40/40/ST




**Fixed roller assembly
with roller R 8 / 15 / 40 / S30B**

- FRB 8/ 100 /15/40/S30B
- FRB 8/ 200 /15/40/S30B
- FRB 8/ 250 /15/40/S30B
- FRB 8/ 300 /15/40/S30B




**Fixed roller assembly
with roller R 8 / 15 / 40 / S50R**

- FRB 8/ 100 /15/40/S50R
- FRB 8/ 200 /15/40/S50R
- FRB 8/ 250 /15/40/S50R
- FRB 8/ 300 /15/40/S50R




**Fixed roller assembly
with roller R 8 / 15 / 40 / S70G**

- FRB 8/ 100 /15/40/S70G
- FRB 8/ 200 /15/40/S70G
- FRB 8/ 250 /15/40/S70G
- FRB 8/ 300 /15/40/S70G




**Fixed roller assembly
with roller R 8 / 15 / 40 / S90Gr**

- FRB 8/ 100 /15/40/S90Gr
- FRB 8/ 200 /15/40/S90Gr
- FRB 8/ 250 /15/40/S90Gr
- FRB 8/ 300 /15/40/S90Gr




**Fixed roller assembly
with roller R 8 / 15 / 40 / AL**

- FRB 8/ 100 /15/40/AL
- FRB 8/ 200 /15/40/AL
- FRB 8/ 250 /15/40/AL
- FRB 8/ 300 /15/40/AL




**Fixed roller assembly
with roller R 8 / 15 / 40 / SK**

- FRB 8/ 100 /15/40/SK
- FRB 8/ 200 /15/40/SK
- FRB 8/ 250 /15/40/SK
- FRB 8/ 300 /15/40/SK




**Fixed roller assembly
with roller R 8 / 15 / 40 / ST**

- FRB 8/ 100 /15/40/ST
- FRB 8/ 200 /15/40/ST
- FRB 8/ 250 /15/40/ST
- FRB 8/ 300 /15/40/ST




**Fixed roller assembly
with roller R 8 / 20 / 40 / S30B**

- FRB 8/ 100 /20/40/S30B
- FRB 8/ 200 /20/40/S30B
- FRB 8/ 250 /20/40/S30B
- FRB 8/ 300 /20/40/S30B




**Fixed roller assembly
with roller R 8 / 20 / 40 / S50R**

- FRB 8/ 100 /20/40/S50R
- FRB 8/ 200 /20/40/S50R
- FRB 8/ 250 /20/40/S50R
- FRB 8/ 300 /20/40/S50R




**Fixed roller assembly
with roller R 8 / 20 / 40 / S70G**

- FRB 8/ 100 /20/40/S70G
- FRB 8/ 200 /20/40/S70G
- FRB 8/ 250 /20/40/S70G
- FRB 8/ 300 /20/40/S70G




**Fixed roller assembly
with roller R 8 / 20 / 40 / S90Gr**

- FRB 8/ 100 /20/40/S90Gr
- FRB 8/ 200 /20/40/S90Gr
- FRB 8/ 250 /20/40/S90Gr
- FRB 8/ 300 /20/40/S90Gr




**Fixed roller assembly
with roller R 8 / 20 / 40 / AL**

- FRB 8/ 100 /20/40/AL
- FRB 8/ 200 /20/40/AL
- FRB 8/ 250 /20/40/AL
- FRB 8/ 300 /20/40/AL




**Fixed roller assembly
with roller R 8 / 20 / 40 / SK**

- FRB 8/ 100 /20/40/SK
- FRB 8/ 200 /20/40/SK
- FRB 8/ 250 /20/40/SK
- FRB 8/ 300 /20/40/SK




**Fixed roller assembly
with roller R 8 / 20 / 40 / ST**

- FRB 8/ 100 /20/40/ST
- FRB 8/ 200 /20/40/ST
- FRB 8/ 250 /20/40/ST
- FRB 8/ 300 /20/40/ST




Fixed roller assembly
with roller R 8 / 30 / 40 / S30B

- FRB 8/ 100 /30/40/S30B
- FRB 8/ 200 /30/40/S30B
- FRB 8/ 250 /30/40/S30B
- FRB 8/ 300 /30/40/S30B




Fixed roller assembly
with roller R 8 / 30 / 40 / S50R

- FRB 8/ 100 /30/40/S50R
- FRB 8/ 200 /30/40/S50R
- FRB 8/ 250 /30/40/S50R
- FRB 8/ 300 /30/40/S50R




Fixed roller assembly
with roller R 8 / 30 / 40 / S70G

- FRB 8/ 100 /30/40/S70G
- FRB 8/ 200 /30/40/S70G
- FRB 8/ 250 /30/40/S70G
- FRB 8/ 300 /30/40/S70G




Fixed roller assembly
with roller R 8 / 30 / 40 / S90Gr

- FRB 8/ 100 /30/40/S90Gr
- FRB 8/ 200 /30/40/S90Gr
- FRB 8/ 250 /30/40/S90Gr
- FRB 8/ 300 /30/40/S90Gr




Fixed roller assembly
with roller R 8 / 30 / 40 / AL

- FRB 8/ 100 /30/40/AL
- FRB 8/ 200 /30/40/AL
- FRB 8/ 250 /30/40/AL
- FRB 8/ 300 /30/40/AL




Fixed roller assembly
with roller R 8 / 30 / 40 / SK

- FRB 8/ 100 /30/40/SK
- FRB 8/ 200 /30/40/SK
- FRB 8/ 250 /30/40/SK
- FRB 8/ 300 /30/40/SK




Fixed roller assembly
with roller R 8 / 30 / 40 / ST

- FRB 8/ 100 /30/40/ST
- FRB 8/ 200 /30/40/ST
- FRB 8/ 250 /30/40/ST
- FRB 8/ 300 /30/40/ST




Fixed roller assembly
with roller R 8 / 40 / 40 / S30B

- FRB 8/ 100 /40/40/S30B
- FRB 8/ 200 /40/40/S30B
- FRB 8/ 250 /40/40/S30B
- FRB 8/ 300 /40/40/S30B




Fixed roller assembly
with roller R 8 / 40 / 40 / S50R

- FRB 8/ 100 /40/40/S50R
- FRB 8/ 200 /40/40/S50R
- FRB 8/ 250 /40/40/S50R
- FRB 8/ 300 /40/40/S50R




Fixed roller assembly
with roller R 8 / 40 / 40 / S70G

- FRB 8/ 100 /40/40/S70G
- FRB 8/ 200 /40/40/S70G
- FRB 8/ 250 /40/40/S70G
- FRB 8/ 300 /40/40/S70G




Fixed roller assembly
with roller R 8 / 40 / 40 / S90Gr

- FRB 8/ 100 /40/40/S90Gr
- FRB 8/ 200 /40/40/S90Gr
- FRB 8/ 250 /40/40/S90Gr
- FRB 8/ 300 /40/40/S90Gr




Fixed roller assembly
with roller R 8 / 40 / 40 / AL

- FRB 8/ 100 /40/40/AL
- FRB 8/ 200 /40/40/AL
- FRB 8/ 250 /40/40/AL
- FRB 8/ 300 /40/40/AL




Fixed roller assembly
with roller R 8 / 40 / 40 / SK

- FRB 8/ 100 /40/40/SK
- FRB 8/ 200 /40/40/SK
- FRB 8/ 250 /40/40/SK
- FRB 8/ 300 /40/40/SK




Fixed roller assembly
with roller R 8 / 40 / 40 / ST

- FRB 8/ 100 /40/40/ST
- FRB 8/ 200 /40/40/ST
- FRB 8/ 250 /40/40/ST
- FRB 8/ 300 /40/40/ST




Spring-mounted roller assembly with roller R 12 / 15 / 50 / S30B

- GRB 12/ 150 /15/50/S30B
- GRB 12/ 200 /15/50/S30B
- GRB 12/ 250 /15/50/S30B




Spring-mounted roller assembly with roller R 12 / 15 / 50 / S50R

- GRB 12/ 150 /15/50/S50R
- GRB 12/ 200 /15/50/S50R
- GRB 12/ 250 /15/50/S50R




Spring-mounted roller assembly with roller R 12 / 15 / 50 / S70G

- GRB 12/ 150 /15/50/S70G
- GRB 12/ 200 /15/50/S70G
- GRB 12/ 250 /15/50/S70G




Spring-mounted roller assembly with roller R 12 / 15 / 50 / S90Gr

- GRB 12/ 150 /15/50/S90Gr
- GRB 12/ 200 /15/50/S90Gr
- GRB 12/ 250 /15/50/S90Gr




Spring-mounted roller assembly with roller R 12 / 15 / 50 / AL

- GRB 12/ 150 /15/50/AL
- GRB 12/ 200 /15/50/AL
- GRB 12/ 250 /15/50/AL



Spring-mounted roller assembly with roller R 12 / 15 / 50 / PO


- GRB 12/ 150 /15/50/PO
- GRB 12/ 200 /15/50/PO
- GRB 12/ 250 /15/50/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller R 12 / 20 / 50 / S30B

- GRB 12/ 150 /20/50/S30B
- GRB 12/ 200 /20/50/S30B
- GRB 12/ 250 /20/50/S30B




Spring-mounted roller assembly with roller R 12 / 20 / 50 / S50R

- GRB 12/ 150 /20/50/S50R
- GRB 12/ 200 /20/50/S50R
- GRB 12/ 250 /20/50/S50R




Spring-mounted roller assembly with roller R 12 / 20 / 50 / S70G

- GRB 12/ 150 /20/50/S70G
- GRB 12/ 200 /20/50/S70G
- GRB 12/ 250 /20/50/S70G




Spring-mounted roller assembly with roller R 12 / 20 / 50 / S90Gr

- GRB 12/ 150 /20/50/S90Gr
- GRB 12/ 200 /20/50/S90Gr
- GRB 12/ 250 /20/50/S90Gr




Spring-mounted roller assembly with roller R 12 / 20 / 50 / AL

- GRB 12/ 150 /20/50/AL
- GRB 12/ 200 /20/50/AL
- GRB 12/ 250 /20/50/AL



Spring-mounted roller assembly with roller R 12 / 20 / 50 / PO


- GRB 12/ 150 /20/50/PO
- GRB 12/ 200 /20/50/PO
- GRB 12/ 250 /20/50/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller R 12 / 25 / 50 / S30B

- GRB 12/ 150 /25/50/S30B
- GRB 12/ 200 /25/50/S30B
- GRB 12/ 250 /25/50/S30B




Spring-mounted roller assembly with roller R 12 / 25 / 50 / S50R

- GRB 12/ 150 /25/50/S50R
- GRB 12/ 200 /25/50/S50R
- GRB 12/ 250 /25/50/S50R




Spring-mounted roller assembly with roller R 12 / 25 / 50 / S70G

- GRB 12/ 150 /25/50/S70G
- GRB 12/ 200 /25/50/S70G
- GRB 12/ 250 /25/50/S70G




Spring-mounted roller assembly with roller R 12 / 25 / 50 / S90Gr

- GRB 12/ 150 /15/50/S90Gr
- GRB 12/ 200 /15/50/S90Gr
- GRB 12/ 250 /15/50/S90Gr




Spring-mounted roller assembly with roller R 12 / 25 / 50 / AL

- GRB 12/ 150 /25/50/AL
- GRB 12/ 200 /25/50/AL
- GRB 12/ 250 /25/50/AL



Spring-mounted roller assembly with roller R 12 / 25 / 50 / PO


- GRB 12/ 150 /25/50/PO
- GRB 12/ 200 /25/50/PO
- GRB 12/ 250 /25/50/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller R 12 / 30 / 50 / S30B

- GRB 12/ 150 /30/50/S30B
- GRB 12/ 200 /30/50/S30B
- GRB 12/ 250 /30/50/S30B




Spring-mounted roller assembly with roller R 12 / 30 / 50 / S50R

- GRB 12/ 150 /30/50/S50R
- GRB 12/ 200 /30/50/S50R
- GRB 12/ 250 /30/50/S50R




Spring-mounted roller assembly with roller R 12 / 30 / 50 / S70G

- GRB 12/ 150 /30/50/S70G
- GRB 12/ 200 /30/50/S70G
- GRB 12/ 250 /30/50/S70G




Spring-mounted roller assembly with roller R 12 / 30 / 50 / S90Gr

- GRB 12/ 150 /30/50/S90Gr
- GRB 12/ 200 /30/50/S90Gr
- GRB 12/ 250 /30/50/S90Gr




Spring-mounted roller assembly with roller R 12 / 30 / 50 / AL

- GRB 12/ 150 /30/50/AL
- GRB 12/ 200 /30/50/AL
- GRB 12/ 250 /30/50/AL



Spring-mounted roller assembly with roller R 12 / 30 / 50 / PO


- GRB 12/ 150 /30/50/PO
- GRB 12/ 200 /30/50/PO
- GRB 12/ 250 /30/50/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller RB 12 / 50 / 50 / S30B

- GRB 12/ 150 /50/50/S30B
- GRB 12/ 200 /50/50/S30B
- GRB 12/ 250 /50/50/S30B




Spring-mounted roller assembly with roller RB 12 / 50 / 50 / S50R

- GRB 12/ 150 /50/50/S50R
- GRB 12/ 200 /50/50/S50R
- GRB 12/ 250 /50/50/S50R




Spring-mounted roller assembly with roller RB 12 / 50 / 50 / S70G

- GRB 12/ 150 /50/50/S70G
- GRB 12/ 200 /50/50/S70G
- GRB 12/ 250 /50/50/S70G




Spring-mounted roller assembly with roller RB 12 / 50 / 50 / S90Gr

- GRB 12/ 150 /50/50/S90Gr
- GRB 12/ 200 /50/50/S90Gr
- GRB 12/ 250 /50/50/S90Gr




Spring-mounted roller assembly with roller RB 12 / 50 / 50 / AL

- GRB 12/ 150 /50/50/AL
- GRB 12/ 200 /50/50/AL
- GRB 12/ 250 /50/50/AL



Spring-mounted roller assembly with roller RB 12 / 50 / 50 / PO


- GRB 12/ 150 /50/50/PO
- GRB 12/ 200 /50/50/PO
- GRB 12/ 250 /50/50/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller R 12 / 50 / 50 / S30B

- GR 12/ 150 /50/50/S30B
- GR 12/ 200 /50/50/S30B
- GR 12/ 250 /50/50/S30B




Spring-mounted roller assembly with roller R 12 / 50 / 50 / S50R

- GR 12/ 150 /50/50/S50R
- GR 12/ 200 /50/50/S50R
- GR 12/ 250 /50/50/S50R




Spring-mounted roller assembly with roller R 12 / 50 / 50 / S70G

- GR 12/ 150 /50/50/S70G
- GR 12/ 200 /50/50/S70G
- GR 12/ 250 /50/50/S70G




Spring-mounted roller assembly with roller R 12 / 50 / 50 / S90Gr

- GR 12/ 150 /50/50/S90Gr
- GR 12/ 200 /50/50/S90Gr
- GR 12/ 250 /50/50/S90Gr




Spring-mounted roller assembly with roller R 12 / 50 / 50 / AL

- GR 12/ 150 /50/50/AL
- GR 12/ 200 /50/50/AL
- GR 12/ 250 /50/50/AL



Spring-mounted roller assembly with roller R 12 / 50 / 50 / PO


- GR 12/ 150 /50/50/PO
- GR 12/ 200 /50/50/PO
- GR 12/ 250 /50/50/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller R 12 / 15 / 70 / S30B

GRB 12/ 150 /15/70/S30B
GRB 12/ 200 /15/70/S30B
GRB 12/ 250 /15/70/S30B




Spring-mounted roller assembly with roller R 12 / 15 / 70 / S50R

GRB 12/ 150 /15/70/S50R
GRB 12/ 200 /15/70/S50R
GRB 12/ 250 /15/70/S50R




Spring-mounted roller assembly with roller R 12 / 15 / 70 / S70G

GRB 12/ 150 /15/70/S70G
GRB 12/ 200 /15/70/S70G
GRB 12/ 250 /15/70/S70G




Spring-mounted roller assembly with roller R 12 / 15 / 70 / S90Gr

GRB 12/ 150 /15/70/S90Gr
GRB 12/ 200 /15/70/S90Gr
GRB 12/ 250 /15/70/S90Gr




Spring-mounted roller assembly with roller R 12 / 15 / 70 / AL

GRB 12/ 150 /15/70/AL
GRB 12/ 200 /15/70/AL
GRB 12/ 250 /15/70/AL



Spring-mounted roller assembly with roller R 12 / 15 / 70 / PO


GRB 12/ 150 /15/70/PO
GRB 12/ 200 /15/70/PO
GRB 12/ 250 /15/70/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller R 12 / 20 / 70 / S30B

GRB 12/ 150 /20/70/S30B
GRB 12/ 200 /20/70/S30B
GRB 12/ 250 /20/70/S30B




Spring-mounted roller assembly with roller R 12 / 20 / 70 / S50R

GRB 12/ 150 /20/70/S50R
GRB 12/ 200 /20/70/S50R
GRB 12/ 250 /20/70/S50R




Spring-mounted roller assembly with roller R 12 / 20 / 70 / S70G

GRB 12/ 150 /20/70/S70G
GRB 12/ 200 /20/70/S70G
GRB 12/ 250 /20/70/S70G




Spring-mounted roller assembly with roller R 12 / 20 / 70 / S90Gr

GRB 12/ 150 /20/70/S90Gr
GRB 12/ 200 /20/70/S90Gr
GRB 12/ 250 /20/70/S90Gr




Spring-mounted roller assembly with roller R 12 / 20 / 70 / AL

GRB 12/ 150 /20/70/AL
GRB 12/ 200 /20/70/AL
GRB 12/ 250 /20/70/AL



Spring-mounted roller assembly with roller R 12 / 20 / 70 / PO


GRB 12/ 150 /20/70/PO
GRB 12/ 200 /20/70/PO
GRB 12/ 250 /20/70/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller R 12 / 25 / 70 / S30B

- GRB 12/ 150 /25/70/S30B
- GRB 12/ 200 /25/70/S30B
- GRB 12/ 250 /25/70/S30B




Spring-mounted roller assembly with roller R 12 / 25 / 70 / S50R

- GRB 12/ 150 /25/70/S50R
- GRB 12/ 200 /25/70/S50R
- GRB 12/ 250 /25/70/S50R




Spring-mounted roller assembly with roller R 12 / 25 / 70 / S70G

- GRB 12/ 150 /25/70/S70G
- GRB 12/ 200 /25/70/S70G
- GRB 12/ 250 /25/70/S70G




Spring-mounted roller assembly with roller R 12 / 25 / 70 / S90Gr

- GRB 12/ 150 /15/70/S90Gr
- GRB 12/ 200 /15/70/S90Gr
- GRB 12/ 250 /15/70/S90Gr




Spring-mounted roller assembly with roller R 12 / 25 / 70 / AL

- GRB 12/ 150 /25/70/AL
- GRB 12/ 200 /25/70/AL
- GRB 12/ 250 /25/70/AL



Spring-mounted roller assembly with roller R 12 / 25 / 70 / PO


- GRB 12/ 150 /25/70/PO
- GRB 12/ 200 /25/70/PO
- GRB 12/ 250 /25/70/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller R 12 / 30 / 70 / S30B

- GRB 12/ 150 /30/70/S30B
- GRB 12/ 200 /30/70/S30B
- GRB 12/ 250 /30/70/S30B




Spring-mounted roller assembly with roller R 12 / 30 / 70 / S50R

- GRB 12/ 150 /30/70/S50R
- GRB 12/ 200 /30/70/S50R
- GRB 12/ 250 /30/70/S50R




Spring-mounted roller assembly with roller R 12 / 30 / 70 / S70G

- GRB 12/ 150 /30/70/S70G
- GRB 12/ 200 /30/70/S70G
- GRB 12/ 250 /30/70/S70G




Spring-mounted roller assembly with roller R 12 / 30 / 70 / S90Gr

- GRB 12/ 150 /30/70/S90Gr
- GRB 12/ 200 /30/70/S90Gr
- GRB 12/ 250 /30/70/S90Gr




Spring-mounted roller assembly with roller R 12 / 30 / 70 / AL

- GRB 12/ 150 /30/70/AL
- GRB 12/ 200 /30/70/AL
- GRB 12/ 250 /30/70/AL



Spring-mounted roller assembly with roller R 12 / 30 / 70 / PO


- GRB 12/ 150 /30/70/PO
- GRB 12/ 200 /30/70/PO
- GRB 12/ 250 /30/70/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller RB 12 / 50 / 70 / S30B

- GRB 12/ 150 /50/70/S30B
- GRB 12/ 200 /50/70/S30B
- GRB 12/ 250 /50/70/S30B




Spring-mounted roller assembly with roller RB 12 / 50 / 70 / S50R

- GRB 12/ 150 /50/70/S50R
- GRB 12/ 200 /50/70/S50R
- GRB 12/ 250 /50/70/S50R




Spring-mounted roller assembly with roller RB 12 / 50 / 70 / S70G

- GRB 12/ 150 /50/70/S70G
- GRB 12/ 200 /50/70/S70G
- GRB 12/ 250 /50/70/S70G




Spring-mounted roller assembly with roller RB 12 / 50 / 70 / S90Gr

- GRB 12/ 150 /50/70/S90Gr
- GRB 12/ 200 /50/70/S90Gr
- GRB 12/ 250 /50/70/S90Gr




Spring-mounted roller assembly with roller R 12 / 50 / 70 / AL

- GRB 12/ 150 /50/70/AL
- GRB 12/ 200 /50/70/AL
- GRB 12/ 250 /50/70/AL



Spring-mounted roller assembly with roller R 12 / 50 / 70 / PO


- GRB 12/ 150 /50/70/PO
- GRB 12/ 200 /50/70/PO
- GRB 12/ 250 /50/70/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller R 12 / 50 / 70 / S30B

- GR 12/ 150 /50/70/S30B
- GR 12/ 200 /50/70/S30B
- GR 12/ 250 /50/70/S30B




Spring-mounted roller assembly with roller R 12 / 50 / 70 / S50R

- GR 12/ 150 /50/70/S50R
- GR 12/ 200 /50/70/S50R
- GR 12/ 250 /50/70/S50R




Spring-mounted roller assembly with roller R 12 / 50 / 70 / S70G

- GR 12/ 150 /50/70/S70G
- GR 12/ 200 /50/70/S70G
- GR 12/ 250 /50/70/S70G




Spring-mounted roller assembly with roller R 12 / 50 / 70 / S90Gr

- GR 12/ 150 /50/70/S90Gr
- GR 12/ 200 /50/70/S90Gr
- GR 12/ 250 /50/70/S90Gr




Spring-mounted roller assembly with roller R 12 / 50 / 70 / AL

- GR 12/ 150 /50/70/AL
- GR 12/ 200 /50/70/AL
- GR 12/ 250 /50/70/AL



Spring-mounted roller assembly with roller R 12 / 50 / 70 / PO


- GR 12/ 150 /50/70/PO
- GR 12/ 200 /50/70/PO
- GR 12/ 250 /50/70/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller **R 12 / 100 / 70 / S30B**

GR12/ 150 /100/70/S30B
GR12/ 200 /100/70/S30B
GR12/ 250 /100/70/S30B



Spring-mounted roller assembly with roller **R 12 / 100 / 70 / S50R**

GR12/ 150 /100/70/S50R
GR12/ 200 /100/70/S50R
GR12/ 250 /100/70/S50R




Spring-mounted roller assembly with roller **R 12 / 100 / 70 / S70G**

GR12/ 150 /100/70/S70G
GR12/ 200 /100/70/S70G
GR12/ 250 /100/70/S70G




Spring-mounted roller assembly with roller **R 12 / 100 / 70 / S90Gr**

GR12/ 150 /100/70/S90Gr
GR12/ 200 /100/70/S90Gr
GR12/ 250 /100/70/S90Gr



Spring-mounted roller assembly with roller **R 12 / 100 / 70 / AL**

GR12/ 150 /100/70/AL
GR12/ 200 /100/70/AL
GR12/ 250 /100/70/AL



Spring-mounted roller assembly with roller **R 12 / 100 / 70 / PO**


GR12/ 150 /100/70/PO
GR12/ 200 /100/70/PO
GR12/ 250 /100/70/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller **R 12 / 150 / 70 / S30B**

GR12/ 150 /150/70/S30B
GR12/ 200 /150/70/S30B
GR12/ 250 /150/70/S30B




Spring-mounted roller assembly with roller **R 12 / 150 / 70 / S50R**

GR12/ 150 /150/70/S50R
GR12/ 200 /150/70/S50R
GR12/ 250 /150/70/S50R




Spring-mounted roller assembly with roller **R 12 / 150 / 70 / S70G**

GR12/ 150 /150/70/S70G
GR12/ 200 /150/70/S70G
GR12/ 250 /150/70/S70G




Spring-mounted roller assembly with roller **R 12 / 150 / 70 / S90Gr**

GR12/ 150 /150/70/S90Gr
GR12/ 200 /150/70/S90Gr
GR12/ 250 /150/70/S90Gr




Spring-mounted roller assembly with roller **R 12 / 150 / 70 / AL**

GR12/ 150 /150/70/AL
GR12/ 200 /150/70/AL
GR12/ 250 /150/70/AL



Spring-mounted roller assembly with roller **R 12 / 150 / 70 / PO**


GR12/ 150 /150/70/PO
GR12/ 200 /150/70/PO
GR12/ 250 /150/70/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller **R 12 / 200 / 70 / S30B**

GR12/ 150 /200/70/S30B
GR12/ 200 /200/70/S30B
GR12/ 250 /200/70/S30B




Spring-mounted roller assembly with roller **R 12 / 200 / 70 / S50R**

GR12/ 150 /200/70/S50R
GR12/ 200 /200/70/S50R
GR12/ 250 /200/70/S50R




Spring-mounted roller assembly with roller **R 12 / 200 / 70 / S70G**

GR12/ 150 /200/70/S70G
GR12/ 200 /200/70/S70G
GR12/ 250 /200/70/S70G




Spring-mounted roller assembly with roller **R 12 / 200 / 70 / S90Gr**

GR12/ 150 /200/70/S90Gr
GR12/ 200 /200/70/S90Gr
GR12/ 250 /200/70/S90Gr




Spring-mounted roller assembly with roller **R 12 / 200 / 70 / AL**

GR12/ 150 /200/70/AL
GR12/ 200 /200/70/AL
GR12/ 250 /200/70/AL



Spring-mounted roller assembly with roller **R 12 / 200 / 70 / PO**


GR12/ 150 /200/70/PO
GR12/ 200 /200/70/PO
GR12/ 250 /200/70/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller **R 12 / 250 / 70 / S30B**

GR12/ 150 /250/70/S30B
GR12/ 200 /250/70/S30B
GR12/ 250 /250/70/S30B




Spring-mounted roller assembly with roller **R 12 / 250 / 70 / S50R**

GR12/ 150 /250/70/S50R
GR12/ 200 /250/70/S50R
GR12/ 250 /250/70/S50R




Spring-mounted roller assembly with roller **R 12 / 250 / 70 / S70G**

GR12/ 150 /250/70/S70G
GR12/ 200 /250/70/S70G
GR12/ 250 /250/70/S70G




Spring-mounted roller assembly with roller **R 12 / 250 / 70 / S90Gr**

GR12/ 150 /250/70/S90Gr
GR12/ 200 /250/70/S90Gr
GR12/ 250 /250/70/S90Gr




Spring-mounted roller assembly with roller **R 12 / 250 / 70 / AL**

GR12/ 150 /250/70/AL
GR12/ 200 /250/70/AL
GR12/ 250 /250/70/AL



Spring-mounted roller assembly with roller **R 12 / 250 / 70 / PO**


GR12/ 150 /250/70/PO
GR12/ 200 /250/70/PO
GR12/ 250 /250/70/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller **R 12 / 300 / 70 / S30B**

GR12/ 150 /300/70/S30B
GR12/ 200 /300/70/S30B
GR12/ 250 /300/70/S30B




Spring-mounted roller assembly with roller **R 12 / 300 / 70 / S50R**

GR12/ 150 /300/70/S50R
GR12/ 200 /300/70/S50R
GR12/ 250 /300/70/S50R




Spring-mounted roller assembly with roller **R 12 / 300 / 70 / S70G**

GR12/ 150 /300/70/S70G
GR12/ 200 /300/70/S70G
GR12/ 250 /300/70/S70G




Spring-mounted roller assembly with roller **R 12 / 300 / 70 / S90Gr**

GR12/ 150 /300/70/S90Gr
GR12/ 200 /300/70/S90Gr
GR12/ 250 /300/70/S90Gr




Spring-mounted roller assembly with roller **R 12 / 300 / 70 / AL**

GR12/ 150 /300/70/AL
GR12/ 200 /300/70/AL
GR12/ 250 /300/70/AL



Spring-mounted roller assembly with roller **R 12 / 300 / 70 / PO**


GR12/ 150 /300/70/PO
GR12/ 200 /300/70/PO
GR12/ 250 /300/70/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller **R 12 / 350 / 70 / S30B**

GR12/ 150 /350/70/S30B
GR12/ 200 /350/70/S30B
GR12/ 250 /350/70/S30B




Spring-mounted roller assembly with roller **R 12 / 350 / 70 / S50R**

GR12/ 150 /350/70/S50R
GR12/ 200 /350/70/S50R
GR12/ 250 /350/70/S50R




Spring-mounted roller assembly with roller **R 12 / 350 / 70 / S70G**

GR12/ 150 /350/70/S70G
GR12/ 200 /350/70/S70G
GR12/ 250 /350/70/S70G




Spring-mounted roller assembly with roller **R 12 / 350 / 70 / S90Gr**

GR12/ 150 /350/70/S90Gr
GR12/ 200 /350/70/S90Gr
GR12/ 250 /350/70/S90Gr




Spring-mounted roller assembly with roller **R 12 / 350 / 70 / AL**

GR12/ 150 /350/70/AL
GR12/ 200 /350/70/AL
GR12/ 250 /350/70/AL



Spring-mounted roller assembly with roller **R 12 / 350 / 70 / PO**


GR12/ 150 /350/70/PO
GR12/ 200 /350/70/PO
GR12/ 250 /350/70/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller ER 12 / 20 / 45 / S70G**

- FRA12/ 100 /20/45/S70G
- FRA12/ 200 /20/45/S70G
- FRA12/ 250 /20/45/S70G
- FRA12/ 300 /20/45/S70G




**Fixed roller assembly
with roller ER 12 / 20 / 45 / S90Gr**

- FRA12/ 100 /20/45/S90Gr
- FRA12/ 200 /20/45/S90Gr
- FRA12/ 250 /20/45/S90Gr
- FRA12/ 300 /20/45/S90Gr




**Fixed roller assembly
with roller ER 12 / 20 / 45 / AL**

- FRA12/ 100 /20/45/AL
- FRA12/ 200 /20/45/AL
- FRA12/ 250 /20/45/AL
- FRA12/ 300 /20/45/AL



**Fixed roller assembly
with roller ER 12 / 20 / 45 / PO**


- FRA12/ 100 /20/45/PO
- FRA12/ 200 /20/45/PO
- FRA12/ 250 /20/45/PO
- FRA12/ 300 /20/45/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller ER 12 / 25 / 80 / S50B**

- FRA12/ 100 /25/80/S30B
- FRA12/ 200 /25/80/S30B
- FRA12/ 250 /25/80/S30B
- FRA12/ 300 /25/80/S30B




**Fixed roller assembly
with roller ER 12 / 25 / 80 / S50R**

- FRA12/ 100 /25/80/S50R
- FRA12/ 200 /25/80/S50R
- FRA12/ 250 /25/80/S50R
- FRA12/ 300 /25/80/S50R




**Fixed roller assembly
with roller ER 12 / 25 / 80 / S70G**

- FRA12/ 100 /25/80/S70G
- FRA12/ 200 /25/80/S70G
- FRA12/ 250 /25/80/S70G
- FRA12/ 300 /25/80/S70G




**Fixed roller assembly
with roller ER 12 / 25 / 80 / S90Gr**

- FRA12/ 100 /25/80/S90Gr
- FRA12/ 200 /25/80/S90Gr
- FRA12/ 250 /25/80/S90Gr
- FRA12/ 300 /25/80/S90Gr




**Fixed holding assembly
with roll ER 12 / 25 / 80 / AL**

- FRA12/ 100 /25/80/AL
- FRA12/ 200 /25/80/AL
- FRA12/ 250 /25/80/AL
- FRA12/ 300 /25/80/AL



**Fixed holding assembly
with roll ER 12 / 25 / 80 / PO**


- FRA12/ 100 /25/80/PO
- FRA12/ 200 /25/80/PO
- FRA12/ 250 /25/80/PO
- FRA12/ 300 /25/80/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller RR12 / 20 / R5 / S70G**

- FRA12/ 100 /20/R5/S70G
- FRA12/ 200 /20/R5/S70G
- FRA12/ 250 /20/R5/S70G
- FRA12/ 300 /20/R5/S70G




**Fixed roller assembly
with roller RR12 / 20 / R5 / S90Gr**

- FRA12/ 100 /20/R5/S90Gr
- FRA12/ 200 /20/R5/S90Gr
- FRA12/ 250 /20/R5/S90Gr
- FRA12/ 300 /20/R5/S90Gr




**Fixed roller assembly
with roller RR12 / 20 / R5 / AL**

- FRA12/ 100 /20/R5/AL
- FRA12/ 200 /20/R5/AL
- FRA12/ 250 /20/R5/AL
- FRA12/ 300 /20/R5/AL



**Fixed roller assembly
with roller RR12 / 20 / R5 / PO**


- FRA12/ 100 /20/R5/PO
- FRA12/ 200 /20/R5/PO
- FRA12/ 250 /20/R5/PO
- FRA12/ 300 /20/R5/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller RR12 / 20 / R10 / S30B**

- FRA12/ 100 /20/R10/S30B
- FRA12/ 200 /20/R10/S30B
- FRA12/ 250 /20/R10/S30B
- FRA12/ 300 /20/R10/S30B




**Fixed roller assembly
with roller RR12 / 20 / R10 / S50R**

- FRA12/ 100 /20/R10/S50R
- FRA12/ 200 /20/R10/S50R
- FRA12/ 250 /20/R10/S50R
- FRA12/ 300 /20/R10/S50R




**Fixed roller assembly
with roller RR12 / 20 / R10 / S70G**

- FRA12/ 100 /20/R10/S70G
- FRA12/ 200 /20/R10/S70G
- FRA12/ 250 /20/R10/S70G
- FRA12/ 300 /20/R10/S70G




**Fixed roller assembly
with roller RR12 / 20 / R10 / S90Gr**

- FRA12/ 100 /20/R10/S90Gr
- FRA12/ 200 /20/R10/S90Gr
- FRA12/ 250 /20/R10/S90Gr
- FRA12/ 300 /20/R10/S90Gr




**Fixed holding assembly
with roller RR12 / 20 / R10 / AL**

- FRA12/ 100 /20/R10/AL
- FRA12/ 200 /20/R10/AL
- FRA12/ 250 /20/R10/AL
- FRA12/ 300 /20/R10/AL



**Fixed holding assembly
with roller RR12 / 20 / R10 / PO**


- FRA12/ 100 /20/R10/PO
- FRA12/ 200 /20/R10/PO
- FRA12/ 250 /20/R10/PO
- FRA12/ 300 /20/R10/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller RR12 / 30 / R15 / S30B

- FRA12/ 100 /30/R15/S30B
- FRA12/ 200 /30/R15/S30B
- FRA12/ 250 /30/R15/S30B
- FRA12/ 300 /30/R15/S30B




Fixed roller assembly with roller RR12 / 30 / R15 / S50R

- FRA12/ 100 /30/R15/S50R
- FRA12/ 200 /30/R15/S50R
- FRA12/ 250 /30/R15/S50R
- FRA12/ 300 /30/R15/S50R




Fixed roller assembly with roller RR12 / 30 / R15 / S70G

- FRA12/ 100 /30/R15/S70G
- FRA12/ 200 /30/R15/S70G
- FRA12/ 250 /30/R15/S70G
- FRA12/ 300 /30/R15/S70G




Fixed roller assembly with roller RR12 / 30 / R15 / S90Gr

- FRA12/ 100 /30/R15/S90Gr
- FRA12/ 200 /30/R15/S90Gr
- FRA12/ 250 /30/R15/S90Gr
- FRA12/ 300 /30/R15/S90Gr




Fixed holding assembly with roller RR12 / 30 / R15 / AL

- FRA12/ 100 /30/R15/AL
- FRA12/ 200 /30/R15/AL
- FRA12/ 250 /30/R15/AL
- FRA12/ 300 /30/R15/AL



Fixed holding assembly with roller RR12 / 30 / R15 / PO


- FRA12/ 100 /30/R15/PO
- FRA12/ 200 /30/R15/PO
- FRA12/ 250 /30/R15/PO
- FRA12/ 300 /30/R15/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller NR12 / 20 / R5 / S30B

- FRA12/ 100 /20/NR5/S30B
- FRA12/ 200 /20/NR5/S30B
- FRA12/ 250 /20/NR5/S30B
- FRA12/ 300 /20/NR5/S30B




Fixed roller assembly with roller NR12 / 20 / R5 / S50R

- FRA12/ 100 /20/NR5/S50R
- FRA12/ 200 /20/NR5/S50R
- FRA12/ 250 /20/NR5/S50R
- FRA12/ 300 /20/NR5/S50R




Fixed roller assembly with roller NR12 / 20 / R5 / S70G

- FRA12/ 100 /20/NR5/S70G
- FRA12/ 200 /20/NR5/S70G
- FRA12/ 250 /20/NR5/S70G
- FRA12/ 300 /20/NR5/S70G




Fixed roller assembly with roller NR12 / 20 / R5 / S90Gr

- FRA12/ 100 /20/NR5/S90Gr
- FRA12/ 200 /20/NR5/S90Gr
- FRA12/ 250 /20/NR5/S90Gr
- FRA12/ 300 /20/NR5/S90Gr




Fixed holding assembly with roller NR12 / 20 / R5 / AL

- FRA12/ 100 /20/NR5/AL
- FRA12/ 200 /20/NR5/AL
- FRA12/ 250 /20/NR5/AL
- FRA12/ 300 /20/NR5/AL



Fixed holding assembly with roller NR12 / 20 / R5 / PO


- FRA12/ 100 /20/NR5/PO
- FRA12/ 200 /20/NR5/PO
- FRA12/ 250 /20/NR5/PO
- FRA12/ 300 /20/NR5/PO




Other dimensions and materials available on request!

**Fixed roller assembly
with roller FR12 / 20 / R3 / S70G**


FRA12/ 100 /20/R3/S70G
FRA12/ 200 /20/R3/S70G
FRA12/ 250 /20/R3/S70G
FRA12/ 300 /20/R3/S70G


**Fixed roller assembly
with roller FR12 / 20 / R3 / S90Gr**


FRA12/ 100 /20R3/S90Gr
FRA12/ 200 /20R3/S90Gr
FRA12/ 250 /20R3/S90Gr
FRA12/ 300 /20R3/S90Gr


**Fixed roller assembly
with roller FR12 / 20 / R3 / AL**


FRA12/ 100 /20/R3/AL
FRA12/ 200 /20/R3/AL
FRA12/ 250 /20/R3/AL
FRA12/ 300 /20/R3/AL


**Fixed roller assembly
with roller FR12 / 20 / R3 / PO**


FRA12/ 100 /20/R3/PO
FRA12/ 200 /20/R3/PO
FRA12/ 250 /20/R3/PO
FRA12/ 300 /20/R3/PO


**Fixed roller assembly
with roller FR12 / 20 / K3 / AL**


FRA12/ 100 /20/K3/AL
FRA12/ 200 /20/K3/AL
FRA12/ 250 /20/K3/AL
FRA12/ 300 /20/K3/AL


**Fixed roller assembly
with roller FR12 / 20 / K3 / PO**


FRA12/ 100 /20/K3/PO
FRA12/ 200 /20/K3/PO
FRA12/ 250 /20/K3/PO
FRA12/ 300 /20/K3/PO


**Fixed roller assembly
with roller FR12 / 20 / K3 / ST**


FRA12/ 100 /20/K3/ST
FRA12/ 200 /20/K3/ST
FRA12/ 250 /20/K3/ST
FRA12/ 300 /20/K3/ST


**Fixed roller assembly
with roller FR12 / 20 / 45 / AL**


FRA12/ 100 /20/F45/AL
FRA12/ 200 /20/F45/AL
FRA12/ 250 /20/F45/AL
FRA12/ 300 /20/F45/AL


**Fixed roller assembly
with roller FR12 / 20 / 45 / PO**


FRA12/ 100 /20/F45/PO
FRA12/ 200 /20/F45/PO
FRA12/ 250 /20/F45/PO
FRA12/ 300 /20/F45/PO


**Fixed roller assembly
with roller FR12 / 20 / 45 / ST**


FRA12/ 100 /20/F45/ST
FRA12/ 200 /20/F45/ST
FRA12/ 250 /20/F45/ST
FRA12/ 300 /20/F45/ST


**Fixed roller assembly
with roller FR12 / 20 / 30 / ST**

FRA12/ 100 /20/30/ST
FRA12/ 200 /20/30/ST
FRA12/ 250 /20/30/ST
FRA12/ 300 /20/30/ST


**Fixed roller assembly
with roller FR12 / 20 / 30 / VA**


FRA12/ 100 /20/30/VA
FRA12/ 200 /20/30/VA
FRA12/ 250 /20/30/VA
FRA12/ 300 /20/30/VA



Other dimensions and
Materials available on request!


Fixed roller assembly with roller ER 12 / 20 / 45 / S70G

- FRB12/ 100 /20/45/S70G
- FRB12/ 200 /20/45/S70G
- FRB12/ 250 /20/45/S70G
- FRB12/ 300 /20/45/S70G




Fixed roller assembly with roller ER 12 / 20 / 45 / S90Gr

- FRB12/ 100 /20/45/S90Gr
- FRB12/ 200 /20/45/S90Gr
- FRB12/ 250 /20/45/S90Gr
- FRB12/ 300 /20/45/S90Gr




Fixed roller assembly with roller ER 12 / 20 / 45 / AL

- FRB12/ 100 /20/45/AL
- FRB12/ 200 /20/45/AL
- FRB12/ 250 /20/45/AL
- FRB12/ 300 /20/45/AL



Fixed roller assembly with roller ER 12 / 20 / 45 / PO


- FRB12/ 100 /20/45/PO
- FRB12/ 200 /20/45/PO
- FRB12/ 250 /20/45/PO
- FRB12/ 300 /20/45/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller ER 12 / 25 / 80 / S30B

- FRB12/ 100 /25/80/S30B
- FRB12/ 200 /25/80/S30B
- FRB12/ 250 /25/80/S30B
- FRB12/ 300 /25/80/S30B




Fixed roller assembly with roller ER 12 / 25 / 80 / S50R

- FRB12/ 100 /25/80/S50R
- FRB12/ 200 /25/80/S50R
- FRB12/ 250 /25/80/S50R
- FRB12/ 300 /25/80/S50R




Fixed roller assembly with roller ER 12 / 25 / 80 / S70G

- FRB12/ 100 /25/80/S70G
- FRB12/ 200 /25/80/S70G
- FRB12/ 250 /25/80/S70G
- FRB12/ 300 /25/80/S70G




Fixed roller assembly with roller ER 12 / 25 / 80 / S90Gr

- FRB12/ 100 /25/80/S90Gr
- FRB12/ 200 /25/80/S90Gr
- FRB12/ 250 /25/80/S90Gr
- FRB12/ 300 /25/80/S90Gr




Fixed holding assembly with roll ER 12 / 25 / 80 / AL

- FRB12/ 100 /25/80/AL
- FRB12/ 200 /25/80/AL
- FRB12/ 250 /25/80/AL
- FRB12/ 300 /25/80/AL



Fixed holding assembly with roll ER 12 / 25 / 80 / PO


- FRB12/ 100 /25/80/PO
- FRB12/ 200 /25/80/PO
- FRB12/ 250 /25/80/PO
- FRB12/ 300 /25/80/PO



Other dimensions and materials available on request!


Fixed roller assembly
with roller RR12 / 20 / R5 / S70G

- FRB12/ 100 /20/R5/S70G
- FRB12/ 200 /20/R5/S70G
- FRB12/ 250 /20/R5/S70G
- FRB12/ 300 /20/R5/S70G




Fixed roller assembly
with roller RR12 / 20 / R5 / S90Gr

- FRB12/ 100 /20/R5/S90Gr
- FRB12/ 200 /20/R5/S90Gr
- FRB12/ 250 /20/R5/S90Gr
- FRB12/ 300 /20/R5/S90Gr




Fixed roller assembly
with roller RR12 / 20 / R5 / AL

- FRB12/ 100 /20/R5/AL
- FRB12/ 200 /20/R5/AL
- FRB12/ 250 /20/R5/AL
- FRB12/ 300 /20/R5/AL



Fixed roller assembly
with roller RR12 / 20 / R5 / PO


- FRB12/ 100 /20/R5/PO
- FRB12/ 200 /20/R5/PO
- FRB12/ 250 /20/R5/PO
- FRB12/ 300 /20/R5/PO



Other dimensions and materials available on request!


Fixed roller assembly
with roller RR12 / 20 / R10 / S30B

- FRB12/ 100 /20/R10/S30B
- FRB12/ 200 /20/R10/S30B
- FRB12/ 250 /20/R10/S30B
- FRB12/ 300 /20/R10/S30B




Fixed roller assembly
with roller RR12 / 20 / R10 / S50R

- FRB12/ 100 /20/R10/S50R
- FRB12/ 200 /20/R10/S50R
- FRB12/ 250 /20/R10/S50R
- FRB12/ 300 /20/R10/S50R




Fixed roller assembly
with roller RR12 / 20 / R10 / S70G

- FRB12/ 100 /20/R10/S70G
- FRB12/ 200 /20/R10/S70G
- FRB12/ 250 /20/R10/S70G
- FRB12/ 300 /20/R10/S70G




Fixed roller assembly
with roller RR12 / 20 / R10 / S90Gr

- FRB12/ 100 /20/R10/S90Gr
- FRB12/ 200 /20/R10/S90Gr
- FRB12/ 250 /20/R10/S90Gr
- FRB12/ 300 /20/R10/S90Gr




Fixed roller assembly
with roller RR12 / 20 / R10 / AL

- FRB12/ 100 /20/R10/AL
- FRB12/ 200 /20/R10/AL
- FRB12/ 250 /20/R10/AL
- FRB12/ 300 /20/R10/AL



Fixed roller assembly
with roller RR12 / 20 / R10 / PO


- FRB12/ 100 /20/R10/PO
- FRB12/ 200 /20/R10/PO
- FRB12/ 250 /20/R10/PO
- FRB12/ 300 /20/R10/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller RR12 / 30 / R15 / S30B

- FRB12/ 100 /30/R15/S30B
- FRB12/ 200 /30/R15/S30B
- FRB12/ 250 /30/R15/S30B
- FRB12/ 300 /30/R15/S30B




Fixed roller assembly with roller RR12 / 30 / R15 / S50R

- FRB12/ 100 /30/R15/S50R
- FRB12/ 200 /30/R15/S50R
- FRB12/ 250 /30/R15/S50R
- FRB12/ 300 /30/R15/S50R




Fixed roller assembly with roller RR12 / 30 / R15 / S70G

- FRB12/ 100 /30/R15/S70G
- FRB12/ 200 /30/R15/S70G
- FRB12/ 250 /30/R15/S70G
- FRB12/ 300 /30/R15/S70G




Fixed roller assembly with roller RR12 / 30 / R15 / S90Gr

- FRB12/ 100 /30/R15/S90Gr
- FRB12/ 200 /30/R15/S90Gr
- FRB12/ 250 /30/R15/S90Gr
- FRB12/ 300 /30/R15/S90Gr




Fixed holding assembly with roller RR12 / 30 / R15 / AL

- FRB12/ 100 /30/R15/AL
- FRB12/ 200 /30/R15/AL
- FRB12/ 250 /30/R15/AL
- FRB12/ 300 /30/R15/AL



Fixed holding assembly with roller RR12 / 30 / R15 / PO


- FRB12/ 100 /30/R15/PO
- FRB12/ 200 /30/R15/PO
- FRB12/ 250 /30/R15/PO
- FRB12/ 300 /30/R15/PO



Other dimensions and materials available on request!


Fixed roller assembly with roller NR12 / 20 / R5 / S30B

- FRB12/ 100 /20/NR5/S30B
- FRB12/ 200 /20/NR5/S30B
- FRB12/ 250 /20/NR5/S30B
- FRB12/ 300 /20/NR5/S30B




Fixed roller assembly with roller NR12 / 20 / R5 / S50R

- FRB12/ 100 /20/NR5/S50R
- FRB12/ 200 /20/NR5/S50R
- FRB12/ 250 /20/NR5/S50R
- FRB12/ 300 /20/NR5/S50R




Fixed roller assembly with roller NR12 / 20 / R5 / S70G

- FRB12/ 100 /20/NR5/S70G
- FRB12/ 200 /20/NR5/S70G
- FRB12/ 250 /20/NR5/S70G
- FRB12/ 300 /20/NR5/S70G




Fixed roller assembly with roller NR12 / 20 / R5 / S90Gr

- FRB12/ 100 /20/NR5/S90Gr
- FRB12/ 200 /20/NR5/S90Gr
- FRB12/ 250 /20/NR5/S90Gr
- FRB12/ 300 /20/NR5/S90Gr




Fixed holding assembly with roller NR12 / 20 / R5 / AL

- FRB12/ 100 /20/NR5/AL
- FRB12/ 200 /20/NR5/AL
- FRB12/ 250 /20/NR5/AL
- FRB12/ 300 /20/NR5/AL



Fixed holding assembly with roller NR12 / 20 / R5 / PO


- FRB12/ 100 /20/NR5/PO
- FRB12/ 200 /20/NR5/PO
- FRB12/ 250 /20/NR5/PO
- FRB12/ 300 /20/NR5/PO



Other dimensions and materials available on request!


**Fixed roller assembly
with roller FR12 / 20 / R3 / S70G**

FRB12/ 100 /20/R3/S70G
FRB12/ 200 /20/R3/S70G
FRB12/ 250 /20/R3/S70G
FRB12/ 300 /20/R3/S70G




**Fixed roller assembly
with roller FR12 / 20 / R3 / S90Gr**

FRB12/ 100 /20R3/S90Gr
FRB12/ 200 /20R3/S90Gr
FRB12/ 250 /20R3/S90Gr
FRB12/ 300 /20R3/S90Gr




**Fixed roller assembly
with roller FR12 / 20 / R3 / AL**

FRB12/ 100 /20/R3/AL
FRB12/ 200 /20/R3/AL
FRB12/ 250 /20/R3/AL
FRB12/ 300 /20/R3/AL




**Fixed roller assembly
with roller FR12 / 20 / R3 / PO**

FRB12/ 100 /20/R3/PO
FRB12/ 200 /20/R3/PO
FRB12/ 250 /20/R3/PO
FRB12/ 300 /20/R3/PO




**Fixed roller assembly
with roller FR12 / 20 / K3 / AL**

FRB12/ 100 /20/K3/AL
FRB12/ 200 /20/K3/AL
FRB12/ 250 /20/K3/AL
FRB12/ 300 /20/K3/AL




**Fixed roller assembly
with roller FR12 / 20 / K3 / PO**

FRB12/ 100 /20/K3/PO
FRB12/ 200 /20/K3/PO
FRB12/ 250 /20/K3/PO
FRB12/ 300 /20/K3/PO




**Fixed roller assembly
with roller FR12 / 20 / K3 / ST**

FRB12/ 100 /20/K3/ST
FRB12/ 200 /20/K3/ST
FRB12/ 250 /20/K3/ST
FRB12/ 300 /20/K3/ST




**Fixed roller assembly
with roller FR12 / 20 / 45 / AL**

FRB12/ 100 /20/F45/AL
FRB12/ 200 /20/F45/AL
FRB12/ 250 /20/F45/AL
FRB12/ 300 /20/F45/AL




**Fixed roller assembly
with roller FR12 / 20 / 45 / PO**

FRB12/ 100 /20/F45/PO
FRB12/ 200 /20/F45/PO
FRB12/ 250 /20/F45/PO
FRB12/ 300 /20/F45/PO




**Fixed roller assembly
with roller FR12 / 20 / 45 / ST**

FRB12/ 100 /20/F45/ST
FRB12/ 200 /20/F45/ST
FRB12/ 250 /20/F45/ST
FRB12/ 300 /20/F45/ST




**Fixed roller assembly
with roller FR12 / 20 / 30 / ST**

FRB12/ 100 /20/30/ST
FRB12/ 200 /20/30/ST
FRB12/ 250 /20/30/ST
FRB12/ 300 /20/30/ST



**Fixed roller assembly
with roller FR12 / 20 / 30 / VA**


FRB12/ 100 /20/30/VA
FRB12/ 200 /20/30/VA
FRB12/ 250 /20/30/VA
FRB12/ 300 /20/30/VA



Other dimensions and
Materials available on request!


Fixed roller assembly with roller R 12 / 10 / 75 / S30B

- FRA 12/ 100 /10/75/S30B
- FRA 12/ 200 /10/75/S30B
- FRA 12/ 250 /10/75/S30B
- FRA 12/ 300 /10/75/S30B




Fixed roller assembly with roller R 12 / 10 / 75 / S50R

- FRA 12/ 100 /10/75/S50R
- FRA 12/ 200 /10/75/S50R
- FRA 12/ 250 /10/75/S50R
- FRA 12/ 300 /10/75/S50R




Fixed roller assembly with roller R 12 / 10 / 75 / S70G

- FRA 12/ 100 /10/75/S70G
- FRA 12/ 200 /10/75/S70G
- FRA 12/ 250 /10/75/S70G
- FRA 12/ 300 /10/75/S70G



Fixed roller assembly with roller R 12 / 10 / 75 / S90Gr


- FRA 12/ 100 /10/75/S90Gr
- FRA 12/ 200 /10/75/S90Gr
- FRA 12/ 250 /10/75/S90Gr
- FRA 12/ 300 /10/75/S90Gr



Other dimensions and Materials available on request!


Fixed roller assembly with roller RRL 12 / 16 / R2 / S30B

- FRA12/ 100 /16/R2/S30B
- FRA12/ 200 /16/R2/S30B
- FRA12/ 250 /16/R2/S30B
- FRA12/ 300 /16/R2/S30B




Fixed roller assembly with roller RRL 12 / 16 / R2 / S50R

- FRA12/ 100 /16/R2/S50R
- FRA12/ 200 /16/R2/S50R
- FRA12/ 250 /16/R2/S50R
- FRA12/ 300 /16/R2/S50R




Fixed roller assembly with roller RRL 12 / 16 / R2 / S70G

- FRA12/ 100 /16/R2/S70G
- FRA12/ 200 /16/R2/S70G
- FRA12/ 250 /16/R2/S70G
- FRA12/ 300 /16/R2/S70G




Fixed roller assembly with roller RRL 12 / 16 / R2 / S90Gr

- FRA12/ 100 /16/R2/S90Gr
- FRA12/ 200 /16/R2/S90Gr
- FRA12/ 250 /16/R2/S90Gr
- FRA12/ 300 /16/R2/S90Gr




Fixed roller assembly with roller RRL 12 / 18 / R5 / S30B

- FRA12/ 100 /18/R5/S30B
- FRA12/ 200 /18/R5/S30B
- FRA12/ 250 /18/R5/S30B
- FRA12/ 300 /18/R5/S30B




Fixed roller assembly with roller RRL 12 / 18 / R5 / S50R

- FRA12/ 100 /18/R5/S50R
- FRA12/ 200 /18/R5/S50R
- FRA12/ 250 /18/R5/S50R
- FRA12/ 300 /18/R5/S50R




Fixed roller assembly with roller RRL 12 / 18 / R5 / S70G

- FRA12/ 100 /18/R5/S70G
- FRA12/ 200 /18/R5/S70G
- FRA12/ 250 /18/R5/S70G
- FRA12/ 300 /18/R5/S70G




Fixed roller assembly with roller RRL 12 / 18 / R5 / S90Gr

- FRA12/ 100 /18/R5/S90Gr
- FRA12/ 200 /18/R5/S90Gr
- FRA12/ 250 /18/R5/S90Gr
- FRA12/ 300 /18/R5/S90Gr




Fixed roller assembly
with roller ERL 12 / 18 / L43 / S30B

- FRA12/ 100 /18/L43/S30B
- FRA12/ 200 /18/L43/S30B
- FRA12/ 250 /18/L43/S30B
- FRA12/ 300 /18/L43/S30B




Fixed roller assembly
with roller ERL 12 / 18 / L43 / S50R

- FRA12/ 100 /18/L43/S50R
- FRA12/ 200 /18/L43/S50R
- FRA12/ 250 /18/L43/S50R
- FRA12/ 300 /18/L43/S50R




Fixed roller assembly
with roller ERL 12 / 18 / L43 / S70G

- FRA12/ 100 /18/L43/S70G
- FRA12/ 200 /18/L43/S70G
- FRA12/ 250 /18/L43/S70G
- FRA12/ 300 /18/L43/S70G




Fixed roller assembly
with roller ERL 12 / 18 / L43 / S90Gr

- FRA12/ 100 /18/L43/S90Gr
- FRA12/ 200 /18/L43/S90Gr
- FRA12/ 250 /18/L43/S90Gr
- FRA12/ 300 /18/L43/S90Gr




Fixed roller assembly
with roller ERL 12 / 16 / R43 / S30B

- FRA12/ 100 /16/R43/S30B
- FRA12/ 200 /16/R43/S30B
- FRA12/ 250 /16/R43/S30B
- FRA12/ 300 /16/R43/S30B




Fixed roller assembly
with roller ERL 12 / 16 / R43 / S50R

- FRA12/ 100 /16/R43/S50R
- FRA12/ 200 /16/R43/S50R
- FRA12/ 250 /16/R43/S50R
- FRA12/ 300 /16/R43/S50R




Fixed roller assembly
with roller ERL 12 / 16 / R43 / S70G

- FRA12/ 100 /16/R43/S70G
- FRA12/ 200 /16/R43/S70G
- FRA12/ 250 /16/R43/S70G
- FRA12/ 300 /16/R43/S70G




Fixed roller assembly
with roller ERL 12 / 16 / R43 / S90Gr

- FRA12/ 100 /16/R43/S90Gr
- FRA12/ 200 /16/R43/S90Gr
- FRA12/ 250 /16/R43/S90Gr
- FRA12/ 300 /16/R43/S90Gr




Fixed roller assembly
with roller ERL 12 / 16 / 45 / S30B

- FRA12/ 100 /16/45/S30B
- FRA12/ 200 /16/45/S30B
- FRA12/ 250 /16/45/S30B
- FRA12/ 300 /16/45/S30B




Fixed roller assembly
with roller ERL 12 / 16 / 45 / S50R

- FRA12/ 100 /16/45/S50R
- FRA12/ 200 /16/45/S50R
- FRA12/ 250 /16/45/S50R
- FRA12/ 300 /16/45/S50R




Fixed roller assembly
with roller ERL 12 / 16 / 45 / S70G

- FRA12/ 100 /16/45/S70G
- FRA12/ 200 /16/45/S70G
- FRA12/ 250 /16/45/S70G
- FRA12/ 300 /16/45/S70G




Fixed roller assembly
with roller ERL 12 / 16 / 45 / S90Gr

- FRA12/ 100 /16/45/S90Gr
- FRA12/ 200 /16/45/S90Gr
- FRA12/ 250 /16/45/S90Gr
- FRA12/ 300 /16/45/S90Gr




Fixed roller assembly
with roller ERL 12 / 18 / 80 / S30B

- FRA12/ 100 /18/80/S30B
- FRA12/ 200 /18/80/S30B
- FRA12/ 250 /18/80/S30B
- FRA12/ 300 /18/80/S30B




Fixed roller assembly
with roller ERL 12 / 18 / 80 / S50R

- FRA12/ 100 /18/80/S50R
- FRA12/ 200 /18/80/S50R
- FRA12/ 250 /18/80/S50R
- FRA12/ 300 /18/80/S50R




Fixed roller assembly
with roller ERL 12 / 18 / 80 / S70G

- FRA12/ 100 /18/80/S70G
- FRA12/ 200 /18/80/S70G
- FRA12/ 250 /18/80/S70G
- FRA12/ 300 /18/80/S70G




Fixed roller assembly
with roller ERL 12 / 18 / 80 / S90Gr

- FRA12/ 100 /18/80/S90Gr
- FRA12/ 200 /18/80/S90Gr
- FRA12/ 250 /18/80/S90Gr
- FRA12/ 300 /18/80/S90Gr




**Fixed roller assembly
with roller R 12 / 10 / 75 / S30B**

- FRB12/ 100 /10/75/S30B
- FRB12/ 200 /10/75/S30B
- FRB12/ 250 /10/75/S30B
- FRB12/ 300 /10/75/S30B




**Fixed roller assembly
with roller R 12 / 10 / 75 / S50R**

- FRB12/ 100 /10/75/S50R
- FRB12/ 200 /10/75/S50R
- FRB12/ 250 /10/75/S50R
- FRB12/ 300 /10/75/S50R




**Fixed roller assembly
with roller R 12 / 10 / 75 / S70G**

- FRB12/ 100 /10/75/S70G
- FRB12/ 200 /10/75/S70G
- FRB12/ 250 /10/75/S70G
- FRB12/ 300 /10/75/S70G



**Fixed roller assembly
with roller R 12 / 10 / 75 / S90Gr**


- FRB12/ 100 /10/75/S90Gr
- FRB12/ 200 /10/75/S90Gr
- FRB12/ 250 /10/75/S90Gr
- FRB12/ 300 /10/75/S90Gr



Other dimensions and
Materials available on request!


**Fixed roller assembly
with roller RRL 12 / 16 / R2 / S30B**

- FRB12/ 100 /16/R2/S30B
- FRB12/ 200 /16/R2/S30B
- FRB12/ 250 /16/R2/S30B
- FRB12/ 300 /16/R2/S30B




**Fixed roller assembly
with roller RRL 12 / 16 / R2 / S50R**

- FRB12/ 100 /16/R2/S50R
- FRB12/ 200 /16/R2/S50R
- FRB12/ 250 /16/R2/S50R
- FRB12/ 300 /16/R2/S50R




**Fixed roller assembly
with roller RRL 12 / 16 / R2 / S70G**

- FRB12/ 100 /16/R2/S70G
- FRB12/ 200 /16/R2/S70G
- FRB12/ 250 /16/R2/S70G
- FRB12/ 300 /16/R2/S70G




**Fixed roller assembly
with roller RRL 12 / 16 / R2 / S90Gr**

- FRB12/ 100 /16/R2/S90Gr
- FRB12/ 200 /16/R2/S90Gr
- FRB12/ 250 /16/R2/S90Gr
- FRB12/ 300 /16/R2/S90Gr




**Fixed roller assembly
with roller RRL 12 / 18 / R5 / S30B**

- FRB12/ 100 /18/R5/S30B
- FRB12/ 200 /18/R5/S30B
- FRB12/ 250 /18/R5/S30B
- FRB12/ 300 /18/R5/S30B




**Fixed roller assembly
with roller RRL 12 / 18 / R5 / S50R**

- FRB12/ 100 /18/R5/S50R
- FRB12/ 200 /18/R5/S50R
- FRB12/ 250 /18/R5/S50R
- FRB12/ 300 /18/R5/S50R




**Fixed roller assembly
with roller RRL 12 / 18 / R5 / S70G**

- FRB12/ 100 /18/R5/S70G
- FRB12/ 200 /18/R5/S70G
- FRB12/ 250 /18/R5/S70G
- FRB12/ 300 /18/R5/S70G




**Fixed roller assembly
with roller RRL 12 / 18 / R5 / S90Gr**

- FRB12/ 100 /18/R5/S90Gr
- FRB12/ 200 /18/R5/S90Gr
- FRB12/ 250 /18/R5/S90Gr
- FRB12/ 300 /18/R5/S90Gr




Fixed roller assembly
with roller ERL 12 / 18 / L43 / S30B

- FRB12/ 100 /18/L43/S30B
- FRB12/ 200 /18/L43/S30B
- FRB12/ 250 /18/L43/S30B
- FRB12/ 300 /18/L43/S30B




Fixed roller assembly
with roller ERL 12 / 18 / L43 / S50R

- FRB12/ 100 /18/L43/S50R
- FRB12/ 200 /18/L43/S50R
- FRB12/ 250 /18/L43/S50R
- FRB12/ 300 /18/L43/S50R




Fixed roller assembly
with roller ERL 12 / 18 / L43 / S70G

- FRB12/ 100 /18/L43/S70G
- FRB12/ 200 /18/L43/S70G
- FRB12/ 250 /18/L43/S70G
- FRB12/ 300 /18/L43/S70G




Fixed roller assembly
with roller ERL 12 / 18 / L43 / S90Gr

- FRB12/ 100 /18/L43/S90Gr
- FRB12/ 200 /18/L43/S90Gr
- FRB12/ 250 /18/L43/S90Gr
- FRB12/ 300 /18/L43/S90Gr




Fixed roller assembly
with roller ERL 12 / 16 / R43 / S30B

- FRB12/ 100 /16/R43/S30B
- FRB12/ 200 /16/R43/S30B
- FRB12/ 250 /16/R43/S30B
- FRB12/ 300 /16/R43/S30B




Fixed roller assembly
with roller ERL 12 / 16 / R43 / S50R

- FRB12/ 100 /16/R43/S50R
- FRB12/ 200 /16/R43/S50R
- FRB12/ 250 /16/R43/S50R
- FRB12/ 300 /16/R43/S50R




Fixed roller assembly
with roller ERL 12 / 16 / R43 / S70G

- FRB12/ 100 /16/R43/S70G
- FRB12/ 200 /16/R43/S70G
- FRB12/ 250 /16/R43/S70G
- FRB12/ 300 /16/R43/S70G




Fixed roller assembly
with roller ERL 12 / 16 / R43 / S90Gr

- FRB12/ 100 /16/R43/S90Gr
- FRB12/ 200 /16/R43/S90Gr
- FRB12/ 250 /16/R43/S90Gr
- FRB12/ 300 /16/R43/S90Gr




Fixed roller assembly
with roller ERL 12 / 16 / 45 / S30B

- FRB12/ 100 /16/45/S30B
- FRB12/ 200 /16/45/S30B
- FRB12/ 250 /16/45/S30B
- FRB12/ 300 /16/45/S30B




Fixed roller assembly
with roller ERL 12 / 16 / 45 / S50R

- FRB12/ 100 /16/45/S50R
- FRB12/ 200 /16/45/S50R
- FRB12/ 250 /16/45/S50R
- FRB12/ 300 /16/45/S50R




Fixed roller assembly
with roller ERL 12 / 16 / 45 / S70G

- FRB12/ 100 /16/45/S70G
- FRB12/ 200 /16/45/S70G
- FRB12/ 250 /16/45/S70G
- FRB12/ 300 /16/45/S70G




Fixed roller assembly
with roller ERL 12 / 16 / 45 / S90Gr

- FRB12/ 100 /16/45/S90Gr
- FRB12/ 200 /16/45/S90Gr
- FRB12/ 250 /16/45/S90Gr
- FRB12/ 300 /16/45/S90Gr




Fixed roller assembly
with roller ERL 12 / 18 / 80 / S30B

- FRB12/ 100 /18/80/S30B
- FRB12/ 200 /18/80/S30B
- FRB12/ 250 /18/80/S30B
- FRB12/ 300 /18/80/S30B




Fixed roller assembly
with roller ERL 12 / 18 / 80 / S50R

- FRB12/ 100 /18/80/S50R
- FRB12/ 200 /18/80/S50R
- FRB12/ 250 /18/80/S50R
- FRB12/ 300 /18/80/S50R




Fixed roller assembly
with roller ERL 12 / 18 / 80 / S70G

- FRB12/ 100 /18/80/S70G
- FRB12/ 200 /18/80/S70G
- FRB12/ 250 /18/80/S70G
- FRB12/ 300 /18/80/S70G




Fixed roller assembly
with roller ERL 12 / 18 / 80 / S90Gr

- FRB12/ 100 /18/80/S90Gr
- FRB12/ 200 /18/80/S90Gr
- FRB12/ 250 /18/80/S90Gr
- FRB12/ 300 /18/80/S90Gr




**Fixed roller assembly
with roller SR8 / 25 / 12/ S30B**

- FRA8S/100 /8/25/12/S30B
- FRA8S/200 /8/25/12/S30B
- FRA8S/250 /8/25/12/S30B
- FRA8S/300 /8/25/12/S30B




**Fixed roller assembly
with roller SR8 / 25 / 12/ S50R**

- FRA8S/100 /8/25/12/S50R
- FRA8S/200 /8/25/12/S50R
- FRA8S/250 /8/25/12/S50R
- FRA8S/300 /8/25/12/S50R




**Fixed roller assembly
with roller SR8 / 25 / 12/ S70G**

- FRA8S/100 /8/25/12/S70G
- FRA8S/200 /8/25/12/S70G
- FRA8S/250 /8/25/12/S70G
- FRA8S/300 /8/25/12/S70G




**Fixed roller assembly
with roller SR8 / 25 / 12/ S90Gr**

- FRA8S/100 /8/25/12/S90Gr
- FRA8S/200 /8/25/12/S90Gr
- FRA8S/250 /8/25/12/S90Gr
- FRA8S/300 /8/25/12/S90Gr




**Fixed roller assembly
with roller SR 8 / 20 / 45 / S70G**

- FRA8S/100 /8/20/45/S70G
- FRA8S/200 /8/20/45/S70G
- FRA8S/250 /8/20/45/S70G
- FRA8S/300 /8/20/45/S70G



**Fixed roller assembly
with roller SR 8 / 20 / 45 / S90Gr**


- FRA8S/100 /8/20/45/S90Gr
- FRA8S/200 /8/20/45/S90Gr
- FRA8S/250 /8/20/45/S90Gr
- FRA8S/300 /8/20/45/S90Gr



Other dimensions and materials available on request!


**Fixed roller assembly
with roller SR8 / 25 / 12/ S30B**

- FR8S/100 /8/25/12/S30B
- FR8S/200 /8/25/12/S30B
- FR8S/250 /8/25/12/S30B
- FR8S/300 /8/25/12/S30B




**Fixed roller assembly
with roller SR8 / 25 / 12/ S50R**

- FR8S/100 /8/25/12/S50R
- FR8S/200 /8/25/12/S50R
- FR8S/250 /8/25/12/S50R
- FR8S/300 /8/25/12/S50R




**Fixed roller assembly
with roller SR8 / 25 / 12/ S70G**

- FR8S/100 /8/25/12/S70G
- FR8S/200 /8/25/12/S70G
- FR8S/250 /8/25/12/S70G
- FR8S/300 /8/25/12/S70G




**Fixed roller assembly
with roller SR8 / 25 / 12/ S90Gr**

- FR8S/100 /8/25/12/S90Gr
- FR8S/200 /8/25/12/S90Gr
- FR8S/250 /8/25/12/S90Gr
- FR8S/300 /8/25/12/S90Gr




**Fixed roller assembly
with roller SR 8 / 20 / 45 / S70G**

- FR8S/100 /8/45/S70G
- FR8S/200 /8/45/S70G
- FR8S/250 /8/45/S70G
- FR8S/300 /8/45/S70G



**Fixed roller assembly
with roller SR 8 / 20 / 45 / S90Gr**


- FR8S/100 /8/45/S90Gr
- FR8S/200 /8/45/S90Gr
- FR8S/250 /8/45/S90Gr
- FR8S/300 /8/45/S90Gr



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller ER 12 / 20 / 45 / S70G

- GRB12/ 150 /20/45/S70G
- GRB12/ 200 /20/45/S70G
- GRB12/ 250 /20/45/S70G




Spring-mounted roller assembly with roller ER 12 / 20 / 45 / S90Gr

- GRB12/ 150 /20/45/S90Gr
- GRB12/ 200 /20/45/S90Gr
- GRB12/ 250 /20/45/S90Gr




Spring-mounted roller assembly with roller ER 12 / 20 / 45 / AL

- GRB12/ 150 /20/45/AL
- GRB12/ 200 /20/45/AL
- GRB12/ 250 /20/45/AL



Spring-mounted roller assembly with roller ER 12 / 20 / 45 / PO


- GRB12/ 150 /20/45/PO
- GRB12/ 200 /20/45/PO
- GRB12/ 250 /20/45/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller ER 12 / 25 / 80 / S30B

- GRB12/ 150 /25/80/S30B
- GRB12/ 200 /25/80/S30B
- GRB12/ 250 /25/80/S30B




Spring-mounted roller assembly with roller ER 12 / 25 / 80 / S50R

- GRB12/ 150 /25/80/S50R
- GRB12/ 200 /25/80/S50R
- GRB12/ 250 /25/80/S50R




Spring-mounted roller assembly with roller ER 12 / 25 / 80 / S70G

- GRB12/ 150 /25/80/S70G
- GRB12/ 200 /25/80/S70G
- GRB12/ 250 /25/80/S70G




Spring-mounted roller assembly with roller ER 12 / 25 / 80 / S90Gr

- GRB12/ 150 /25/80/S90Gr
- GRB12/ 200 /25/80/S90Gr
- GRB12/ 250 /25/80/S90Gr




Spring-mounted roller assembly with roll ER 12 / 25 / 80 / AL

- GRB12/ 150 /25/80/AL
- GRB12/ 200 /25/80/AL
- GRB12/ 250 /25/80/AL



Spring-mounted roller assembly with roll ER 12 / 25 / 80 / PO


- GRB12/ 150 /25/80/PO
- GRB12/ 200 /25/80/PO
- GRB12/ 250 /25/80/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller RR12 / 20 / R5 / S70G

GRB12/ 150 /20/R5/S30B
GRB12/ 200 /20/R5/S30B
GRB12/ 250 /20/R5/S30B




Spring-mounted roller assembly with roller RR12 / 20 / R5 / S90Gr

GRB12/ 150 /20/R5/S90Gr
GRB12/ 200 /20/R5/S90Gr
GRB12/ 250 /20/R5/S90Gr




Spring-mounted roller assembly with roller RR12 / 20 / R5 / AL

GRB12/ 150 /20/R5/AL
GRB12/ 200 /20/R5/AL
GRB12/ 250 /20/R5/AL



Spring-mounted roller assembly with roller RR12 / 20 / R5 / PO


GRB12/ 150 /20/R5/PO
GRB12/ 200 /20/R5/PO
GRB12/ 250 /20/R5/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller RR12 / 20 / R10 / S30B

GRB12/ 150 /20/R10/S30B
GRB12/ 200 /20/R10/S30B
GRB12/ 250 /20/R10/S30B




Spring-mounted roller assembly with roller RR12 / 20 / R10 / S50R

GRB12/ 150 /20/R10/S50R
GRB12/ 200 /20/R10/S50R
GRB12/ 250 /20/R10/S50R




Spring-mounted roller assembly with roller RR12 / 20 / R10 / S70G

GRB12/ 150 /20/R10/S70G
GRB12/ 200 /20/R10/S70G
GRB12/ 250 /20/R10/S70G




Spring-mounted roller assembly with roller RR12 / 20 / R10 / S90Gr

GRB12/ 150 /20/R10/S90Gr
GRB12/ 200 /20/R10/S90Gr
GRB12/ 250 /20/R10/S90Gr




Spring-mounted roller assembly with roller RR12 / 20 / R10 / AL

GRB12/ 150 /20/R10/AL
GRB12/ 200 /20/R10/AL
GRB12/ 250 /20/R10/AL



Spring-mounted roller assembly with roller RR12 / 20 / R10 / PO


GRB12/ 150 /20/R10/PO
GRB12/ 200 /20/R10/PO
GRB12/ 250 /20/R10/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller RR12 / 30 / R15 / S30B

- GRB12/ 150 /30/R15/S30B
- GRB12/ 200 /30/R15/S30B
- GRB12/ 250 /30/R15/S30B




Spring-mounted roller assembly with roller RR12 / 30 / R15 / S50R

- GRB12/ 150 /30/R15/S50R
- GRB12/ 200 /30/R15/S50R
- GRB12/ 250 /30/R15/S50R




Spring-mounted roller assembly with roller RR12 / 30 / R15 / S70G

- GRB12/ 150 /30/R15/S70G
- GRB12/ 200 /30/R15/S70G
- GRB12/ 250 /30/R15/S70G




Spring-mounted roller assembly with roller RR12 / 30 / R15 / S90Gr

- GRB12/ 150 /30/R15/S90Gr
- GRB12/ 200 /30/R15/S90Gr
- GRB12/ 250 /30/R15/S90Gr




Spring-mounted roller assembly with roller RR12 / 30 / R15 / AL

- GRB12/ 150 /30/R15/AL
- GRB12/ 200 /30/R15/AL
- GRB12/ 250 /30/R15/AL



Spring-mounted roller assembly with roller RR12 / 30 / R15 / PO


- GRB12/ 150 /30/R15/PO
- GRB12/ 200 /30/R15/PO
- GRB12/ 250 /30/R15/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller NR12 / 20 / R5 / S30B

- GRB12/ 150 /20/50/S30B
- GRB12/ 200 /20/50/S30B
- GRB12/ 250 /20/50/S30B



Spring-mounted roller assembly with roller NR12 / 20 / R5 / S50R

- GRB12/ 150 /20/50/S50R
- GRB12/ 200 /20/50/S50R
- GRB12/ 250 /20/50/S50R




Spring-mounted roller assembly with roller NR12 / 20 / R5 / S70G

- GRB12/ 150 /20/50/S70G
- GRB12/ 200 /20/50/S70G
- GRB12/ 250 /20/50/S70G



Spring-mounted roller assembly with roller NR12 / 20 / R5 / S90Gr

- GRB12/ 150 /20/50/S90Gr
- GRB12/ 200 /20/50/S90Gr
- GRB12/ 250 /20/50/S90Gr



Spring-mounted roller assembly with roller NR12 / 20 / R5 / AL

- GRB12/ 150 /20/50/AL
- GRB12/ 200 /20/50/AL
- GRB12/ 250 /20/50/AL



Spring-mounted roller assembly with roller NR12 / 20 / R5 / PO


- GRB12/ 150 /20/50/PO
- GRB12/ 200 /20/50/PO
- GRB12/ 250 /20/50/PO



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller FR12 / 20 / R3 / S70G

- FRA12/ 150 /20/R3/S70G
- FRA12/ 200 /20/R3/S70G
- FRA12/ 250 /20/R3/S70G




Spring-mounted roller assembly with roller FR12 / 20 / R3 / S90Gr

- FRA12/ 150 /20R3/S90Gr
- FRA12/ 200 /20R3/S90Gr
- FRA12/ 250 /20R3/S90Gr




Spring-mounted roller assembly with roller FR12 / 20 / R3 / AL

- FRA12/ 150 /20/R3/AL
- FRA12/ 200 /20/R3/AL
- FRA12/ 250 /20/R3/AL




Spring-mounted roller assembly with roller FR12 / 20 / R3 / PO

- FRA12/ 150 /20/R3/PO
- FRA12/ 200 /20/R3/PO
- FRA12/ 250 /20/R3/PO




Spring-mounted roller assembly with roller FR12 / 20 / K3 / AL

- FRA12/ 150 /20/K3/AL
- FRA12/ 200 /20/K3/AL
- FRA12/ 250 /20/K3/AL




Spring-mounted roller assembly with roller FR12 / 20 / K3 / PO

- FRA12/ 150 /20/K3/PO
- FRA12/ 200 /20/K3/PO
- FRA12/ 250 /20/K3/PO




Spring-mounted roller assembly with roller FR12 / 20 / K3 / ST

- FRA12/ 150 /20/K3/ST
- FRA12/ 200 /20/K3/ST
- FRA12/ 250 /20/K3/ST




Spring-mounted roller assembly with roller FR12 / 20 / 45 / AL

- FRA12/ 150 /20/45/AL
- FRA12/ 200 /20/45/AL
- FRA12/ 250 /20/45/AL




Spring-mounted roller assembly with roller FR12 / 20 / 45 / PO

- FRA12/ 150 /20/45/PO
- FRA12/ 200 /20/45/PO
- FRA12/ 250 /20/45/PO




Spring-mounted roller assembly with roller FR12 / 20 / 45 / ST

- FRA12/ 150 /20/45/ST
- FRA12/ 200 /20/45/ST
- FRA12/ 250 /20/45/ST




Spring-mounted roller assembly with roller FR12 / 20 / 30 / ST

- FRA12/ 150 /20/30/ST
- FRA12/ 200 /20/30/ST
- FRA12/ 250 /20/30/ST



Spring-mounted roller assembly with roller FR12 / 20 / 30 / VA


- FRA12/ 150 /20/30/VA
- FRA12/ 200 /20/30/VA
- FRA12/ 250 /20/30/VA



Other dimensions and Materials available on request!


Spring-mounted roller assembly with roller R 12 / 10 / 75 / S30B

GRB 12/ 150 /10/75/S30B
GRB 12/ 200 /10/75/S30B
GRB 12/ 250 /10/75/S30B




Spring-mounted roller assembly with roller R 12 / 10 / 75 / S50R

GRB 12/ 150 /10/75/S50R
GRB 12/ 200 /10/75/S50R
GRB 12/ 250 /10/75/S50R




Spring-mounted roller assembly with roller R 12 / 10 / 75 / S70G

GRB 12/ 150 /10/75/S70G
GRB 12/ 200 /10/75/S70G
GRB 12/ 250 /10/75/S70G



Spring-mounted roller assembly with roller R 12 / 10 / 75 / S90Gr


GRB 12/ 150 /10/75/S90Gr
GRB 12/ 200 /10/75/S90Gr
GRB 12/ 250 /10/75/S90Gr



Other dimensions and materials available on request!


Spring-mounted roller assembly with roller RRL 12 / 16 / R2 / S30B

GRB 12/150 /16/R2/S30B
GRB 12/200 /16/R2/S30B
GRB 12/250 /16/R2/S30B




Spring-mounted roller assembly with roller RRL 12 / 16 / R2 / S50R

GRB 12/150 /16/R2/S50R
GRB 12/200 /16/R2/S50R
GRB 12/250 /16/R2/S50R




Spring-mounted roller assembly with roller RRL 12 / 16 / R2 / S70G

GRB 12/150 /16/R2/S70G
GRB 12/200 /16/R2/S70G
GRB 12/250 /16/R2/S70G




Spring-mounted roller assembly with roller RRL 12 / 16 / R2 / S90Gr

GRB 12/150 /16/R2/S90Gr
GRB 12/200 /16/R2/S90Gr
GRB 12/250 /16/R2/S90Gr




Spring-mounted roller assembly with roller RRL 12 / 18 / R5 / S30B

GRB 12/150 /18/R5/S30B
GRB 12/200 /18/R5/S30B
GRB 12/250 /18/R5/S30B




Spring-mounted roller assembly with roller RRL 12 / 18 / R5 / S50R

GRB 12/150 /18/R5/S50R
GRB 12/200 /18/R5/S50R
GRB 12/250 /18/R5/S50R




Spring-mounted roller assembly with roller RRL 12 / 18 / R5 / S70G

GRB 12/150 /18/R5/S70G
GRB 12/200 /18/R5/S70G
GRB 12/250 /18/R5/S70G




Spring-mounted roller assembly with roller RRL 12 / 18 / R5 / S90Gr

GRB 12/150 /18/R5/S90Gr
GRB 12/200 /18/R5/S90Gr
GRB 12/250 /18/R5/S90Gr




Spring-mounted roller assembly with roller ERL 12 / 18 / L43 / S30B

GRB 12/150 /18/L43/S30B
GRB 12/200 /18/L43/S30B
GRB 12/250 /18/L43/S30B




Spring-mounted roller assembly with roller ERL 12 / 18 / L43 / S50R

GRB 12/150 /18/L43/S50R
GRB 12/200 /18/L43/S50R
GRB 12/250 /18/L43/S50R




Spring-mounted roller assembly with roller ERL 12 / 18 / L43 / S70G

GRB 12/150 /18/L43/S70G
GRB 12/200 /18/L43/S70G
GRB 12/250 /18/L43/S70G




Spring-mounted roller assembly with roller ERL 12 / 18 / L43 / S90Gr

GRB 12/150 /18/L43/S90Gr
GRB 12/200 /18/L43/S90Gr
GRB 12/250 /18/L43/S90Gr




Spring-mounted roller assembly with roller ERL 12 / 16 / R43 / S30B

GRB 12/150 /16/R43/S30B
GRB 12/200 /16/R43/S30B
GRB 12/250 /16/R43/S30B




Spring-mounted roller assembly with roller ERL 12 / 16 / R43 / S50R

GRB 12/150 /16/R43/S50R
GRB 12/200 /16/R43/S50R
GRB 12/250 /16/R43/S50R




Spring-mounted roller assembly with roller ERL 12 / 16 / R43 / S70G

GRB 12/150 /16/R43/S70G
GRB 12/200 /16/R43/S70G
GRB 12/250 /16/R43/S70G




Spring-mounted roller assembly with roller ERL 12 / 16 / R43 / S90Gr

GRB 12/150 /16/R43/S90Gr
GRB 12/200 /16/R43/S90Gr
GRB 12/250 /16/R43/S90Gr




Spring-mounted roller assembly with roller ERL 12 / 16 / 45 / S30B

GRB 12/150 /16/45/S30B
GRB 12/200 /16/45/S30B
GRB 12/250 /16/45/S30B




Spring-mounted roller assembly with roller ERL 12 / 16 / 45 / S50R

GRB 12/150 /16/45/S50R
GRB 12/200 /16/45/S50R
GRB 12/250 /16/45/S50R




Spring-mounted roller assembly with roller ERL 12 / 16 / 45 / S70G

GRB 12/150 /16/45/S70G
GRB 12/200 /16/45/S70G
GRB 12/250 /16/45/S70G




Spring-mounted roller assembly with roller ERL 12 / 16 / 45 / S90Gr

GRB 12/150 /16/45/S90Gr
GRB 12/200 /16/45/S90Gr
GRB 12/250 /16/45/S90Gr




Spring-mounted roller assembly with roller ERL 12 / 18 / 80 / S30B

GRB 12/150 /18/80/S30B
GRB 12/200 /18/80/S30B
GRB 12/250 /18/80/S30B




Spring-mounted roller assembly with roller ERL 12 / 18 / 80 / S50R

GRB 12/150 /18/80/S50R
GRB 12/200 /18/80/S50R
GRB 12/250 /18/80/S50R




Spring-mounted roller assembly with roller ERL 12 / 18 / 80 / S70G

GRB 12/150 /18/80/S70G
GRB 12/200 /18/80/S70G
GRB 12/250 /18/80/S70G




Spring-mounted roller assembly with roller ERL 12 / 18 / 80 / S90Gr

GRB 12/150 /18/80/S90Gr
GRB 12/200 /18/80/S90Gr
GRB 12/250 /18/80/S90Gr




Spring-mounted roller assembly
with roller SR8 / 25 / 12/ S30B

GRB 8/ 150 /8/25/12/S30B
GRB 8/ 200 /8/25/12/S30B
GRB 8/ 250 /8/25/12/S30B




Spring-mounted roller assembly
with roller SR8 / 25 / 12/ S50R

GRB 8/ 150 /8/25/12/S50R
GRB 8/ 200 /8/25/12/S50R
GRB 8/ 250 /8/25/12/S50R




Spring-mounted roller assembly
with roller SR8 / 25 / 12/ S70G

GRB 8/ 150 /8/25/12/S70G
GRB 8/ 200 /8/25/12/S70G
GRB 8/ 250 /8/25/12/S70G




Spring-mounted roller assembly
with roller SR8 / 25 / 12/ S90Gr

GRB 8/ 150 /8/25/12/S90Gr
GRB 8/ 200 /8/25/12/S90Gr
GRB 8/ 250 /8/25/12/S90Gr




Spring-mounted roller assembly
with roller SR 8 / 20 / 45 / S70G

GRB 8/ 150 /8/20/45/S70G
GRB 8/ 200 /8/20/45/S70G
GRB 8/ 250 /8/20/45/S70G



Spring-mounted roller assembly
with roller SR 8 / 20 / 45 / S90Gr


GRB 8/ 150 /8/20/45/S90Gr
GRB 8/ 200 /8/20/45/S90Gr
GRB 8/ 250 /8/20/45/S90Gr



Other dimensions and materials available on request!


**Fixed roller assembly
with roller ERL 12 / 15 / 43 / S30B**

- FRA12/ 100 /15/43/S30B
- FRA12/ 200 /15/43/S30B
- FRA12/ 250 /15/43/S30B
- FRA12/ 300 /15/43/S30B




**Fixed roller assembly
with roller ERL 12 / 15 / 43 / S50R**

- FRA12/ 100 /15/43/S50R
- FRA12/ 200 /15/43/S50R
- FRA12/ 250 /15/43/S50R
- FRA12/ 300 /15/43/S50R




**Fixed roller assembly
with roller ERL 12 / 15 / 43 / S70G**

- FRA12/ 100 /15/43/S70G
- FRA12/ 200 /15/43/S70G
- FRA12/ 250 /15/43/S70G
- FRA12/ 300 /15/43/S70G



**Fixed roller assembly
with roller ERL 12 / 15 / 43 / S90Gr**


- FRA12/ 100 /15/43/S90Gr
- FRA12/ 200 /15/43/S90Gr
- FRA12/ 250 /15/43/S90Gr
- FRA12/ 300 /15/43/S90Gr



Other dimensions and
Materials available on request!


**Fixed roller assembly
with roller ERL 12 / 15 / 43 / S30B**

- FRB12/ 100 /15/43/S30B
- FRB12/ 200 /15/43/S30B
- FRB12/ 250 /15/43/S30B
- FRB12/ 300 /15/43/S30B




**Fixed roller assembly
with roller ERL 12 / 15 / 43 / S50R**

- FRB12/ 100 /15/43/S50R
- FRB12/ 200 /15/43/S50R
- FRB12/ 250 /15/43/S50R
- FRB12/ 300 /15/43/S50R




**Fixed roller assembly
with roller ERL 12 / 15 / 43 / S70G**

- FRB12/ 100 /15/43/S70G
- FRB12/ 200 /15/43/S70G
- FRB12/ 250 /15/43/S70G
- FRB12/ 300 /15/43/S70G



**Fixed roller assembly
with roller ERL 12 / 15 / 43 / S90Gr**


- FRB12/ 100 /15/43/S90Gr
- FRB12/ 200 /15/43/S90Gr
- FRB12/ 250 /15/43/S90Gr
- FRB12/ 300 /15/43/S90Gr



Other dimensions and
Materials available on request!


Spring-mounted roller assembly
with roller ERL 12 / 15 / 43 / S30B

GRB 12/150 /15/43/S30B
GRB 12/200 /15/43/S30B
GRB 12/250 /15/43/S30B




Spring-mounted roller assembly
with roller ERL 12 / 15 / 43 / S50R

GRB 12/150 /15/43/S50R
GRB 12/200 /15/43/S50R
GRB 12/250 /15/43/S50R




Spring-mounted roller assembly
with roller ERL 12 / 15 / 43 / S70G

GRB 12/150 /15/43/S70G
GRB 12/200 /15/43/S70G
GRB 12/250 /15/43/S70G



Spring-mounted roller assembly
with roller ERL 12 / 15 / 43 / S90Gr


GRB 12/150 /15/43/S90Gr
GRB 12/200 /15/43/S90Gr
GRB 12/250 /15/43/S90Gr



Other dimensions and
materials available on request!


Guide roller assembly 1,5° left
with roller F 12 / 10 / 75 / S70G

K20SL12/100 /F/10/75/S70G
K20SL12/200 /F/10/75/S70G
K20SL12/250 /F/10/75/S70G
K20SL12/300 /F/10/75/S70G




Guide roller assembly 1,5° left
with roller F 12 / 10 / 75 / S90Gr

K20SL12/100 /F/10/75/S90Gr
K20SL12/200 /F/10/75/S90Gr
K20SL12/250 /F/10/75/S90Gr
K20SL12/300 /F/10/75/S90Gr




Guide roller assembly 1,5° left
with roller F 12 / 10 / 75 / AL

K20SL12/100 /F/10/75/AL
K20SL12/200 /F/10/75/AL
K20SL12/250 /F/10/75/AL
K20SL12/300 /F/10/75/AL




Guide roller assembly 1,5° left
with roller F 12 / 10 / 75 / PO

K20SL12/100 /F/10/75/PO
K20SL12/200 /F/10/75/PO
K20SL12/250 /F/10/75/PO
K20SL12/300 /F/10/75/PO




Guide roller assembly 1,5° right
with roller F 12 / 10 / 75 / S70G

K20SR12/100 /F/10/75/S70G
K20SR12/200 /F/10/75/S70G
K20SR12/250 /F/10/75/S70G
K20SR12/300 /F/10/75/S70G




Guide roller assembly 1,5° right
with roller F 12 / 10 / 75 / S90Gr

K20SR12/100 /F/10/75/S90Gr
K20SR12/200 /F/10/75/S90Gr
K20SR12/250 /F/10/75/S90Gr
K20SR12/300 /F/10/75/S90Gr




Guide roller assembly 1,5° right
with roller F 12 / 10 / 75 / AL

K20SR12/100 /F/10/75/AL
K20SR12/200 /F/10/75/AL
K20SR12/250 /F/10/75/AL
K20SR12/300 /F/10/75/AL




Guide roller assembly 1,5° right
with roller F 12 / 10 / 75 / PO

K20SR12/100 /F/10/75/PO
K20SR12/200 /F/10/75/PO
K20SR12/250 /F/10/75/PO
K20SR12/300 /F/10/75/PO




Square roller assembly □
with roller F 12 / 10 / 75 / S70G

K20G12/ 100 /F/10/75/S70G
K20G12/ 200 /F/10/75/S70G
K20G12/ 250 /F/10/75/S70G
K20G12/ 300 /F/10/75/S70G




Square roller assembly □
with roller F 12 / 10 / 75 / S90Gr

K20G12/ 100 /F/10/75/S90Gr
K20G12/ 200 /F/10/75/S90Gr
K20G12/ 250 /F/10/75/S90Gr
K20G12/ 300 /F/10/75/S90Gr




Square roller assembly □
with roller F 12 / 10 / 75 / AL

K20G12/ 100 /F/10/75/AL
K20G12/ 200 /F/10/75/AL
K20G12/ 250 /F/10/75/AL
K20G12/ 300 /F/10/75/AL




Square roller assembly □
with roller F 12 / 10 / 75 / PO

K20G12/ 100 /F/10/75/PO
K20G12/ 200 /F/10/75/PO
K20G12/ 250 /F/10/75/PO
K20G12/ 300 /F/10/75/PO




Swiveling guide roller assembly
with roller F 12 / 10 / 75 / S70G

RQD 12/ 100 /F/10/75/S70G
RQD 12/ 200 /F/10/75/S70G
RQD 12/ 250 /F/10/75/S70G
RQD 12/ 300 /F/10/75/S70G




Swiveling guide roller assembly
with roller F 12 / 10 / 75 / S90Gr

RQD 12/ 100 /F/10/75/S90Gr
RQD 12/ 200 /F/10/75/S90Gr
RQD 12/ 250 /F/10/75/S90Gr
RQD 12/ 300 /F/10/75/S90Gr




Swiveling guide roller assembly
with roller F 12 / 10 / 75 / AL

RQD 12/ 100 /F/10/75/AL
RQD 12/ 200 /F/10/75/AL
RQD 12/ 250 /F/10/75/AL
RQD 12/ 300 /F/10/75/AL




Swiveling guide roller assembly
with roller F 12 / 10 / 75 / PO

RQD 12/ 100 /F/10/75/PO
RQD 12/ 200 /F/10/75/PO
RQD 12/ 250 /F/10/75/PO
RQD 12/ 300 /F/10/75/PO




Square roller assembly □
with roller F 12 / 10 / 85 / S70G

- K20 G12/ 100 /F/10/85/S70G
- K20 G12/ 200 /F/10/85/S70G
- K20 G12/ 250 /F/10/85/S70G
- K20 G12/ 300 /F/10/85/S70G




Square roller assembly □
with roller F 12 / 10 / 85 / S90Gr

- K20 G12/ 100 /F/10/85/S90Gr
- K20 G12/ 200 /F/10/85/S90Gr
- K20 G12/ 250 /F/10/85/S90Gr
- K20 G12/ 300 /F/10/85/S90Gr




Square roller assembly □
with roller F 12 / 10 / 85 / AL

- K20 G12/ 100 /F/10/85/AL
- K20 G12/ 200 /F/10/85/AL
- K20 G12/ 250 /F/10/85/AL
- K20 G12/ 300 /F/10/85/AL




Square roller assembly □
with roller F 12 / 10 / 85 / PO

- K20 G12/ 100 /F/10/85/PO
- K20 G12/ 200 /F/10/85/PO
- K20 G12/ 250 /F/10/85/PO
- K20 G12/ 300 /F/10/85/PO




Square roller assembly □
with roller F 12 / 15 / 85 / S70G

- K20 G12/ 100 /F/15/85/S70G
- K20 G12/ 200 /F/15/85/S70G
- K20 G12/ 250 /F/15/85/S70G
- K20 G12/ 300 /F/15/85/S70G




Square roller assembly □
with roller F 12 / 15 / 85 / S90Gr

- K20 G12/ 100 /F/15/85/S90Gr
- K20 G12/ 200 /F/15/85/S90Gr
- K20 G12/ 250 /F/15/85/S90Gr
- K20 G12/ 300 /F/15/85/S90Gr




Square roller assembly □
with roller F 12 / 15 / 85 / AL

- K20 G12/ 100 /F/15/85/AL
- K20 G12/ 200 /F/15/85/AL
- K20 G12/ 250 /F/15/85/AL
- K20 G12/ 300 /F/15/85/AL




Square roller assembly □
with roller F 12 / 15 / 85 / PO

- K20 G12/ 100 /F/15/85/PO
- K20 G12/ 200 /F/15/85/PO
- K20 G12/ 250 /F/15/85/PO
- K20 G12/ 300 /F/15/85/PO




Square roller assembly □
with roller F 12 / 20 / 85 / S70G

- K20 G12/ 100 /F/20/85/S70G
- K20 G12/ 200 /F/20/85/S70G
- K20 G12/ 250 /F/20/85/S70G
- K20 G12/ 300 /F/20/85/S70G




Square roller assembly □
with roller F 12 / 20 / 85 / S90Gr

- K20 G12/ 100 /F/20/85/S90Gr
- K20 G12/ 200 /F/20/85/S90Gr
- K20 G12/ 250 /F/20/85/S90Gr
- K20 G12/ 300 /F/20/85/S90Gr




Square roller assembly □
with roller F 12 / 20 / 85 / AL

- K20 G12/ 100 /F/20/85/AL
- K20 G12/ 200 /F/20/85/AL
- K20 G12/ 250 /F/20/85/AL
- K20 G12/ 300 /F/20/85/AL



Square roller assembly □
with roller F 12 / 20 / 85 / PO


- K20 G12/ 100 /F/20/85/PO
- K20 G12/ 200 /F/20/85/PO
- K20 G12/ 250 /F/20/85/PO
- K20 G12/ 300 /F/20/85/PO



Other dimensions and materials available on request!


Guide roller assembly 1,5° left with roller F 12 / 10 / 85 / S70G

- K20SL12/100 /F/10/85/S70G
- K20SL12/200 /F/10/85/S70G
- K20SL12/250 /F/10/85/S70G
- K20SL12/300 /F/10/85/S70G




Guide roller assembly 1,5° left with roller F 12 / 10 / 85 / S90Gr

- K20SL12/100 /F/10/85/S90Gr
- K20SL12/200 /F/10/85/S90Gr
- K20SL12/250 /F/10/85/S90Gr
- K20SL12/300 /F/10/85/S90Gr




Guide roller assembly 1,5° left with roller F 12 / 10 / 85 / AL

- K20SL12/100 /F/10/85/AL
- K20SL12/200 /F/10/85/AL
- K20SL12/250 /F/10/85/AL
- K20SL12/300 /F/10/85/AL




Guide roller assembly 1,5° left with roller F 12 / 10 / 85 / PO

- K20SR12/100 /F/10/85/PO
- K20SR12/200 /F/10/85/PO
- K20SR12/250 /F/10/85/PO
- K20SR12/300 /F/10/85/PO




Guide roller assembly 1,5° left with roller F 12 / 15 / 85 / S70G

- K20SL12/100 /F/15/85/S70G
- K20SL12/200 /F/15/85/S70G
- K20SL12/250 /F/15/85/S70G
- K20SL12/300 /F/15/85/S70G




Guide roller assembly 1,5° left with roller F 12 / 15 / 85 / S90Gr

- K20SL12/100 /F/15/85/S90Gr
- K20SL12/200 /F/15/85/S90Gr
- K20SL12/250 /F/15/85/S90Gr
- K20SL12/300 /F/15/85/S90Gr




Guide roller assembly 1,5° left with roller F 12 / 15 / 85 / AL

- K20SL12/100 /F/15/85/AL
- K20SL12/200 /F/15/85/AL
- K20SL12/250 /F/15/85/AL
- K20SL12/300 /F/15/85/AL




Guide roller assembly 1,5° left with roller F 12 / 15 / 85 / PO

- K20SR12/100 /F/15/85/PO
- K20SR12/200 /F/15/85/PO
- K20SR12/250 /F/15/85/PO
- K20SR12/300 /F/15/85/PO




Guide roller assembly 1,5° left with roller F 12 / 20 / 85 / S70G

- K20SL12/100 /F/20/85/S70G
- K20SL12/200 /F/20/85/S70G
- K20SL12/250 /F/20/85/S70G
- K20SL12/300 /F/20/85/S70G




Guide roller assembly 1,5° left with roller F 12 / 20 / 85 / S90Gr

- K20SL12/100 /F/20/85/S90Gr
- K20SL12/200 /F/20/85/S90Gr
- K20SL12/250 /F/20/85/S90Gr
- K20SL12/300 /F/20/85/S90Gr




Guide roller assembly 1,5° left with roller F 12 / 20 / 85 / AL

- K20SL12/100 /F/20/85/AL
- K20SL12/200 /F/20/85/AL
- K20SL12/250 /F/20/85/AL
- K20SL12/300 /F/20/85/AL




Guide roller assembly 1,5° left with roller F 12 / 20 / 85 / PO

- K20SR12/100 /F/20/85/PO
- K20SR12/200 /F/20/85/PO
- K20SR12/250 /F/20/85/PO
- K20SR12/300 /F/20/85/PO



Guide roller assembly 1,5° left with guide roller.
The low gradient of 1.5° set the guide roller obliquely.
So the profile is pressed with slight pressure.




View from below

Other dimensions and materials available on request!


Guide roller assembly 1,5° right with roller F 12 / 10 / 85 / S70G

- K20SR12/100 /F/10/85/S70G
- K20SR12/200 /F/10/85/S70G
- K20SR12/250 /F/10/85/S70G
- K20SR12/300 /F/10/85/S70G




Guide roller assembly 1,5° right with roller F 12 / 10 / 85 / S90Gr

- K20SR12/100 /F/10/85/S90Gr
- K20SR12/200 /F/10/85/S90Gr
- K20SR12/250 /F/10/85/S90Gr
- K20SR12/300 /F/10/85/S90Gr




Guide roller assembly 1,5° right with roller F 12 / 10 / 85 / AL

- K20SR12/100 /F/10/85/AL
- K20SR12/200 /F/10/85/AL
- K20SR12/250 /F/10/85/AL
- K20SR12/300 /F/10/85/AL




Guide roller assembly 1,5° right with roller F 12 / 10 / 85 / PO

- K20SR12/100 /F/10/85/PO
- K20SR12/200 /F/10/85/PO
- K20SR12/250 /F/10/85/PO
- K20SR12/300 /F/10/85/PO




Guide roller assembly 1,5° right with roller F 12 / 15 / 85 / S70G

- K20SR12/100 /F/15/85/S70G
- K20SR12/200 /F/15/85/S70G
- K20SR12/250 /F/15/85/S70G
- K20SR12/300 /F/15/85/S70G




Guide roller assembly 1,5° right with roller F 12 / 15 / 85 / S90Gr

- K20SR12/100 /F/15/85/S90Gr
- K20SR12/200 /F/15/85/S90Gr
- K20SR12/250 /F/15/85/S90Gr
- K20SR12/300 /F/15/85/S90Gr




Guide roller assembly 1,5° right with roller F 12 / 15 / 85 / AL

- K20SR12/100 /F/15/85/AL
- K20SR12/200 /F/15/85/AL
- K20SR12/250 /F/15/85/AL
- K20SR12/300 /F/15/85/AL




Guide roller assembly 1,5° right with roller F 12 / 15 / 85 / PO

- K20SR12/100 /F/15/85/PO
- K20SR12/200 /F/15/85/PO
- K20SR12/250 /F/15/85/PO
- K20SR12/300 /F/15/85/PO




Guide roller assembly 1,5° right with roller F 12 / 20 / 85 / S70G

- K20SR12/100 /F/20/85/S70G
- K20SR12/200 /F/20/85/S70G
- K20SR12/250 /F/20/85/S70G
- K20SR12/300 /F/20/85/S70G




Guide roller assembly 1,5° right with roller F 12 / 20 / 85 / S90Gr

- K20SR12/100 /F/20/85/S90Gr
- K20SR12/200 /F/20/85/S90Gr
- K20SR12/250 /F/20/85/S90Gr
- K20SR12/300 /F/20/85/S90Gr




Guide roller assembly 1,5° right with roller F 12 / 20 / 85 / AL

- K20SR12/100 /F/20/85/AL
- K20SR12/200 /F/20/85/AL
- K20SR12/250 /F/20/85/AL
- K20SR12/300 /F/20/85/AL




Guide roller assembly 1,5° right with roller F 12 / 20 / 85 / PO

- K20SR12/100 /F/20/85/PO
- K20SR12/200 /F/20/85/PO
- K20SR12/250 /F/20/85/PO
- K20SR12/300 /F/20/85/PO



Guide roller assembly 1,5° right with guide roller.
The low gradient of 1.5° set the guide roller obliquely.
So the profile is pressed with slight pressure.




View from below

Other dimensions and materials available on request!


Swiveling guide roller assembly with roller F 12 / 10 / 85 / S70G

- RQD12/100/F/10/85/S70G
- RQD12/200/F/10/85/S70G
- RQD12/250/F/10/85/S70G
- RQD12/300/F/10/85/S70G




Swiveling guide roller assembly with roller F 12 / 10 / 85 / S90Gr

- RQD12/100/F/10/85/S90Gr
- RQD12/200/F/10/85/S90Gr
- RQD12/250/F/10/85/S90Gr
- RQD12/300/F/10/85/S90Gr




Swiveling guide roller assembly with roller F 12 / 10 / 85 / AL

- RQD12/100/F/10/85/AL
- RQD12/200/F/10/85/AL
- RQD12/250/F/10/85/AL
- RQD12/300/F/10/85/AL




Swiveling guide roller assembly with roller F 12 / 10 / 85 / PO

- RQD12/100/F/10/85/PO
- RQD12/200/F/10/85/PO
- RQD12/250/F/10/85/PO
- RQD12/300/F/10/85/PO




Swiveling guide roller assembly with roller F 12 / 15 / 85 / S70G

- RQD12/100/F/15/85/S70G
- RQD12/200/F/15/85/S70G
- RQD12/250/F/15/85/S70G
- RQD12/300/F/15/85/S70G




Swiveling guide roller assembly with roller F 12 / 15 / 85 / S90Gr

- RQD12/100/F/15/85/S90Gr
- RQD12/200/F/15/85/S90Gr
- RQD12/250/F/15/85/S90Gr
- RQD12/300/F/15/85/S90Gr




Swiveling guide roller assembly with roller F 12 / 15 / 85 / AL

- RQD12/100/F/15/85/AL
- RQD12/200/F/15/85/AL
- RQD12/250/F/15/85/AL
- RQD12/300/F/15/85/AL




Swiveling guide roller assembly with roller F 12 / 15 / 85 / PO

- RQD12/100/F/15/85/PO
- RQD12/200/F/15/85/PO
- RQD12/250/F/15/85/PO
- RQD12/300/F/15/85/PO




Swiveling guide roller assembly with roller F 12 / 20 / 85 / S70G

- RQD12/100/F/20/85/S70G
- RQD12/200/F/20/85/S70G
- RQD12/250/F/20/85/S70G
- RQD12/300/F/20/85/S70G




Swiveling guide roller assembly with roller F 12 / 20 / 85 / S90Gr

- RQD12/100/F/20/85/S90Gr
- RQD12/200/F/20/85/S90Gr
- RQD12/250/F/20/85/S90Gr
- RQD12/300/F/20/85/S90Gr




Swiveling guide roller assembly with roller F 12 / 20 / 85 / AL

- RQD12/100/F/20/85/AL
- RQD12/200/F/20/85/AL
- RQD12/250/F/20/85/AL
- RQD12/300/F/20/85/AL



Swiveling guide roller assembly with roller F 12 / 20 / 85 / PO


- RQD12/100/F/20/85/PO
- RQD12/200/F/20/85/PO
- RQD12/250/F/20/85/PO
- RQD12/300/F/20/85/PO



Other dimensions and materials available on request!


Guide roller assembly 1,5° left
with roller F 12 / 10 / 100 / S70G

K20SL12/100 /F/10/100/S70G
K20SL12/200 /F/10/100/S70G
K20SL12/250 /F/10/100/S70G
K20SL12/300 /F/10/100/S70G




Guide roller assembly 1,5° left
with roller F 12 / 10 / 100 / S90Gr

K20SL12/100 /F/10/100/S90Gr
K20SL12/200 /F/10/100/S90Gr
K20SL12/250 /F/10/100/S90Gr
K20SL12/300 /F/10/100/S90Gr




Guide roller assembly 1,5° left
with roller F 12 / 10 / 100 / AL

K20SL12/100 /F/10/100/AL
K20SL12/200 /F/10/100/AL
K20SL12/250 /F/10/100/AL
K20SL12/300 /F/10/100/AL




Guide roller assembly 1,5° left
with roller F 12 / 10 / 100 / PO

K20SL12/100 /F/10/100/PO
K20SL12/200 /F/10/100/PO
K20SL12/250 /F/10/100/PO
K20SL12/300 /F/10/100/PO




Guide roller assembly 1,5° right
with roller F 12 / 10 / 100 / S70G

K20SR12/100 /F/10/100/S70G
K20SR12/200 /F/10/100/S70G
K20SR12/250 /F/10/100/S70G
K20SR12/300 /F/10/100/S70G




Guide roller assembly 1,5° right
with roller F 12 / 10 / 100 / S90Gr

K20SR12/100 /F/10/100/S90Gr
K20SR12/200 /F/10/100/S90Gr
K20SR12/250 /F/10/100/S90Gr
K20SR12/300 /F/10/100/S90Gr




Guide roller assembly 1,5° right
with roller F 12 / 10 / 100 / AL

K20SR12/100 /F/10/100/AL
K20SR12/200 /F/10/100/AL
K20SR12/250 /F/10/100/AL
K20SR12/300 /F/10/100/AL




Guide roller assembly 1,5° right
with roller F 12 / 10 / 100 / PO

K20SR12/100 /F/10/100/PO
K20SR12/200 /F/10/100/PO
K20SR12/250 /F/10/100/PO
K20SR12/300 /F/10/100/PO




Square roller assembly □
with roller F 12 / 10 / 100 / S70G

K20G12/ 100 /F/10/100/S70G
K20G12/ 200 /F/10/100/S70G
K20G12/ 250 /F/10/100/S70G
K20G12/ 300 /F/10/100/S70G




Square roller assembly □
with roller F 12 / 10 / 100 / S90Gr

K20G12/ 100 /F/10/100/S90Gr
K20G12/ 200 /F/10/100/S90Gr
K20G12/ 250 /F/10/100/S90Gr
K20G12/ 300 /F/10/100/S90Gr




Square roller assembly □
with roller F 12 / 10 / 100 / AL

K20G12/ 100 /F/10/100/AL
K20G12/ 200 /F/10/100/AL
K20G12/ 250 /F/10/100/AL
K20G12/ 300 /F/10/100/AL




Square roller assembly □
with roller F 12 / 10 / 100 / PO

K20G12/ 100 /F/10/100/PO
K20G12/ 200 /F/10/100/PO
K20G12/ 250 /F/10/100/PO
K20G12/ 300 /F/10/100/PO




Swiveling guide roller assembly
with roller F 12 / 10 / 100 / S70G

RQD 12/ 100 /F/10/100/S70G
RQD 12/ 200 /F/10/100/S70G
RQD 12/ 250 /F/10/100/S70G
RQD 12/ 300 /F/10/100/S70G




Swiveling guide roller assembly
with roller F 12 / 10 / 100 / S90Gr

RQD 12/ 100 /F/10/100/S90Gr
RQD 12/ 200 /F/10/100/S90Gr
RQD 12/ 250 /F/10/100/S90Gr
RQD 12/ 300 /F/10/100/S90Gr




Swiveling guide roller assembly
with roller F 12 / 10 / 100 / AL

RQD 12/ 100 /F/10/100/AL
RQD 12/ 200 /F/10/100/AL
RQD 12/ 250 /F/10/100/AL
RQD 12/ 300 /F/10/100/AL




Swiveling guide roller assembly
with roller F 12 / 10 / 100 / PO

RQD 12/ 100 /F/10/100/PO
RQD 12/ 200 /F/10/100/PO
RQD 12/ 250 /F/10/100/PO
RQD 12/ 300 /F/10/100/PO




Universal roller assembly with roller R 12 / 15 / 50 / S30B

- RQU 12/ 100 /15/50/S30B
- RQU 12/ 200 /15/50/S30B
- RQU 12/ 250 /15/50/S30B
- RQU 12/ 300 /15/50/S30B




Universal roller assembly with roller R 12 / 15 / 50 / S50R

- RQU 12/ 100 /15/50/S50R
- RQU 12/ 200 /15/50/S50R
- RQU 12/ 250 /15/50/S50R
- RQU 12/ 300 /15/50/S50R




Universal roller assembly with roller R 12 / 15 / 50 / S70G

- RQU 12/ 100 /15/50/S70G
- RQU 12/ 200 /15/50/S70G
- RQU 12/ 250 /15/50/S70G
- RQU 12/ 300 /15/50/S70G




Universal roller assembly with roller R 12 / 15 / 50 / S90Gr

- RQU 12/ 100 /15/50/S90Gr
- RQU 12/ 200 /15/50/S90Gr
- RQU 12/ 250 /15/50/S90Gr
- RQU 12/ 300 /15/50/S90Gr




Universal roller assembly with roller R 12 / 15 / 50 / AL

- RQU 12/ 100 /15/50/AL
- RQU 12/ 200 /15/50/AL
- RQU 12/ 250 /15/50/AL
- RQU 12/ 300 /15/50/AL



Universal roller assembly with roller R 12 / 15 / 50 / PO


- RQU 12/ 100 /15/50/PO
- RQU 12/ 200 /15/50/PO
- RQU 12/ 250 /15/50/PO
- RQU 12/ 300 /15/50/PO



Other dimensions and materials available on request!


Universal roller assembly with roller R 12 / 20 / 50 / S30B

- RQU 12/ 100 /20/50/S30B
- RQU 12/ 200 /20/50/S30B
- RQU 12/ 250 /20/50/S30B
- RQU 12/ 300 /20/50/S30B




Universal roller assembly with roller R 12 / 20 / 50 / S50R

- RQU 12/ 100 /20/50/S50R
- RQU 12/ 200 /20/50/S50R
- RQU 12/ 250 /20/50/S50R
- RQU 12/ 300 /20/50/S50R




Universal roller assembly with roller R 12 / 20 / 50 / S70G

- RQU 12/ 100 /20/50/S70G
- RQU 12/ 200 /20/50/S70G
- RQU 12/ 250 /20/50/S70G
- RQU 12/ 300 /20/50/S70G




Universal roller assembly with roller R 12 / 20 / 50 / S90Gr

- RQU 12/ 100 /20/50/S90Gr
- RQU 12/ 200 /20/50/S90Gr
- RQU 12/ 250 /20/50/S90Gr
- RQU 12/ 300 /20/50/S90Gr




Universal roller assembly with roller R 12 / 20 / 50 / AL

- RQU 12/ 100 /20/50/AL
- RQU 12/ 200 /20/50/AL
- RQU 12/ 250 /20/50/AL
- RQU 12/ 300 /20/50/AL



Universal roller assembly with roller R 12 / 20 / 50 / PO


- RQU 12/ 100 /20/50/PO
- RQU 12/ 200 /20/50/PO
- RQU 12/ 250 /20/50/PO
- RQU 12/ 300 /20/50/PO



Other dimensions and materials available on request!


Universal roller assembly with roller R 12 / 25 / 50 / S30B

- RQU 12/ 100 /25/50/S30B
- RQU 12/ 200 /25/50/S30B
- RQU 12/ 250 /25/50/S30B
- RQU 12/ 300 /25/50/S30B




Universal roller assembly with roller R 12 / 25 / 50 / S50R

- RQU 12/ 100 /25/50/S50R
- RQU 12/ 200 /25/50/S50R
- RQU 12/ 250 /25/50/S50R
- RQU 12/ 300 /25/50/S50R




Universal roller assembly with roller R 12 / 25 / 50 / S70G

- RQU 12/ 100 /25/50/S70G
- RQU 12/ 200 /25/50/S70G
- RQU 12/ 250 /25/50/S70G
- RQU 12/ 300 /25/50/S70G




Universal roller assembly with roller R 12 / 25 / 50 / S90Gr

- RQU 12/ 100 /25/50/S90Gr
- RQU 12/ 200 /25/50/S90Gr
- RQU 12/ 250 /25/50/S90Gr
- RQU 12/ 300 /25/50/S90Gr




Universal roller assembly with roller R 12 / 25 / 50 / AL

- RQU 12/ 100 /25/50/AL
- RQU 12/ 200 /25/50/AL
- RQU 12/ 250 /25/50/AL
- RQU 12/ 300 /25/50/AL



Universal roller assembly with roller R 12 / 25 / 50 / PO


- RQU 12/ 100 /25/50/PO
- RQU 12/ 200 /25/50/PO
- RQU 12/ 250 /25/50/PO
- RQU 12/ 300 /25/50/PO



Other dimensions and materials available on request!


Universal roller assembly with roller R 12 / 30 / 50 / S30B

- RQU 12/ 100 /30/50/S30B
- RQU 12/ 200 /30/50/S30B
- RQU 12/ 250 /30/50/S30B
- RQU 12/ 300 /30/50/S30B




Universal roller assembly with roller R 12 / 30 / 50 / S50R

- RQU 12/ 100 /30/50/S50R
- RQU 12/ 200 /30/50/S50R
- RQU 12/ 250 /30/50/S50R
- RQU 12/ 300 /30/50/S50R




Universal roller assembly with roller R 12 / 30 / 50 / S70G

- RQU 12/ 100 /30/50/S70G
- RQU 12/ 200 /30/50/S70G
- RQU 12/ 250 /30/50/S70G
- RQU 12/ 300 /30/50/S70G




Universal roller assembly with roller R 12 / 30 / 50 / S90Gr

- RQU 12/ 100 /30/50/S90Gr
- RQU 12/ 200 /30/50/S90Gr
- RQU 12/ 250 /30/50/S90Gr
- RQU 12/ 300 /30/50/S90Gr




Universal roller assembly with roller R 12 / 30 / 50 / AL

- RQU 12/ 100 /30/50/AL
- RQU 12/ 200 /30/50/AL
- RQU 12/ 250 /30/50/AL
- RQU 12/ 300 /30/50/AL



Universal roller assembly with roller R 12 / 30 / 50 / PO


- RQU 12/ 100 /30/50/PO
- RQU 12/ 200 /30/50/PO
- RQU 12/ 250 /30/50/PO
- RQU 12/ 300 /30/50/PO



Other dimensions and materials available on request!


Universal roller assembly with roller R 12 / 15 / 70 / S30B

- RQU 12/ 100 /15/70/S30B
- RQU 12/ 200 /15/70/S30B
- RQU 12/ 250 /15/70/S30B
- RQU 12/ 300 /15/70/S30B




Universal roller assembly with roller R 12 / 15 / 70 / S50R

- RQU 12/ 100 /15/70/S50R
- RQU 12/ 200 /15/70/S50R
- RQU 12/ 250 /15/70/S50R
- RQU 12/ 300 /15/70/S50R




Universal roller assembly with roller R 12 / 15 / 70 / S70G

- RQU 12/ 100 /15/70/S70G
- RQU 12/ 200 /15/70/S70G
- RQU 12/ 250 /15/70/S70G
- RQU 12/ 300 /15/70/S70G




Universal roller assembly with roller R 12 / 15 / 70 / S90Gr

- RQU 12/ 100 /15/70/S90Gr
- RQU 12/ 200 /15/70/S90Gr
- RQU 12/ 250 /15/70/S90Gr
- RQU 12/ 300 /15/70/S90Gr




Universal roller assembly with roller R 12 / 15 / 70 / AL

- RQU 12/ 100 /15/70/AL
- RQU 12/ 200 /15/70/AL
- RQU 12/ 250 /15/70/AL
- RQU 12/ 300 /15/70/AL



Universal roller assembly with roller R 12 / 15 / 70 / PO


- RQU 12/ 100 /15/70/PO
- RQU 12/ 200 /15/70/PO
- RQU 12/ 250 /15/70/PO
- RQU 12/ 300 /15/70/PO



Other dimensions and materials available on request!


Universal roller assembly with roller R 12 / 20 / 70 / S30B

- RQU 12/ 100 /20/70/S30B
- RQU 12/ 200 /20/70/S30B
- RQU 12/ 250 /20/70/S30B
- RQU 12/ 300 /20/70/S30B




Universal roller assembly with roller R 12 / 20 / 70 / S50R

- RQU 12/ 100 /20/70/S50R
- RQU 12/ 200 /20/70/S50R
- RQU 12/ 250 /20/70/S50R
- RQU 12/ 300 /20/70/S50R




Universal roller assembly with roller R 12 / 20 / 70 / S70G

- RQU 12/ 100 /20/70/S70G
- RQU 12/ 200 /20/70/S70G
- RQU 12/ 250 /20/70/S70G
- RQU 12/ 300 /20/70/S70G




Universal roller assembly with roller R 12 / 20 / 70 / S90Gr

- RQU 12/ 100 /20/70/S90Gr
- RQU 12/ 200 /20/70/S90Gr
- RQU 12/ 250 /20/70/S90Gr
- RQU 12/ 300 /20/70/S90Gr




Universal roller assembly with roller R 12 / 20 / 70 / AL

- RQU 12/ 100 /20/70/AL
- RQU 12/ 200 /20/70/AL
- RQU 12/ 250 /20/70/AL
- RQU 12/ 300 /20/70/AL



Universal roller assembly with roller R 12 / 20 / 70 / PO


- RQU 12/ 100 /20/70/PO
- RQU 12/ 200 /20/70/PO
- RQU 12/ 250 /20/70/PO
- RQU 12/ 300 /20/70/PO



Other dimensions and materials available on request!


Square roller assembly with roller RB 12 / 50 / 70 / S30B

- QR12/ 80 /50/70/S30B
- QR12/ 180 /50/70/S30B
- QR12/ 230 /50/70/S30B
- QR12/ 280 /50/70/S30B




Square roller assembly with roller RB 12 / 50 / 70 / S50R

- QR12/ 80 /50/70/S50R
- QR12/ 180 /50/70/S50R
- QR12/ 230 /50/70/S50R
- QR12/ 280 /50/70/S50R




Square roller assembly with roller RB 12 / 50 / 70 / S70G

- QR12/ 80 /50/70/S70G
- QR12/ 180 /50/70/S70G
- QR12/ 230 /50/70/S70G
- QR12/ 280 /50/70/S70G




Square roller assembly with roller RB 12 / 50 / 70 / S90Gr

- FR12/ 80 /50/70/S90Gr
- FR12/ 180 /50/70/S90Gr
- FR12/ 230 /50/70/S90Gr
- FR12/ 280 /50/70/S90Gr




Square roller assembly with roller RB 12 / 50 / 70 / AL

- QR12/ 80 /50/70/AL
- QR12/ 180 /50/70/AL
- QR12/ 230 /50/70/AL
- QR12/ 280 /50/70/AL



Square roller assembly with roller RB 12 / 50 / 70 / PO


- QR12/ 80 /50/70/PO
- QR12/ 180 /50/70/PO
- QR12/ 230 /50/70/PO
- QR12/ 280 /50/70/PO



Other dimensions and materials available on request!


Square roller assembly with roller R 12 / 100 / 70 / S30B

- QR12/ 80 /100/70/S30B
- QR12/ 180 /100/70/S30B
- QR12/ 230 /100/70/S30B
- QR12/ 280 /100/70/S30B




Square roller assembly with roller R 12 / 100 / 70 / S50R

- QR12/ 80 /100/70/S50R
- QR12/ 180 /100/70/S50R
- QR12/ 230 /100/70/S50R
- QR12/ 280 /100/70/S50R




Square roller assembly with roller R 12 / 100 / 70 / S70G

- QR12/ 80 /100/70/S70G
- QR12/ 180 /100/70/S70G
- QR12/ 230 /100/70/S70G
- QR12/ 280 /100/70/S70G




Square roller assembly with roller R 12 / 100 / 70 / S90Gr

- QR12/ 80 /100/70/S90Gr
- QR12/ 180 /100/70/S90Gr
- QR12/ 230 /100/70/S90Gr
- QR12/ 280 /100/70/S90Gr




Square roller assembly with roller R 12 / 100 / 70 / AL

- QR12/ 80 /100/70/AL
- QR12/ 180 /100/70/AL
- QR12/ 230 /100/70/AL
- QR12/ 280 /100/70/AL



Square roller assembly with roller R 12 / 100 / 70 / PO


- QR12/ 80 /100/70/PO
- QR12/ 180 /100/70/PO
- QR12/ 230 /100/70/PO
- QR12/ 280 /100/70/PO



Other dimensions and materials available on request!


Square roller assembly with roller R 12 / 150 / 70 / S30B

- QR12/ 80 /150/70/S30B
- QR12/ 180 /150/70/S30B
- QR12/ 230 /150/70/S30B
- QR12/ 280 /150/70/S30B




Square roller assembly with roller R 12 / 150 / 70 / S50R

- QR12/ 80 /150/70/S50R
- QR12/ 180 /150/70/S50R
- QR12/ 230 /150/70/S50R
- QR12/ 280 /150/70/S50R




Square roller assembly with roller R 12 / 150 / 70 / S70G

- QR12/ 80 /150/70/S70G
- QR12/ 180 /150/70/S70G
- QR12/ 230 /150/70/S70G
- QR12/ 280 /150/70/S70G




Square roller assembly with roller R 12 / 150 / 70 / S90Gr

- QR12/ 80 /150/70/S90Gr
- QR12/ 180 /150/70/S90Gr
- QR12/ 230 /150/70/S90Gr
- QR12/ 280 /150/70/S90Gr




Square roller assembly with roller R 12 / 150 / 70 / AL

- QR12/ 80 /150/70/AL
- QR12/ 180 /150/70/AL
- QR12/ 230 /150/70/AL
- QR12/ 280 /150/70/AL



Square roller assembly with roller R 12 / 150 / 70 / PO


- QR12/ 80 /150/70/PO
- QR12/ 180 /150/70/PO
- QR12/ 230 /150/70/PO
- QR12/ 280 /150/70/PO



Other dimensions and materials available on request!


Square roller assembly with roller R 12 / 200 / 70 / S30B

- QR12/ 80 /200/70/S30B
- QR12/ 180 /200/70/S30B
- QR12/ 230 /200/70/S30B
- QR12/ 280 /200/70/S30B




Square roller assembly with roller R 12 / 200 / 70 / S50R

- QR12/ 80 /200/70/S50R
- QR12/ 180 /200/70/S50R
- QR12/ 230 /200/70/S50R
- QR12/ 280 /200/70/S50R




Square roller assembly with roller R 12 / 200 / 70 / S70G

- QR12/ 80 /200/70/S70G
- QR12/ 180 /200/70/S70G
- QR12/ 230 /200/70/S70G
- QR12/ 280 /200/70/S70G




Square roller assembly with roller R 12 / 200 / 70 / S90Gr

- QR12/ 80 /200/70/S90Gr
- QR12/ 180 /200/70/S90Gr
- QR12/ 230 /200/70/S90Gr
- QR12/ 280 /200/70/S90Gr




Square roller assembly with roller R 12 / 200 / 70 / AL

- QR12/ 80 /200/70/AL
- QR12/ 180 /200/70/AL
- QR12/ 230 /200/70/AL
- QR12/ 280 /200/70/AL




Square roller assembly with roller R 12 / 200 / 70 / PO

- QR12/ 80 /200/70/PO
- QR12/ 180 /200/70/PO
- QR12/ 230 /200/70/PO
- QR12/ 280 /200/70/PO




Other dimensions and materials available on request!

Press roller with bearing
R 17 / 15 / 70 / S30B
Press roller without bearing
R 35 / 15 / 70 / S30B




Silicon 30 Shore

Press roller with bearing
R 17 / 15 / 70 / S50R
Press roller without bearing
R 35 / 15 / 70 / S50R




Silicon 50 Shore

Press roller with bearing
R 17 / 15 / 70 / S70G
Press roller without bearing
R 35 / 15 / 70 / S70G




Silicon 70 Shore

Press roller with bearing
R 17 / 15 / 70 / S90Gr
Press roller without bearing
R 35 / 15 / 70 / S90Gr




Silicon 90 Shore

Press roller with bearing
R 17 / 15 / 70 / AL
Press roller without bearing
R 35 / 15 / 70 / AL



Aluminium


Press roller with bearing
R 17 / 17 / 70 / PO
Press roller without bearing
R 35 / 17 / 70 / PO



Polyamide


Other dimensions and materials available on request!

Press roller with bearing
R 17 / 25 / 70 / S30B
Press roller without bearing
R 35 / 25 / 70 / S30B




Silicon 30 Shore

Press roller with bearing
R 17 / 25 / 70 / S50R
Press roller without bearing
R 35 / 25 / 70 / S50R




Silicon 50 Shore

Press roller with bearing
R 17 / 25 / 70 / S70G
Press roller without bearing
R 35 / 25 / 70 / S70G




Silicon 70 Shore

Press roller with bearing
R 17 / 25 / 70 / S90Gr
Press roller without bearing
R 35 / 25 / 70 / S90Gr




Silicon 90 Shore

Press roller with bearing
R 17 / 25 / 70 / AL
Press roller without bearing
R 35 / 25 / 70 / AL



Aluminium


Press roller with bearing
R 17 / 25 / 70 / PO
Press roller without bearing
R 35 / 25 / 70 / PO



Polyamide


Other dimensions and materials available on request!

Press roller with bearing
R 17 / 35 / 70 / S30B
 Press roller without bearing
R 35 / 35 / 70 / S30B




Silicon 30 Shore

Press roller with bearing
R 17 / 35 / 70 / S50R
 Press roller without bearing
R 35 / 35 / 70 / S50R




Silicon 50 Shore

Press roller with bearing
R 17 / 35 / 70 / S70G
 Press roller without bearing
R 35 / 35 / 70 / S70G




Silicon 70 Shore

Press roller with bearing
R 17 / 35 / 70 / S90Gr
 Press roller without bearing
R 35 / 35 / 70 / S90Gr




Silicon 90 Shore

Press roller with bearing
R 17 / 35 / 70 / AL
 Press roller without bearing
R 35 / 35 / 70 / AL



Aluminium


Press roller with bearing
R 17 / 35 / 70 / PO
 Press roller without bearing
R 35 / 35 / 70 / PO



Polyamide


Other dimensions and materials available on request!

Press roller with bearing
R 17 / 50 / 70 / S30B
 Press roller without bearing
R 35 / 50 / 70 / S30B




Silicon 30 Shore

Press roller with bearing
R 17 / 50 / 70 / S50R
 Press roller without bearing
R 35 / 50 / 70 / S50R




Silicon 50 Shore

Press roller with bearing
R 17 / 50 / 70 / S70G
 Press roller without bearing
R 35 / 50 / 70 / S70G




Silicon 70 Shore

Press roller with bearing
R 17 / 50 / 70 / S90Gr
 Press roller without bearing
R 35 / 50 / 70 / S90Gr




Silicon 90 Shore

Press roller with bearing
R 17 / 50 / 70 / AL
 Press roller without bearing
R 35 / 50 / 70 / AL



Aluminium


Press roller with bearing
R 17 / 50 / 70 / PO
 Press roller without bearing
R 35 / 50 / 70 / PO



Polyamide


Other dimensions and materials available on request!

Press roller with bearing
R 17 / 100 / 70 / S30B
Press roller without bearing
R 35 / 100 / 70 / S30B




Silicon 30 Shore

Press roller with bearing
R 17 / 100 / 70 / S50R
Press roller without bearing
R 35 / 100 / 70 / S50R




Silicon 50 Shore

Press roller with bearing
R 17 / 100 / 70 / S70G
Press roller without bearing
R 35 / 100 / 70 / S70G




Silicon 70 Shore

Press roller with bearing
R 17 / 100 / 70 / S90Gr
Press roller without bearing
R 35 / 100 / 70 / S90Gr




Silicon 90 Shore

Press roller with bearing
R 17 / 100 / 70 / AL
Press roller without bearing
R 35 / 100 / 70 / AL



Aluminium


Press roller with bearing
R 17 / 100 / 70 / PO
Press roller without bearing
R 35 / 100 / 70 / PO



Polyamide


Other dimensions and materials available on request!

Press roller with bearing
R 17 / 150 / 70 / S30B
Press roller without bearing
R 35 / 150 / 70 / S30B




Silicon 30 Shore

Press roller with bearing
R 17 / 150 / 70 / S50R
Press roller without bearing
R 35 / 150 / 70 / S50R




Silicon 50 Shore

Press roller with bearing
R 17 / 150 / 70 / S70G
Press roller without bearing
R 35 / 150 / 70 / S70G




Silicon 70 Shore

Press roller with bearing
R 17 / 150 / 70 / S90Gr
Press roller without bearing
R 35 / 150 / 70 / S90Gr




Silicon 90 Shore

Press roller with bearing
R 17 / 150 / 70 / AL
Press roller without bearing
R 35 / 150 / 70 / AL



Aluminium


Press roller with bearing
R 17 / 150 / 70 / PO
Press roller without bearing
R 35 / 150 / 70 / PO



Polyamide


Other dimensions and materials available on request!

Press roller with bearing
R 17 / 200 / 70 / S30B
Press roller without bearing
R 35 / 200 / 70 / S30B




Silicon 30 Shore

Press roller with bearing
R 17 / 200 / 70 / S50R
Press roller without bearing
R 35 / 200 / 70 / S50R




Silicon 50 Shore

Press roller with bearing
R 17 / 200 / 70 / S70G
Press roller without bearing
R 35 / 200 / 70 / S70G




Silicon 70 Shore

Press roller with bearing
R 17 / 200 / 70 / S90Gr
Press roller without bearing
R 35 / 200 / 70 / S90Gr




Silicon 90 Shore

Press roller with bearing
R 17 / 200 / 70 / AL
Press roller without bearing
R 35 / 200 / 70 / AL



Aluminium


Press roller with bearing
R 17 / 200 / 70 / PO
Press roller without bearing
R 35 / 200 / 70 / PO



Polyamide


Other dimensions and materials available on request!

Press roller with bearing
R 17 / 250 / 70 / S30B
Press roller without bearing
R 35 / 250 / 70 / S30B




Silicon 30 Shore

Press roller with bearing
R 17 / 250 / 70 / S50R
Press roller without bearing
R 35 / 250 / 70 / S50R




Silicon 50 Shore

Press roller with bearing
R 17 / 250 / 70 / S70G
Press roller without bearing
R 35 / 250 / 70 / S70G




Silicon 70 Shore

Press roller with bearing
R 17 / 250 / 70 / S90Gr
Press roller without bearing
R 35 / 250 / 70 / S90Gr




Silicon 90 Shore

Press roller with bearing
R 17 / 250 / 70 / AL
Press roller without bearing
R 35 / 250 / 70 / AL



Aluminium


Press roller with bearing
R 17 / 250 / 70 / PO
Press roller without bearing
R 35 / 250 / 70 / PO



Polyamide


Other dimensions and materials available on request!

Press roller with bearing
R 17 / 300 / 70 / S30B
Press roller without bearing
R 35 / 300 / 70 / S30B




Silicon 30 Shore

Press roller with bearing
R 17 / 300 / 70 / S50R
Press roller without bearing
R 35 / 300 / 70 / S50R




Silicon 50 Shore

Press roller with bearing
R 17 / 300 / 70 / S70G
Press roller without bearing
R 35 / 300 / 70 / S70G




Silicon 70 Shore

Press roller with bearing
R 17 / 300 / 70 / S90Gr
Press roller without bearing
R 35 / 300 / 70 / S90Gr




Silicon 90 Shore

Press roller with bearing
R 17 / 300 / 70 / AL
Press roller without bearing
R 35 / 300 / 70 / AL



Aluminium


Press roller with bearing
R 17 / 300 / 70 / PO
Press roller without bearing
R 35 / 300 / 70 / PO



Polyamide


Other dimensions and materials available on request!

Press roller with bearing
R 17 / 350 / 70 / S30B
Press roller without bearing
R 35 / 350 / 70 / S30B




Silicon 30 Shore

Press roller with bearing
R 17 / 350 / 70 / S50R
Press roller without bearing
R 35 / 350 / 70 / S50R




Silicon 50 Shore

Press roller with bearing
R 17 / 350 / 70 / S70G
Press roller without bearing
R 35 / 350 / 70 / S70G




Silicon 70 Shore

Press roller with bearing
R 17 / 350 / 70 / S90Gr
Press roller without bearing
R 35 / 350 / 70 / S90Gr




Silicon 90 Shore

Press roller with bearing
R 17 / 350 / 70 / AL
Press roller without bearing
R 35 / 350 / 70 / AL



Aluminium


Press roller with bearing
R 17 / 350 / 70 / PO
Press roller without bearing
R 35 / 350 / 70 / PO



Polyamide


Other dimensions and materials available on request!

Corner roller with bearing
ER 17 / 15 / 45 / S70G
Corner roller without bearing
ER 35 / 15 / 45 / S70G




Silicon 70 Shore

Corner roller with bearing
ER 17 / 15 / 45 / S90Gr
Corner roller without bearing
ER 35 / 15 / 45 / S90Gr




Silicon 90 Shore

Corner roller with bearing
ER 17 / 18 / 45 / AL
Corner roller without bearing
ER 35 / 18 / 45 / AL



Aluminium


Corner roller with bearing
ER 17 / 18 / 45 / PO
Corner roller without bearing
ER 35 / 18 / 45 / PO



Polyamide


Other dimensions and materials available on request!

Corner roller with bearing
ER 17 / 25 / 80 / S30B
Corner roller without bearing
ER 35 / 25 / 80 / S30B




Silicon 30 Shore

Corner roller with bearing
ER 17 / 25 / 80 / S50R
Corner roller without bearing
ER 35 / 25 / 80 / S50R




Silicon 50 Shore

Corner roller with bearing
ER 17 / 25 / 80 / S70G
Corner roller without bearing
ER 35 / 25 / 80 / S70G




Silicon 70 Shore

Corner roller with bearing
ER 17 / 25 / 80 / S90Gr
Corner roller without bearing
ER 35 / 25 / 80 / S90Gr




Silicon 90 Shore

Corner roller with bearing
ER 17 / 25 / 80 / AL
Corner roller without bearing
ER 35 / 25 / 80 / AL



Aluminium


Corner roller with bearing
ER 17 / 25 / 80 / PO
Corner roller without bearing
ER 35 / 25 / 80 / PO



Polyamide


Other dimensions and materials available on request!

Radius roller with bearings
RR 17 / 17 / R5 / S70G
Radius roller without bearings
RR 35 / 17 / R5 / S70G




Silicon 70 Shore

Radius roller with bearings
RR 17 / 17 / R5 / S90Gr
Radius roller without bearings
RR 35 / 17 / R5 / S90Gr




Silicon 90 Shore

Radius roller with bearings
RR 17 / 17 / R5 / AL
Radius roller without bearings
RR 35 / 17 / R5 / AL



Aluminium


Radius roller with bearings
RR 17 / 17 / R5 / PO
Radius roller without bearings
RR 35 / 17 / R5 / PO



Polyamide


Other dimensions and materials available on request!

Radius roller with bearings
RR 17 / 17 / R10 / S30B
Radius roller without bearings
RR 35 / 17 / R10 / S30B




Silicon 30 Shore

Radius roller with bearings
RR 17 / 17 / R10 / S50R
Radius roller without bearings
RR 35 / 17 / R10 / S50R




Silicon 50 Shore

Radius roller with bearings
RR 17 / 17 / R10 / S70G
Radius roller without bearings
RR 35 / 17 / R10 / S70G




Silicon 70 Shore

Radius roller with bearings
RR 17 / 17 / R10 / S90Gr
Radius roller without bearings
RR 35 / 17 / R10 / S90Gr




Silicon 90 Shore

Radius roller with bearings
RR 17 / 17 / R10 / AL
Radius roller without bearings
RR 35 / 17 / R10 / AL



Aluminium


Radius roller with bearings
RR 17 / 17 / R10 / PO
Radius roller without bearings
RR 35 / 17 / R10 / PO



Polyamide


materials available on request!

Radius roller with bearings
RR 17/30/R15/S30B
Radius roller without bearings
RR 35/30/R15/S30B




Silicon 30 Shore

Radius roller with bearings
RR 17/30/R15/S50R
Radius roller without bearings
RR 35/30/R15/S50R




Silicon 50 Shore

Radius roller with bearings
RR 17/30/R15/S70G
Radius roller without bearings
RR 35/30/R15/S70G




Silicon 70 Shore

Radius roller with bearings
RR 17/30/R15/S90Gr
Radius roller without bearings
RR 35/30/R15/S90Gr




Silicon 90 Shore

Radius roller with bearings
RR 17/30/R15/AL
Radius roller without bearings
RR 35/30/R15/AL



Aluminium


Radius roller with bearings
RR 17/30/R15/PO
Radius roller without bearings
RR 35/30/R15/PO



Polyamide


Other dimensions and materials available on request!

Radius roller with bearings
NR 17/20/R5/S30B
Radius roller without bearings
NR 35/20/R5/S30B




Silicon 30 Shore

Radius roller with bearings
NR 17/20/R5/S50R
Radius roller without bearings
NR 35/20/R5/S50R




Silicon 50 Shore

Radius roller with bearings
NR 17/20/R5/S70G
Radius roller without bearings
NR 35/20/R5/S70G




Silicon 70 Shore

Radius roller with bearings
NR 17/20/R5/S90Gr
Radius roller without bearings
NR 35/20/R5/S90Gr




Silicon 90 Shore

Radius roller with bearings
NR 17/20/R5/AL
Radius roller without bearings
NR 35/20/R5/AL



Aluminium


Radius roller with bearings
NR 17/20/R5/PO
Radius roller without bearings
NR 35/20/R5/PO



Polyamide


Other dimensions and materials available on request!

Form roller with bearing
FR 17 / 20 / K3 / AL
Form roller without bearing
FR 35 / 20 / K3 / AL



Aluminium


Form roller with bearing
FR 17 / 20 / K3 / PO
Form roller without bearing
FR 35 / 20 / K3 / PO



Polyamide


Other dimensions and
materials available on request!

Form roller with bearing
FR 17 / 20 / 45 / AL
Form roller without bearing
FR 35 / 20 / 45 / AL



Aluminium


Form roller with bearing
FR 17 / 20 / 45 / PO
Form roller without bearing
FR 35 / 20 / 45 / PO



Polyamide


Other dimensions and
materials available on request!

Single clamp
KDR 25/25




Steel

Cross clamp - right
RRR 25 /R




Steel

Cross clamp - left
RRR 25 /L




Steel

Single clamp
KKR 25/25




Steel

Single clamp
KKK 25/25




Steel

Single clamp
KKK 25/22




Steel

Single clamp
KKR 25/25 / MS




Brass

Single clamp
KKK 25/25 / MS



Brass


Single clamp
KKK 25/22 / MS



Brass


Other dimensions and materials available on request!

Cross clamp - right
KRR 25 /R




Steel

Cross clamp - left
KRR 25 /L




Steel

Cross clamp - right
KRR 25 /R / MS



Brass


Cross clamp - left
KRR 25 /L / MS



Brass

Cross clamp - right


KKR 25 /R



Steel

Cross clamp - left


KKR 25 /L



Steel

Cross clamp - right


KKR 25 /R /MS



Brass

Cross clamp - left


KKR 25 /L /MS



Brass

Cross clamp - right


KKK 25 /R



Steel

Cross clamp - left


KKK 25 /L



Steel

Cross clamp - right


KKK 25 /R /MS



Brass

Cross clamp - left

KKK 25 /L /MS




Brass

Roller mount Ø25

FRR 25 / 100

FRR 25 / 200

FRR 25 / 300




Roller mount □ 25

FRK 25 / 100


FRK 25 / 200

FRK 25 / 300



Roller shaft


RH 25



Steel

Roller shaft


RH 25 /MS




Brass

Other dimensions and materials available on request!


Roller shaft
RA 17 / 10 / M 10




Roller shaft
RA 17 / 44 / M 10



Roller shaft
RA 17 / 10 / M 8




Roller shaft
RA 17 / 44 / M 8




Roller mount Ø25

FR 17 / M 8 K / 100
FR 17 / M 8 K / 200
FR 17 / M 8 K / 300




Roller mount Ø25

FR 17 / M 8 L / 100
FR 17 / M 8 L / 200
FR 17 / M 8 L / 300




Roller mount Ø25 swiveling

FRD 17 / M10 K / 100
FRD 17 / M10 K / 200
FRD 17 / M10 K / 300




Roller mount Ø25 swiveling

FRD 17 / M10 L / 100
FRD 17 / M10 L / 200
FRD 17 / M10 L / 300




Roller mount □ 25

FK 17 / M10 K / 100
FK 17 / M10 K / 200
FK 17 / M10 K / 300




Roller mount □ 25

FK 17 / M10 L / 100
FK 17 / M10 L / 200
FK 17 / M10 L / 300




Roller mount □ 25 swiveling

FKD 17 / M10 K / 100
FKD 17 / M10 K / 200
FKD 17 / M10 K / 300



Roller mount □ 25 swiveling


FKD 17 / M10 L / 100
FKD 17 / M10 L / 200
FKD 17 / M10 L / 300



Other dimensions and materials available on request!


Fixed roller assembly

- FRR 17 / 100 / 100
- FRR 17 / 100 / 200
- FRR 17 / 100 / 250
- FRR 17 / 100 / 300




Fixed roller assembly

- FRR 17 / 150 / 100
- FRR 17 / 150 / 200
- FRR 17 / 150 / 250
- FRR 17 / 150 / 300




Fixed roller assembly

- FRR 17 / 200 / 100
- FRR 17 / 200 / 200
- FRR 17 / 200 / 250
- FRR 17 / 200 / 300




Fixed roller assembly

- FRR 17 / 250 / 100
- FRR 17 / 250 / 200
- FRR 17 / 250 / 250
- FRR 17 / 250 / 300




Fixed roller assembly

- FRR 17 / 300 / 100
- FRR 17 / 300 / 200
- FRR 17 / 300 / 250
- FRR 17 / 300 / 300



Fixed roller assembly


- FRR 17 / 350 / 100
- FRR 17 / 350 / 200
- FRR 17 / 350 / 250
- FRR 17 / 350 / 300



Other dimensions and materials available on request!


Spring-mounted roller assembly

GRB 17 / 15-35 A / 200
GRB 17 / 15-35 A / 250
GRB 17 / 15-35 A / 300




Spring-mounted roller assembly

GRB 17 / 50 A / 200
GRB 17 / 50 A / 250
GRB 17 / 50 A / 300



Spring-mounted roller assembly


GRB 17 / 50 C / 200
GRB 17 / 50 C / 250
GRB 17 / 50 C / 300



Other dimensions and materials available on


Spring-mounted roller assembly

GR 17 / 100 / 200
GR 17 / 100 / 250
GR 17 / 100 / 300




Spring-mounted roller assembly

GR 17 / 150 / 200
GR 17 / 150 / 250
GR 17 / 150 / 300




Spring-mounted roller assembly

GR 17 / 200 / 200
GR 17 / 200 / 250
GR 17 / 200 / 300




Spring-mounted roller assembly

GR 17 / 250 / 200
GR 17 / 250 / 250
GR 17 / 250 / 300




Spring-mounted roller assembly

GR 17 / 300 / 200
GR 17 / 300 / 250
GR 17 / 300 / 300




Spring-mounted roller assembly

GR 17 / 350 / 200
GR 17 / 350 / 250
GR 17 / 350 / 300




Fixed roller assembly Ø25
with roller R 17 / 15 / 70 / S30B

FR17K/ 100 /15/70/S30B
FR17K/ 200 /15/70/S30B
FR17K/ 300 /15/70/S30B




Fixed roller assembly Ø25
with roller R 17 / 15 / 70 / S50R

FR17K/ 100 /15/70/S50R
FR17K/ 200 /15/70/S50R
FR17K/ 300 /15/70/S50R




Fixed roller assembly Ø25
with roller R 17 / 15 / 70 / S70G

FR17K/ 100 /15/70/S70G
FR17K/ 200 /15/70/S70G
FR17K/ 300 /15/70/S70G




Fixed roller assembly Ø25
with roller R 17 / 15 / 70 / S90Gr

FR17K/ 100 /15/70/S90Gr
FR17K/ 200 /15/70/S90Gr
FR17K/ 300 /15/70/S90Gr




Fixed roller assembly Ø25
with roller R 17 / 15 / 70 / AL

FR17K/ 100 /15/70/AL
FR17K/ 200 /15/70/AL
FR17K/ 300 /15/70/AL



Fixed roller assembly Ø25
with roller R 17 / 17 / 70 / PO


FR17K/ 100 /17/70/PO
FR17K/ 200 /17/70/PO
FR17K/ 300 /17/70/PO



Other dimensions and materials available on request!


Fixed roller assembly Ø25
with roller R 17 / 25 / 70 / S30B

FR17K/ 100 /25/70/S30B
FR17K/ 200 /25/70/S30B
FR17K/ 300 /25/70/S30B




Fixed roller assembly Ø25
with roller R 17 / 25 / 70 / S50R

FR17K/ 100 /25/70/S50R
FR17K/ 200 /25/70/S50R
FR17K/ 300 /25/70/S50R




Fixed roller assembly Ø25
with roller R 17 / 25 / 70 / S70G

FR17K/ 100 /25/70/S70G
FR17K/ 200 /25/70/S70G
FR17K/ 300 /25/70/S70G




Fixed roller assembly Ø25
with roller R 17 / 25 / 70 / S90Gr

FR17K/ 100 /25/70/S90Gr
FR17K/ 200 /25/70/S90Gr
FR17K/ 300 /25/70/S90Gr




Fixed roller assembly Ø25
with roller R 17 / 25 / 70 / AL

FR17K/ 100 /25/70/AL
FR17K/ 200 /25/70/AL
FR17K/ 300 /25/70/AL



Fixed roller assembly Ø25
with roller R 17 / 25 / 70 / PO


FR17K/ 100 /25/70/PO
FR17K/ 200 /25/70/PO
FR17K/ 300 /25/70/PO



Other dimensions and materials available on request!


roller assembly Ø25
with roller R 17 / 35 / 70 / S30B

FR17K/ 100 /35/70/S30B
FR17K/ 200 /35/70/S30B
FR17K/ 300 /35/70/S30B




roller assembly Ø25
with roller R 17 / 35 / 70 / S50R

FR17K/ 100 /35/70/S50R
FR17K/ 200 /35/70/S50R
FR17K/ 300 /35/70/S50R




roller assembly Ø25
with roller R 17 / 35 / 70 / S70G

FR17K/ 100 /35/70/S70G
FR17K/ 200 /35/70/S70G
FR17K/ 300 /35/70/S70G




roller assembly Ø25
with roller R 17 / 35 / 70 / S90Gr

FR17K/ 100 /35/70/S90Gr
FR17K/ 200 /35/70/S90Gr
FR17K/ 300 /35/70/S90Gr




roller assembly Ø25
with roller R 17 / 35 / 70 / AL

FR17K/ 100 /35/70/AL
FR17K/ 200 /35/70/AL
FR17K/ 300 /35/70/AL



roller assembly Ø25
with roller R 17 / 35 / 70 / PO


FR17K/ 100 /35/70/PO
FR17K/ 200 /35/70/PO
FR17K/ 300 /35/70/PO



Other dimensions and materials available on request!


roller assembly Ø25
with roller R 17 / 50 / 70 / S30B

FR17L/ 100 /50/70/S30B
FR17L/ 200 /50/70/S30B
FR17L/ 300 /50/70/S30B




roller assembly Ø25
with roller R 17 / 50 / 70 / S50R

FR17L/ 100 /50/70/S50R
FR17L/ 200 /50/70/S50R
FR17L/ 300 /50/70/S50R




roller assembly Ø25
with roller R 17 / 50 / 70 / S70G

FR17L/ 100 /50/70/S70G
FR17L/ 200 /50/70/S70G
FR17L/ 300 /50/70/S70G




roller assembly Ø25
with roller R 17 / 50 / 70 / S90Gr

FR17L/ 100 /50/70/S90Gr
FR17L/ 200 /50/70/S90Gr
FR17L/ 300 /50/70/S90Gr




roller assembly Ø25
with roller R 17 / 50 / 70 / AL

FR17L/ 100 /50/70/AL
FR17L/ 200 /50/70/AL
FR17L/ 300 /50/70/AL



roller assembly Ø25
with roller R 17 / 50 / 70 / PO


FR17L/ 100 /50/70/PO
FR17L/ 200 /50/70/PO
FR17L/ 300 /50/70/PO



Other dimensions and materials available on request!


Roller mount Ø25 swiveling
with roller R 17 / 15 / 70 / S30B

FRD17K/100/15/70/S30B
FRD17K/200/15/70/S30B
FRD17K/300/15/70/S30B




Roller mount Ø25 swiveling
with roller R 17 / 15 / 70 / S50R

FRD17K/100/15/70/S50R
FRD17K/200/15/70/S50R
FRD17K/300/15/70/S50R




Roller mount Ø25 swiveling
with roller R 17 / 15 / 70 / S70G

FRD17K/100/15/70/S70G
FRD17K/200/15/70/S70G
FRD17K/300/15/70/S70G




Roller mount Ø25 swiveling
with roller R 17 / 15 / 70 / S90Gr

FRD17K/100/15/70/S90Gr
FRD17K/200/15/70/S90Gr
FRD17K/300/15/70/S90Gr




Roller mount Ø25 swiveling
with roller R 17 / 15 / 70 / AL

FRD17K/100/15/70/AL
FRD17K/200/15/70/AL
FRD17K/300/15/70/AL



Roller mount Ø25 swiveling
with roller R 17 / 17 / 70 / PO


FRD17K/100/17/70/PO
FRD17K/200/17/70/PO
FRD17K/300/17/70/PO



Other dimensions and materials available on request!


Roller mount Ø25 swiveling
with roller R 17 / 25 / 70 / S30B

FRD17K/100/25/70/S30B
FRD17K/200/25/70/S30B
FRD17K/300/25/70/S30B




Roller mount Ø25 swiveling
with roller R 17 / 25 / 70 / S50R

FRD17K/100/25/70/S50R
FRD17K/200/25/70/S50R
FRD17K/300/25/70/S50R




Roller mount Ø25 swiveling
with roller R 17 / 25 / 70 / S70G

FRD17K/100/25/70/S70G
FRD17K/200/25/70/S70G
FRD17K/300/25/70/S70G




Roller mount Ø25 swiveling
with roller R 17 / 25 / 70 / S90Gr

FRD17K/100/25/70/S90Gr
FRD17K/200/25/70/S90Gr
FRD17K/300/25/70/S90Gr




Roller mount Ø25 swiveling
with roller R 17 / 25 / 70 / AL

FRD17K/100/25/70/AL
FRD17K/200/25/70/AL
FRD17K/300/25/70/AL



Roller mount Ø25 swiveling
with roller R 17 / 25 / 70 / PO


FRD17K/100/25/70/PO
FRD17K/200/25/70/PO
FRD17K/300/25/70/PO



Other dimensions and materials available on request!


Roller mount Ø25 swiveling
with roller R 17 / 35 / 70 / S30B

FRD17K/100/35/70/S30B
FRD17K/200/35/70/S30B
FRD17K/300/35/70/S30B




Roller mount Ø25 swiveling
with roller R 17 / 35 / 70 / S50R

FRD17K/100/35/70/S50R
FRD17K/200/35/70/S50R
FRD17K/300/35/70/S50R




Roller mount Ø25 swiveling
with roller R 17 / 35 / 70 / S70G

FRD17K/100/35/70/S70G
FRD17K/200/35/70/S70G
FRD17K/300/35/70/S70G




Roller mount Ø25 swiveling
with roller R 17 / 35 / 70 / S90Gr

FRD17K/100/35/70/S90Gr
FRD17K/200/35/70/S90Gr
FRD17K/300/35/70/S90Gr




Roller mount Ø25 swiveling
with roller R 17 / 35 / 70 / AL

FRD17K/100/35/70/AL
FRD17K/200/35/70/AL
FRD17K/300/35/70/AL



Roller mount Ø25 swiveling
with roller R 17 / 35 / 70 / PO


FRD17K/100/35/70/PO
FRD17K/200/35/70/PO
FRD17K/300/35/70/PO



Other dimensions and
materials available on
request!


Roller mount Ø25 swiveling
with roller R 17 / 50 / 70 / S30B

FRD17L/100 /50/70/S30B
FRD17L/200 /50/70/S30B
FRD17L/300 /50/70/S30B




Roller mount Ø25 swiveling
with roller R 17 / 50 / 70 / S50R

FRD17L/100 /50/70/S50R
FRD17L/200 /50/70/S50R
FRD17L/300 /50/70/S50R




Roller mount Ø25 swiveling
with roller R 17 / 50 / 70 / S70G

FRD17L/100 /50/70/S70G
FRD17L/200 /50/70/S70G
FRD17L/300 /50/70/S70G




Roller mount Ø25 swiveling
with roller R 17 / 50 / 70 / S90Gr

FRD17L/100 /50/70/S90Gr
FRD17L/200 /50/70/S90Gr
FRD17L/300 /50/70/S90Gr




Roller mount Ø25 swiveling
with roller R 17 / 50 / 70 / AL

FRD17L/100 /50/70/AL
FRD17L/200 /50/70/AL
FRD17L/300 /50/70/AL



Roller mount Ø25 swiveling
with roller R 17 / 50 / 70 / PO


FRD17L/100 /50/70/PO
FRD17L/200 /50/70/PO
FRD17L/300 /50/70/PO



Other dimensions and
materials available on
request!


Roller mount □ 25
with roller R 17 / 15 / 70 / S30B

FK17K/ 100 /15/70/S30B
FK17K/ 200 /15/70/S30B
FK17K/ 300 /15/70/S30B




Roller mount □ 25
with roller R 17 / 15 / 70 / S50R

FK17K/ 100 /15/70/S50R
FK17K/ 200 /15/70/S50R
FK17K/ 300 /15/70/S50R




Roller mount □ 25
with roller R 17 / 15 / 70 / S70G

FK17K/ 100 /15/70/S70G
FK17K/ 200 /15/70/S70G
FK17K/ 300 /15/70/S70G




Roller mount □ 25
with roller R 17 / 15 / 70 / S90Gr

FK17K/ 100 /15/70/S90Gr
FK17K/ 200 /15/70/S90Gr
FK17K/ 300 /15/70/S90Gr




Roller mount □ 25
with roller R 17 / 15 / 70 / AL

FK17K/ 100 /15/70/AL
FK17K/ 200 /15/70/AL
FK17K/ 300 /15/70/AL



Roller mount □ 25
with roller R 17 / 17 / 70 / PO


FK17K/ 100 /17/70/PO
FK17K/ 200 /17/70/PO
FK17K/ 300 /17/70/PO



Other dimensions and materials available on request!


Roller mount □ 25
with roller R 17 / 25 / 70 / S30B

FK17K/ 100 /25/70/S30B
FK17K/ 200 /25/70/S30B
FK17K/ 300 /25/70/S30B




Roller mount □ 25
with roller R 17 / 25 / 70 / S50R

FK17K/ 100 /25/70/S50R
FK17K/ 200 /25/70/S50R
FK17K/ 300 /25/70/S50R




Roller mount □ 25
with roller R 17 / 25 / 70 / S70G

FK17K/ 100 /25/70/S70G
FK17K/ 200 /25/70/S70G
FK17K/ 300 /25/70/S70G




Roller mount □ 25
with roller R 17 / 25 / 70 / S90Gr

FK17K/ 100 /25/70/S90Gr
FK17K/ 200 /25/70/S90Gr
FK17K/ 300 /25/70/S90Gr




Roller mount □ 25
with roller R 17 / 25 / 70 / AL

FK17K/ 100 /25/70/AL
FK17K/ 200 /25/70/AL
FK17K/ 300 /25/70/AL



Roller mount □ 25
with roller R 17 / 25 / 70 / PO


FK17K/ 100 /25/70/PO
FK17K/ 200 /25/70/PO
FK17K/ 300 /25/70/PO



Other dimensions and materials available on request!


Roller mount □ 25
with roller R 17 / 35 / 70 / S30B

FK17K/100 /35/70/S30B
FK17K/200 /35/70/S30B
FK17K/300 /35/70/S30B




Roller mount □ 25
with roller R 17 / 35 / 70 / S50R

FK17K/100 /35/70/S50R
FK17K/200 /35/70/S50R
FK17K/300 /35/70/S50R




Roller mount □ 25
with roller R 17 / 35 / 70 / S70G

FK17K/100 /35/70/S70G
FK17K/200 /35/70/S70G
FK17K/300 /35/70/S70G




Roller mount □ 25
with roller R 17 / 35 / 70 / S90Gr

FK17K/100 /50/70/S90Gr
FK17K/200 /50/70/S90Gr
FK17K/300 /50/70/S90Gr




Roller mount □ 25
with roller R 17 / 35 / 70 / AL

FK17K/100 /35/70/AL
FK17K/200 /35/70/AL
FK17K/300 /35/70/AL



Roller mount □ 25
with roller R 17 / 35 / 70 / PO


FK17K/100 /35/70/PO
FK17K/200 /35/70/PO
FK17K/300 /35/70/PO



Other dimensions and materials available on request!


Roller mount □ 25
with roller R 17 / 50 / 70 / S30B

FK17L/100/50/70/S30B
FK17L/200/50/70/S30B
FK17L/300/50/70/S30B




Roller mount □ 25
with roller R 17 / 50 / 70 / S50R

FK17L/100/50/70/S50R
FK17L/200/50/70/S50R
FK17L/300/50/70/S50R




Roller mount □ 25
with roller R 17 / 50 / 70 / S70G

FK17L/100/50/70/S70G
FK17L/200/50/70/S70G
FK17L/300/50/70/S70G




Roller mount □ 25
with roller R 17 / 50 / 70 / S90Gr

FK17L/100/50/70/S90Gr
FK17L/200/50/70/S90Gr
FK17L/300/50/70/S90Gr




Roller mount □ 25
with roller R 17 / 50 / 70 / AL

FK17L/100/50/70/AL
FK17L/200/50/70/AL
FK17L/300/50/70/AL



Roller mount □ 25
with roller R 17 / 50 / 70 / PO


FK17L/100/50/70/PO
FK17L/200/50/70/PO
FK17L/300/50/70/PO



Other dimensions and materials available on request!


Roller mount □ 25 swiveling
with roller R 17 / 15 / 70 / S30B

FKD17K/100/15/70/S30B
FKD17K/200/15/70/S30B
FKD17K/300/15/70/S30B




Roller mount □ 25 swiveling
with roller R 17 / 15 / 70 / S50R

FKD17K/100/15/70/S50R
FKD17K/200/15/70/S50R
FKD17K/300/15/70/S50R




Roller mount □ 25 swiveling
with roller R 17 / 15 / 70 / S70G

FKD17K/100/15/70/S70G
FKD17K/200/15/70/S70G
FKD17K/300/15/70/S70G




Roller mount □ 25 swiveling
with roller R 17 / 15 / 70 / S90Gr

FKD17K/100/15/70/S90Gr
FKD17K/200/15/70/S90Gr
FKD17K/300/15/70/S90Gr




Roller mount □ 25 swiveling
with roller R 17 / 15 / 70 / AL

FKD17K/100/15/70/AL
FKD17K/200/15/70/AL
FKD17K/300/15/70/AL



Roller mount □ 25 swiveling
with roller R 17 / 17 / 70 / PO


FKD17K/100/17/70/PO
FKD17K/200/17/70/PO
FKD17K/300/17/70/PO



Other dimensions and materials available on request!


Roller mount □ 25 swiveling
with roller R 17 / 25 / 70 / S30B

FKD17K/100/25/70/S30B
FKD17K/200/25/70/S30B
FKD17K/300/25/70/S30B




Roller mount □ 25 swiveling
with roller R 17 / 25 / 70 / S50R

FKD17K/100/25/70/S50R
FKD17K/200/25/70/S50R
FKD17K/300/25/70/S50R




Roller mount □ 25 swiveling
with roller R 17 / 25 / 70 / S70G

FKD17K/100/25/70/S70G
FKD17K/200/25/70/S70G
FKD17K/300/25/70/S70G




Roller mount □ 25 swiveling
with roller R 17 / 25 / 70 / S90Gr

FKD17K/100/25/70/S90Gr
FKD17K/200/25/70/S90Gr
FKD17K/300/25/70/S90Gr




Roller mount □ 25 swiveling
with roller R 17 / 25 / 70 / AL

FKD17K/100/25/70/AL
FKD17K/200/25/70/AL
FKD17K/300/25/70/AL



Roller mount □ 25 swiveling
with roller R 17 / 25 / 70 / PO


FKD17K/100/25/70/PO
FKD17K/200/25/70/PO
FKD17K/300/25/70/PO



Other dimensions and materials available on request!


Roller mount □ 25 swiveling with roller R 17 / 35 / 70 / S30B

FKD17K/100 /35/70/S30B
FKD17K/200 /35/70/S30B
FKD17K/300 /35/70/S30B




Roller mount □ 25 swiveling with roller R 17 / 35 / 70 / S50R

FKD17K/100 /35/70/S50R
FKD17K/200 /35/70/S50R
FKD17K/300 /35/70/S50R




Roller mount □ 25 swiveling with roller R 17 / 35 / 70 / S70G

FKD17K/100 /35/70/S70G
FKD17K/200 /35/70/S70G
FKD17K/300 /35/70/S70G




Roller mount □ 25 swiveling with roller R 17 / 35 / 70 / S90Gr

FKD17K/100 /35/70/S90Gr
FKD17K/200 /35/70/S90Gr
FKD17K/300 /35/70/S90Gr




Roller mount □ 25 swiveling with roller R 17 / 35 / 70 / AL

FKD17K/100 /35/70/AL
FKD17K/200 /35/70/AL
FKD17K/300 /35/70/AL



Roller mount □ 25 swiveling with roller R 17 / 35 / 70 / PO


FKD17K/100 /35/70/PO
FKD17K/200 /35/70/PO
FKD17K/300 /35/70/PO



Other dimensions and materials available on request!


Roller mount □ 25 swiveling with roller R 17 / 50 / 70 / S30B

FKD17L/100 /50/70/S30B
FKD17L/200 /50/70/S30B
FKD17L/300 /50/70/S30B




Roller mount □ 25 swiveling with roller R 17 / 50 / 70 / S50R

FKD17L/100 /50/70/S50R
FKD17L/200 /50/70/S50R
FKD17L/300 /50/70/S50R




Roller mount □ 25 swiveling with roller R 17 / 50 / 70 / S70G

FKD17L/100 /50/70/S70G
FKD17L/200 /50/70/S70G
FKD17L/300 /50/70/S70G




Roller mount □ 25 swiveling with roller R 17 / 50 / 70 / S90Gr

FKD17L/100 /50/70/S90Gr
FKD17L/200 /50/70/S90Gr
FKD17L/300 /50/70/S90Gr




Roller mount □ 25 swiveling with roller R 17 / 50 / 70 / AL

FKD17L/100 /50/70/AL
FKD17L/200 /50/70/AL
FKD17L/300 /50/70/AL



Roller mount □ 25 swiveling with roller R 17 / 50 / 70 / PO


FKD17L/100 /50/70/PO
FKD17L/200 /50/70/PO
FKD17L/300 /50/70/PO



Other dimensions and materials available on request!


Roller assembly Ø25 with press roller **R 17 / 100 / 70 / S30B**

- FRR 17/ 100 /100/70/S30B
- FRR 17/ 200 /100/70/S30B
- FRR 17/ 250 /100/70/S30B
- FRR 17/ 300 /100/70/S30B




Roller assembly Ø25 with press roller **R 17 / 100 / 70 / S50R**

- FRR 17/ 100 /100/70/S50R
- FRR 17/ 200 /100/70/S50R
- FRR 17/ 250 /100/70/S50R
- FRR 17/ 300 /100/70/S50R




Roller assembly Ø25 with press roller **R 17 / 100 / 70 / S70G**

- FRR 17/ 100 /100/70/S70G
- FRR 17/ 200 /100/70/S70G
- FRR 17/ 250 /100/70/S70G
- FRR 17/ 300 /100/70/S70G




Roller assembly Ø25 with press roller **R 17 / 100 / 70 / S90Gr**

- FRR 17/ 100 /100/70/S90Gr
- FRR 17/ 200 /100/70/S90Gr
- FRR 17/ 250 /100/70/S90Gr
- FRR 17/ 300 /100/70/S90Gr




Roller assembly Ø25 with press roller **R 17 / 100 / 70 / AL**

- FRR 17/ 100 /100/70/AL
- FRR 17/ 200 /100/70/AL
- FRR 17/ 250 /100/70/AL
- FRR 17/ 300 /100/70/AL



Roller assembly Ø25 with press roller **R 17 / 100 / 70 / PO**


- FRR 17/ 100 /100/70/PO
- FRR 17/ 200 /100/70/PO
- FRR 17/ 250 /100/70/PO
- FRR 17/ 300 /100/70/PO



Other dimensions and materials available on request!


Roller assembly Ø25 with press roller **R 17 / 150 / 70 / S30B**

FRR 17/100 /150/70/S30B
 FRR 17/200 /150/70/S30B
 FRR 17/250 /150/70/S30B
 FRR 17/300 /150/70/S30B




Roller assembly Ø25 with press roller **R 17 / 150 / 70 / S50R**

FRR 17/100 /150/70/S50R
 FRR 17/200 /150/70/S50R
 FRR 17/250 /150/70/S50R
 FRR 17/300 /150/70/S50R




Roller assembly Ø25 with press roller **R 17 / 150 / 70 / S70G**

FRR 17/100 /150/70/S70G
 FRR 17/200 /150/70/S70G
 FRR 17/250 /150/70/S70G
 FRR 17/300 /150/70/S70G




Roller assembly Ø25 with press roller **R 17 / 150 / 70 / S90Gr**

FRR 17/100 /150/70/S90Gr
 FRR 17/200 /150/70/S90Gr
 FRR 17/250 /150/70/S90Gr
 FRR 17/300 /150/70/S90Gr




Roller assembly Ø25 with press roller **R 17 / 150 / 70 / AL**

FRR 17/100 /150/70/AL
 FRR 17/200 /150/70/AL
 FRR 17/250 /150/70/AL
 FRR 17/300 /150/70/AL



Roller assembly Ø25 with press roller **R 17 / 150 / 70 / PO**


FRR 17/100 /150/70/PO
 FRR 17/200 /150/70/PO
 FRR 17/250 /150/70/PO
 FRR 17/300 /150/70/PO



Other dimensions and materials available on request!


Roller assembly Ø25 with press roller **R 17 / 200 / 70 / S30B**

FRR 17/ 100 /200/70/S30B
 FRR 17/ 200 /200/70/S30B
 FRR 17/ 250 /200/70/S30B
 FRR 17/ 300 /200/70/S30B




Roller assembly Ø25 with press roller **R 17 / 200 / 70 / S50R**

FRR 17/ 100 /200/70/S50R
 FRR 17/ 200 /200/70/S50R
 FRR 17/ 250 /200/70/S50R
 FRR 17/ 300 /200/70/S50R




Roller assembly Ø25 with press roller **R 17 / 200 / 70 / S70G**

FRR 17/ 100 /200/70/S70G
 FRR 17/ 200 /200/70/S70G
 FRR 17/ 250 /200/70/S70G
 FRR 17/ 300 /200/70/S70G




Roller assembly Ø25 with press roller **R 17 / 200 / 70 / S90Gr**

FRR 17/ 100 /200/70/S90Gr
 FRR 17/ 200 /200/70/S90Gr
 FRR 17/ 250 /200/70/S90Gr
 FRR 17/ 300 /200/70/S90Gr




Roller assembly Ø25 with press roller **R 17 / 200 / 70 / AL**

FRR 17/ 100 /200/70/AL
 FRR 17/ 200 /200/70/AL
 FRR 17/ 250 /200/70/AL
 FRR 17/ 300 /200/70/AL



Roller assembly Ø25 with press roller **R 17 / 200 / 70 / PO**


FRR 17/ 100 /200/70/PO
 FRR 17/ 200 /200/70/PO
 FRR 17/ 250 /200/70/PO
 FRR 17/ 300 /200/70/PO



Other dimensions and materials available on request!


Roller assembly Ø25 with press roller **R 17 / 250 / 70 / S30B**

- FRR 17/ 100 /250/70/S30B
- FRR 17/ 200 /250/70/S30B
- FRR 17/ 250 /250/70/S30B
- FRR 17/ 300 /250/70/S30B




Roller assembly Ø25 with press roller **R 17 / 250 / 70 / S50R**

- FRR 17/ 100 /250/70/S50R
- FRR 17/ 200 /250/70/S50R
- FRR 17/ 250 /250/70/S50R
- FRR 17/ 300 /250/70/S50R




Roller assembly Ø25 with press roller **R 17 / 250 / 70 / S70G**

- FRR 17/ 100 /250/70/S70G
- FRR 17/ 200 /250/70/S70G
- FRR 17/ 250 /250/70/S70G
- FRR 17/ 300 /250/70/S70G




Roller assembly Ø25 with press roller **R 17 / 250 / 70 / S90Gr**

- FRR 17/ 100 /250/70/S90Gr
- FRR 17/ 200 /250/70/S90Gr
- FRR 17/ 250 /250/70/S90Gr
- FRR 17/ 300 /250/70/S90Gr




Roller assembly Ø25 with press roller **R 17 / 250 / 70 / AL**

- FRR 17/ 100 /250/70/AL
- FRR 17/ 200 /250/70/AL
- FRR 17/ 250 /250/70/AL
- FRR 17/ 300 /250/70/AL



Roller assembly Ø25 with press roller **R 17 / 250 / 70 / PO**


- FRR 17/ 100 /250/70/PO
- FRR 17/ 200 /250/70/PO
- FRR 17/ 250 /250/70/PO
- FRR 17/ 300 /250/70/PO



Other dimensions and materials available on request!


Roller assembly Ø25 with press roller **R 17 / 300 / 70 / S30B**

- FRR 17/ 100 /300/70/S30B
- FRR 17/ 200 /300/70/S30B
- FRR 17/ 250 /300/70/S30B
- FRR 17/ 300 /300/70/S30B




Roller assembly Ø25 with press roller **R 17 / 300 / 70 / S50R**

- FRR 17/ 100 /300/70/S50R
- FRR 17/ 200 /300/70/S50R
- FRR 17/ 250 /300/70/S50R
- FRR 17/ 300 /300/70/S50R




Roller assembly Ø25 with press roller **R 17 / 300 / 70 / S70G**

- FRR 17/ 100 /300/70/S70G
- FRR 17/ 200 /300/70/S70G
- FRR 17/ 250 /300/70/S70G
- FRR 17/ 300 /300/70/S70G




Roller assembly Ø25 with press roller **R 17 / 300 / 70 / S90gr**

- FRR 17/ 100 /300/70/S90Gr
- FRR 17/ 200 /300/70/S90Gr
- FRR 17/ 250 /300/70/S90Gr
- FRR 17/ 300 /300/70/S90Gr




Roller assembly Ø25 with press roller **R 17 / 300 / 70 / AL**

- FRR 17/ 100 /300/70/AL
- FRR 17/ 200 /300/70/AL
- FRR 17/ 250 /300/70/AL
- FRR 17/ 300 /300/70/AL



Roller assembly Ø25 with press roller **R 17 / 300 / 70 / PO**


- FRR 17/ 100 /300/70/PO
- FRR 17/ 200 /300/70/PO
- FRR 17/ 250 /300/70/PO
- FRR 17/ 300 /300/70/PO



Other dimensions and materials available on request!


Roller assembly Ø25 with press roller **R 17 / 350 / 70 / S30B**

- FRR 17/ 100 /350/70/S30B
- FRR 17/ 200 /350/70/S30B
- FRR 17/ 250 /350/70/S30B
- FRR 17/ 300 /350/70/S30B




Roller assembly Ø25 with press roller **R 17 / 350 / 70 / S50R**

- FRR 17/ 100 /350/70/S50R
- FRR 17/ 200 /350/70/S50R
- FRR 17/ 250 /350/70/S50R
- FRR 17/ 300 /350/70/S50R




Roller assembly Ø25 with press roller **R 17 / 350 / 70 / S70G**

- FRR 17/ 100 /350/70/S70G
- FRR 17/ 200 /350/70/S70G
- FRR 17/ 250 /350/70/S70G
- FRR 17/ 300 /350/70/S70G




Roller assembly Ø25 with press roller **R 17 / 350 / 70 / S90Gr**

- FRR 17/ 100 /350/70/S90Gr
- FRR 17/ 200 /350/70/S90Gr
- FRR 17/ 250 /350/70/S90Gr
- FRR 17/ 300 /350/70/S90Gr




Roller assembly Ø25 with press roller **R 17 / 350 / 70 / AL**

- FRR 17/ 100 /350/70/AL
- FRR 17/ 200 /350/70/AL
- FRR 17/ 250 /350/70/AL
- FRR 17/ 300 /350/70/AL



Roller assembly Ø25 with press roller **R 17 / 350 / 70 / PO**


- FRR 17/ 100 /350/70/PO
- FRR 17/ 200 /350/70/PO
- FRR 17/ 250 /350/70/PO
- FRR 17/ 300 /350/70/PO



Other dimensions and materials available on request!


Fixed roller assembly Ø25
with roller ER 17 / 15 / 45 / S70G

FR17K/ 100 /15/45/S70G
FR17K/ 200 /15/45/S70G
FR17K/ 300 /15/45/S70G




Fixed roller assembly Ø25
with roller ER 17 / 15 / 45 / S90Gr

FR17K/ 100 /15/45/S90Gr
FR17K/ 200 /15/45/S90Gr
FR17K/ 300 /15/45/S90Gr




Fixed roller assembly Ø25
with roller ER 17 / 18 / 45 / AL

FR17K/ 100 /18/45/AL
FR17K/ 200 /18/45/AL
FR17K/ 300 /18/45/AL



Fixed roller assembly Ø25
with roller ER 17 / 18 / 45 / PO


FR17K/ 100 /18/45/PO
FR17K/ 200 /18/45/PO
FR17K/ 300 /18/45/PO



Other dimensions and materials available on request!


Fixed roller assembly Ø25
with roller ER 17 / 25 / 80 / S30B

FR17K/ 100 /25/80/S30B
FR17K/ 200 /25/80/S30B
FR17K/ 300 /25/80/S30B




Fixed roller assembly Ø25
with roller ER 17 / 25 / 80 / S50R

FR17K/ 100 /25/80/S50R
FR17K/ 200 /25/80/S50R
FR17K/ 300 /25/80/S50R




Fixed roller assembly Ø25
with roller ER 17 / 25 / 80 / S70G

FR17K/ 100 /25/80/S70G
FR17K/ 200 /25/80/S70G
FR17K/ 300 /25/80/S70G




Fixed roller assembly Ø25
with roller ER 17 / 25 / 80 / S90Gr

FR17K/ 100 /25/80/S90Gr
FR17K/ 200 /25/80/S90Gr
FR17K/ 300 /25/80/S90Gr




Fixed roller assembly Ø25
with roller ER 17 / 25 / 80 / AL

FR17K/ 100 /25/80/AL
FR17K/ 200 /25/80/AL
FR17K/ 300 /25/80/AL



Fixed roller assembly Ø25
with roller ER 17 / 25 / 80 / PO


FR17K/ 100 /25/80/PO
FR17K/ 200 /25/80/PO
FR17K/ 300 /25/80/PO



Other dimensions and materials available on request!


Fixed roller assembly Ø25
with roller RR17 / 20 / R5 / S70G

FR17K/ 100 /20/R5/S70G
FR17K/ 200 /20/R5/S70G
FR17K/ 300 /20/R5/S70G




Fixed roller assembly Ø25
with roller RR17 / 20 / R5 / S90Gr

FR17K/ 100 /20/R5/S90Gr
FR17K/ 200 /20/R5/S90Gr
FR17K/ 300 /20/R5/S90Gr




Fixed roller assembly Ø25
with roller RR17 / 20 / R5 / AL

FR17K/ 100 /20/R5/AL
FR17K/ 200 /20/R5/AL
FR17K/ 300 /20/R5/AL



Fixed roller assembly Ø25
with roller RR17 / 20 / R5 / PO


FR17K/ 100 /20/R5/PO
FR17K/ 200 /20/R5/PO
FR17K/ 300 /20/R5/PO



Other dimensions and materials available on request!


Fixed roller assembly Ø25
with roller RR17 / 20 / R10 / S30B

FR17K/ 100 /20/R10/S30B
FR17K/ 200 /20/R10/S30B
FR17K/ 300 /20/R10/S30B




Fixed roller assembly Ø25
with roller RR17 / 20 / R10 / S50R

FR17K/ 100 /20/R10/S50R
FR17K/ 200 /20/R10/S50R
FR17K/ 300 /20/R10/S50R




Fixed roller assembly Ø25
with roller RR17 / 20 / R10 / S70G

FR17K/ 100 /20/R10/S70G
FR17K/ 200 /20/R10/S70G
FR17K/ 300 /20/R10/S70G




Fixed roller assembly Ø25
with roller RR17 / 20 / R10 / S90Gr

FR17K/ 100 /20/R10/S90Gr
FR17K/ 200 /20/R10/S90Gr
FR17K/ 300 /20/R10/S90Gr




Fixed roller assembly Ø25
with roller RR17 / 20 / R10 / AL

FR17K/ 100 /20/R10/AL
FR17K/ 200 /20/R10/AL
FR17K/ 300 /20/R10/AL



Fixed roller assembly Ø25
with roller RR17 / 20 / R10 / PO


FR17K/ 100 /20/R10/PO
FR17K/ 200 /20/R10/PO
FR17K/ 300 /20/R10/PO



Other dimensions and materials available on request!


Fixed roller assembly Ø25
with roller RR17 / 30 / R15 / S30B

FR17K/ 100 /30/R15/S30B
FR17K/ 200 /30/R15/S30B
FR17K/ 300 /30/R15/S30B




Fixed roller assembly Ø25
with roller RR17 / 30 / R15 / S50R

FR17K/ 100 /30/R15/S50R
FR17K/ 200 /30/R15/S50R
FR17K/ 300 /30/R15/S50R




Fixed roller assembly Ø25
with roller RR17 / 30 / R15 / S70G

FR17K/ 100 /30/R15/S70G
FR17K/ 200 /30/R15/S70G
FR17K/ 300 /30/R15/S70G




Fixed roller assembly Ø25
with roller RR17 / 30 / R15 / S90Gr

FR17K/ 100 /30/R15/S90Gr
FR17K/ 200 /30/R15/S90Gr
FR17K/ 300 /30/R15/S90Gr




Fixed roller assembly Ø25
with roller RR17 / 30 / R15 / AL

FR17K/ 100 /30/R15/AL
FR17K/ 200 /30/R15/AL
FR17K/ 300 /30/R15/AL



Fixed roller assembly Ø25
with roller RR17 / 30 / R15 / PO


FR17K/ 100 /30/R15/PO
FR17K/ 200 /30/R15/PO
FR17K/ 300 /30/R15/PO



Other dimensions and materials available on request!


Fixed roller assembly Ø25
with roller NR17 / 20 / R5 / S30B

FR17K/ 100 /20/NR5/S30B
FR17K/ 200 /20/NR5/S30B
FR17K/ 300 /20/NR5/S30B




Fixed roller assembly Ø25
with roller NR17 / 20 / R5 / S50R

FR17K/ 100 /20/NR5/S50R
FR17K/ 200 /20/NR5/S50R
FR17K/ 300 /20/NR5/S50R




Fixed roller assembly Ø25
with roller NR17 / 20 / R5 / S70G

FR17K/ 100 /20/NR5/S70G
FR17K/ 200 /20/NR5/S70G
FR17K/ 300 /20/NR5/S70G




Fixed roller assembly Ø25
with roller NR17 / 20 / R5 / S90Gr

FR17K/ 100 /20/NR5/S90Gr
FR17K/ 200 /20/NR5/S90Gr
FR17K/ 300 /20/NR5/S90Gr




Fixed roller assembly Ø25
with roller NR17 / 20 / R5 / AL

FR17K/ 100 /20/NR5/AL
FR17K/ 200 /20/NR5/AL
FR17K/ 300 /20/NR5/AL



Fixed roller assembly Ø25
with roller NR17 / 20 / R5 / PO


FR17K/ 100 /20/NR5/PO
FR17K/ 200 /20/NR5/PO
FR17K/ 300 /20/NR5/PO



Other dimensions and materials available on request!


Fixed roller assembly Ø25
with roller FR17 / 20 / K3 / AL

FR17K/ 100 /20/K3/AL
FR17K/ 200 /20/K3/AL
FR17K/ 300 /20/K3/AL



Fixed roller assembly Ø25
with roller FR17 / 20 / K3 / PO


FR17K/ 100 /20/K3/PO
FR17K/ 200 /20/K3/PO
FR17K/ 300 /20/K3/PO



Other dimensions and materials available on request!


Fixed roller assembly Ø25
with roller FR17 / 20 / 45 / AL

FR17K/ 100 /20/F45/AL
FR17K/ 200 /20/F45/AL
FR17K/ 300 /20/F45/AL



Fixed roller assembly Ø25
with roller FR17 / 20 / 45 / PO


FR17K/ 100 /20/F45/PO
FR17K/ 200 /20/F45/PO
FR17K/ 300 /20/F45/PO



Other dimensions and materials available on request!


Roller mount Ø25 swiveling
with roller ER 17 / 15 / 45 / S70G

FRD17K/100/15/45/S70G
FRD17K/200/15/45/S70G
FRD17K/300/15/45/S70G




Roller mount Ø25 swiveling
with roller ER 17 / 15 / 45 / S90Gr

FRD17K/100/15/45/S90Gr
FRD17K/200/15/45/S90Gr
FRD17K/300/15/45/S90Gr




Roller mount Ø25 swiveling
with roller ER 17 / 18 / 45 / AL

FRD17K/100/18/45/AL
FRD17K/200/18/45/AL
FRD17K/300/18/45/AL



Roller mount Ø25 swiveling
with roller ER 17 / 18 / 45 / PO


FRD17K/100/18/45/PO
FRD17K/200/18/45/PO
FRD17K/300/18/45/PO



Other dimensions and materials available on request!


Roller mount Ø25 swiveling
with roller ER 17 / 25 / 80 / S30B

FRD17K/100/25/80/S30B
FRD17K/200/25/80/S30B
FRD17K/300/25/80/S30B




Roller mount Ø25 swiveling
with roller ER 17 / 25 / 80 / S50R

FRD17K/100/25/80/S50R
FRD17K/200/25/80/S50R
FRD17K/300/25/80/S50R




Roller mount Ø25 swiveling
with roller ER 17 / 25 / 80 / S70G

FRD17K/100/25/80/S70G
FRD17K/200/25/80/S70G
FRD17K/300/25/80/S70G




Roller mount Ø25 swiveling
with roller ER 17 / 25 / 80 / S90Gr

FRD17K/100/25/80/S90Gr
FRD17K/200/25/80/S90Gr
FRD17K/300/25/80/S90Gr




Roller mount Ø25 swiveling
with roller ER 17 / 25 / 80 / AL

FRD17K/100/25/80/AL
FRD17K/200/25/80/AL
FRD17K/300/25/80/AL



Roller mount Ø25 swiveling
with roller ER 17 / 25 / 80 / PO


FRD17K/100/25/80/PO
FRD17K/200/25/80/PO
FRD17K/300/25/80/PO



Other dimensions and materials available on


Roller mount Ø25 swiveling
with roller RR17 / 20 / R5 / S70G

FRD17K/100/20/R5/S70G
FRD17K/200/20/R5/S70G
FRD17K/300/20/R5/S70G




Roller mount Ø25 swiveling
with roller RR17 / 20 / R5 / S90Gr

FRD17K/100/20/R5/S90Gr
FRD17K/200/20/R5/S90Gr
FRD17K/300/20/R5/S90Gr




Roller mount Ø25 swiveling
with roller RR17 / 20 / R5 / AL

FRD17K/100/20/R5/AL
FRD17K/200/20/R5/AL
FRD17K/300/20/R5/AL



Roller mount Ø25 swiveling
with roller RR17 / 20 / R5 / PO


FRD17K/100/20/R5/PO
FRD17K/200/20/R5/PO
FRD17K/300/20/R5/PO



Other dimensions and materials available on request!


Roller mount Ø25 swiveling
with roller RR17 / 20 / R10 / S30B

FRD17K/100/20/R10/S30B
FRD17K/200/20/R10/S30B
FRD17K/300/20/R10/S30B




Roller mount Ø25 swiveling
with roller RR17 / 20 / R10 / S50R

FRD17K/100/20/R10/S50R
FRD17K/200/20/R10/S50R
FRD17K/300/20/R10/S50R




Roller mount Ø25 swiveling
with roller RR17 / 20 / R10 / S70G

FRD17K/100/20/R10/S70G
FRD17K/200/20/R10/S70G
FRD17K/300/20/R10/S70G




Roller mount Ø25 swiveling
with roller RR17 / 20 / R10 / S90Gr

FRD17K/100/20/R10/S90Gr
FRD17K/200/20/R10/S90Gr
FRD17K/300/20/R10/S90Gr




Roller mount Ø25 swiveling
with roller RR17 / 20 / R10 / AL

FRD17K/100/20/R10/AL
FRD17K/200/20/R10/AL
FRD17K/300/20/R10/AL



Roller mount Ø25 swiveling
with roller RR17 / 20 / R10 / PO


FRD17K/100/20/R10/PO
FRD17K/200/20/R10/PO
FRD17K/300/20/R10/PO



Other dimensions and materials available on request!


Roller mount Ø25 swiveling
with roller RR17 / 30 / R15 / S30B

FRD17K/100/30/R15/S30B
FRD17K/200/30/R15/S30B
FRD17K/300/30/R15/S30B




Roller mount Ø25 swiveling
with roller RR17 / 30 / R15 / S50R

FRD17K/100/30/R15/S50R
FRD17K/200/30/R15/S50R
FRD17K/300/30/R15/S50R




Roller mount Ø25 swiveling
with roller RR17 / 30 / R15 / S70G

FRD17K/100/30/R15/S70G
FRD17K/200/30/R15/S70G
FRD17K/300/30/R15/S70G




Roller mount Ø25 swiveling
with roller RR17 / 30 / R15 / S90Gr

FRD17K/100/30/R15/S90Gr
FRD17K/200/30/R15/S90Gr
FRD17K/300/30/R15/S90Gr




Roller mount Ø25 swiveling
with roller RR17 / 30 / R15 / AL

FRD17K/100/30/R15/AL
FRD17K/200/30/R15/AL
FRD17K/300/30/R15/AL



Roller mount Ø25 swiveling
with roller RR17 / 30 / R15 / PO


FRD17K/100/30/R15/PO
FRD17K/200/30/R15/PO
FRD17K/300/30/R15/PO



Other dimensions and materials available on


Roller mount Ø25 swiveling
with roller NR17 / 20 / R5 / S30B

FRD17K/100/20/NR5/S30B
FRD17K/200/20/NR5/S30B
FRD17K/300/20/NR5/S30B




Roller mount Ø25 swiveling
with roller NR17 / 20 / R5 / S50R

FRD17K/100/20/NR5/S50R
FRD17K/200/20/NR5/S50R
FRD17K/300/20/NR5/S50R




Roller mount Ø25 swiveling
with roller NR17 / 20 / R5 / S70G

FRD17K/100/20/NR5/S70G
FRD17K/200/20/NR5/S70G
FRD17K/300/20/NR5/S70G




Roller mount Ø25 swiveling
with roller NR17 / 20 / R5 / S90Gr

FRD17K/100/20/NR5/S90Gr
FRD17K/200/20/NR5/S90Gr
FRD17K/300/20/NR5/S90Gr




Roller mount Ø25 swiveling
with roller NR17 / 20 / R5 / AL

FRD17K/100/20/NR5/AL
FRD17K/200/20/NR5/AL
FRD17K/300/20/NR5/AL



Roller mount Ø25 swiveling
with roller NR17 / 20 / R5 / PO


FRD17K/100/20/NR5/PO
FRD17K/200/20/NR5/PO
FRD17K/300/20/NR5/PO



Other dimensions and materials available on


Roller mount Ø25 swiveling
with roller FR17 / 20 / K3 / AL

FRD17K/100/20/K3/AL
FRD17K/200/20/K3/AL
FRD17K/300/20/K3/AL



Roller mount Ø25 swiveling
with roller FR17 / 20 / K3 / PO


FRD17K/100/20/K3/PO
FRD17K/200/20/K3/PO
FRD17K/300/20/K3/PO



Other dimensions and materials available on request!


Roller mount Ø25 swiveling
with roller FR17 / 20 / 45 / AL

FRD17K/100/20/F45/AL
FRD17K/200/20/F45/AL
FRD17K/300/20/F45/AL



Roller mount Ø25 swiveling
with roller FR17 / 20 / 45 / PO


FRD17K/100/20/F45/PO
FRD17K/200/20/F45/PO
FRD17K/300/20/F45/PO



Other dimensions and materials available on request!


Roller mount □ 25 swiveling with roller ER 17 / 15 / 45 / S70G

FKD17K/100/15/45/S70G
FKD17K/200/15/45/S70G
FKD17K/300/15/45/S70G




Roller mount □ 25 swiveling with roller ER 17 / 15 / 45 / S90Gr

FKD17K/100/15/45/S90Gr
FKD17K/200/15/45/S90Gr
FKD17K/300/15/45/S90Gr




Roller mount □ 25 swiveling with roller ER 17 / 18 / 45 / AL

FKD17K/100/18/45/AL
FKD17K/200/18/45/AL
FKD17K/300/18/45/AL



Roller mount □ 25 swiveling with roller ER 17 / 18 / 45 / PO


FKD17K/100/18/45/PO
FKD17K/200/18/45/PO
FKD17K/300/18/45/PO



Other dimensions and materials available on request!


Roller mount □ 25 swiveling with roller ER 17 / 25 / 80 / S30B

FKD17K/100/25/80/S30B
FKD17K/200/25/80/S30B
FKD17K/300/25/80/S30B




Roller mount □ 25 swiveling with roller ER 17 / 25 / 80 / S50R

FKD17K/100/25/80/S50R
FKD17K/200/25/80/S50R
FKD17K/300/25/80/S50R




Roller mount □ 25 swiveling with roller ER 17 / 25 / 80 / S70G

FKD17K/100/25/80/S70G
FKD17K/200/25/80/S70G
FKD17K/300/25/80/S70G




Roller mount □ 25 swiveling with roller ER 17 / 25 / 80 / S90Gr

FKD17K/100/25/80/S90Gr
FKD17K/200/25/80/S90Gr
FKD17K/300/25/80/S90Gr




Roller mount □ 25 swiveling with roller ER 17 / 25 / 80 / AL

FKD17K/100/25/80/AL
FKD17K/200/25/80/AL
FKD17K/300/25/80/AL



Roller mount □ 25 swiveling with roller ER 17 / 25 / 80 / PO


FKD17K/100/25/80/PO
FKD17K/200/25/80/PO
FKD17K/300/25/80/PO



Other dimensions and materials available on


Roller mount □ 25 swiveling
with roller RR17 / 20 / R5 / S70G

FKD17K/100/20/R5/S70G
FKD17K/200/20/R5/S70G
FKD17K/300/20/R5/S70G




Roller mount □ 25 swiveling
with roller RR17 / 20 / R5 / S90Gr

FKD17K/100/20/R5/S90Gr
FKD17K/200/20/R5/S90Gr
FKD17K/300/20/R5/S90Gr




Roller mount □ 25 swiveling
with roller RR17 / 20 / R5 / AL

FKD17K/100/20/R5/AL
FKD17K/200/20/R5/AL
FKD17K/300/20/R5/AL



Roller mount □ 25 swiveling
with roller RR17 / 20 / R5 / PO


FKD17K/100/20/R5/PO
FKD17K/200/20/R5/PO
FKD17K/300/20/R5/PO



Other dimensions and materials available on request!


Roller mount □ 25 swiveling
with roller RR17 / 20 / R10 / S30B

FKD17K/100/20/R10/S30B
FKD17K/200/20/R10/S30B
FKD17K/300/20/R10/S30B




Roller mount □ 25 swiveling
with roller RR17 / 20 / R10 / S50R

FKD17K/100/20/R10/S50R
FKD17K/200/20/R10/S50R
FKD17K/300/20/R10/S50R




Roller mount □ 25 swiveling
with roller RR17 / 20 / R10 / S70G

FKD17K/100/20/R10/S70G
FKD17K/200/20/R10/S70G
FKD17K/300/20/R10/S70G




Roller mount □ 25 swiveling
with roller RR17 / 20 / R10 / S90Gr

FKD17K/100/20/R10/S90Gr
FKD17K/200/20/R10/S90Gr
FKD17K/300/20/R10/S90Gr




Roller mount □ 25 swiveling
with roller RR17 / 20 / R10 / AL

FKD17K/100/20/R10/AL
FKD17K/200/20/R10/AL
FKD17K/300/20/R10/AL



Roller mount □ 25 swiveling
with roller RR17 / 20 / R10 / PO


FKD17K/100/20/R10/PO
FKD17K/200/20/R10/PO
FKD17K/300/20/R10/PO



Other dimensions and materials available on request!


Roller mount □ 25 swiveling
with roller RR17 / 30 / R15 / S30B

FKD17K/100/30/R15/S30B
FKD17K/200/30/R15/S30B
FKD17K/300/30/R15/S30B




Roller mount □ 25 swiveling
with roller RR17 / 30 / R15 / S50R

FKD17K/100/30/R15/S50R
FKD17K/200/30/R15/S50R
FKD17K/300/30/R15/S50R




Roller mount □ 25 swiveling
with roller RR17 / 30 / R15 / S70G

FKD17K/100/30/R15/S70G
FKD17K/200/30/R15/S70G
FKD17K/300/30/R15/S70G




Roller mount □ 25 swiveling
with roller RR17 / 30 / R15 / S90Gr

FKD17K/100/30/R15/S90Gr
FKD17K/200/30/R15/S90Gr
FKD17K/300/30/R15/S90Gr




Roller mount □ 25 swiveling
with roller RR17 / 30 / R15 / AL

FKD17K/100/30/R15/AL
FKD17K/200/30/R15/AL
FKD17K/300/30/R15/AL



Roller mount □ 25 swiveling
with roller RR17 / 30 / R15 / PO


FKD17K/100/30/R15/PO
FKD17K/200/30/R15/PO
FKD17K/300/30/R15/PO



Other dimensions and materials available on request!


Roller mount □ 25 swiveling
with roller NR17 / 20 / R5 / S30B

FKD17K/100/20/NR5/S30B
FKD17K/200/20/NR5/S30B
FKD17K/300/20/NR5/S30B




Roller mount □ 25 swiveling
with roller NR17 / 20 / R5 / S50R

FKD17K/100/20/NR5/S50R
FKD17K/200/20/NR5/S50R
FKD17K/300/20/NR5/S50R




Roller mount □ 25 swiveling
with roller NR17 / 20 / R5 / S70G

FKD17K/100/20/NR5/S70G
FKD17K/200/20/NR5/S70G
FKD17K/300/20/NR5/S70G




Roller mount □ 25 swiveling
with roller NR17 / 20 / R5 / S90Gr

FKD17K/100/20/NR5/S90Gr
FKD17K/200/20/NR5/S90Gr
FKD17K/300/20/NR5/S90Gr




Roller mount □ 25 swiveling
with roller NR17 / 20 / R5 / AL

FKD17K/100/20/NR5/AL
FKD17K/200/20/NR5/AL
FKD17K/300/20/NR5/AL



Roller mount □ 25 swiveling
with roller NR17 / 20 / R5 / PO


FKD17K/100/20/NR5/PO
FKD17K/200/20/NR5/PO
FKD17K/300/20/NR5/PO



Other dimensions and materials available on request!


Roller mount □ 25 swiveling
with roller FR17 / 20 / K3 / AL

FKD17K/100/20/K3/AL
FKD17K/200/20/K3/AL
FKD17K/300/20/K3/AL



Roller mount □ 25 swiveling
with roller FR17 / 20 / K3 / PO


FKD17K/100/20/K3/PO
FKD17K/200/20/K3/PO
FKD17K/300/20/K3/PO



Other dimensions and materials available on request!


Roller mount □ 25 swiveling
with roller FR17 / 20 / 45 / AL

FKD17K/100/20/F45/AL
FKD17K/200/20/F45/AL
FKD17K/300/20/F45/AL



Roller mount □ 25 swiveling
with roller FR17 / 20 / 45 / PO

FKD17K/100/20/F45/PO
FKD17K/200/20/F45/PO
FKD17K/300/20/F45/PO




Other dimensions and materials available on request!

Laminating roller

KW 25 / 150 / S30B
 KW 25 / 200 / S30B
 KW 25 / 250 / S30B
 KW 25 / 300 / S30B
 KW 25 / 350 / S30B
 KW 25 / 450 / S30B


Silicon 30 shore



Laminating roller

KW 25 / 150 / S50R
 KW 25 / 200 / S50R
 KW 25 / 250 / S50R
 KW 25 / 300 / S50R
 KW 25 / 350 / S50R
 KW 25 / 450 / S50R


Silicon 50 shore



Laminating roller

KW 25 / 150 / S70G
 KW 25 / 200 / S70G
 KW 25 / 250 / S70G
 KW 25 / 300 / S70G
 KW 25 / 350 / S70G
 KW 25 / 450 / S70G


Silicon 70 shore



Laminating roller

KW 25 / 150 / S90Gr
 KW 25 / 200 / S90Gr
 KW 25 / 250 / S90Gr
 KW 25 / 300 / S90Gr
 KW 25 / 350 / S90Gr
 KW 25 / 450 / S90Gr

Silicon 90 shore




Other dimensions and materials available on request!

Laminating roller

KW 30 / 150 / S30B
 KW 30 / 200 / S30B
 KW 30 / 250 / S30B
 KW 30 / 300 / S30B
 KW 30 / 350 / S30B
 KW 30 / 450 / S30B


Silicon 30 shore



Laminating roller

KW 30 / 150 / S50R
 KW 30 / 200 / S50R
 KW 30 / 250 / S50R
 KW 30 / 300 / S50R
 KW 30 / 350 / S50R
 KW 30 / 450 / S50R


Silicon 50 shore



Laminating roller

KW 30 / 150 / S70G
 KW 30 / 200 / S70G
 KW 30 / 250 / S70G
 KW 30 / 300 / S70G
 KW 30 / 350 / S70G
 KW 30 / 450 / S70G


Silicon 70 shore



Laminating roller


KW 30 / 150 / S90Gr
 KW 30 / 200 / S90Gr
 KW 30 / 250 / S90Gr
 KW 30 / 300 / S90Gr
 KW 30 / 350 / S90Gr
 KW 30 / 450 / S90Gr

Silicon 90 shore




Other dimensions and materials available on request!

Conveying wheel TR 150 / 10 / S70G



Silicon 70 shore

Conveying wheel TR 150 / 10 / S90Gr




Silicon 90 shore

Our service for you!

We also coat all worn conveying wheels for laminating systems:
 SILICON 70 shore
 SILICON 90 shore


With our standard vulcanization tools we can offer an economical alternative to purchasing new components.

Conveying wheel TR 150 / 20 / S70G




Silicon 70 shore

Conveying wheel TR 150 / 20 / S90Gr




Silicon 90 shore

Conveying wheel TR 150 / 20 / ST




Steel

Conveying wheel TR 200 / 10 / S70G



Silicon 70 shore


Conveying wheel TR 200 / 10 / S90Gr



Silicon 90 shore


Other dimensions and materials available on request!

Conveying wheel TR 200 / 20 / S70G




Silicon 70 shore

Conveying wheel TR 200 / 20 / S90Gr




Silicon 90 shore

Conveying wheel TR 200 / 20 / ST




Steel


Conveying wheel TRF 240 / 10 / S70G




Conveying wheel TRF 240 / 10 / S90Gr




Conveying wheel TRF 240 / 30 / S70G




Conveying wheel TRF 240 / 30 / S90Gr



Conveying wheel TRF 240 / 50 / S70G



Conveying wheel TRF 240 / 50 / S90G



Our service for you!


We also coat all worn conveying wheels for laminating systems:

- SILICON 70 shore
- SILICON 90 shore

With our standard vulcanization tools we can offer an economical alternative to purchasing new components.


Other dimensions and materials available on request!

Conveying wheel TRD 160 / 14 / S70G




Silicon 70 shore

Conveying wheel TRD 160 / 14 / S90Gr




Silicon 90 shore

Conveying wheel TRD 160 / 28 / S70G




Silicon 70 shore

Conveying wheel TRD 160 / 28 / S90Gr




Silicon 90 shore

Conveying wheel TRD 160 / 50 / S70G




Silicon 70 shore

Conveying wheel TRD 160 / 50 / S90Gr




Silicon 90 shore

Conveying wheel TRBA 200 / 13 / S70G



Silicon 70 shore


Conveying wheel TRBA 200 / 13 / S90Gr



Silicon 90 shore


Drive shaft

WTR 25 / 200 / VA
WTR 25 / 250 / VA




Drive shaft

WTR 30 / 200 / VA
WTR 30 / 250 / VA




Drive shaft

WTR 25 / 200
WTR 25 / 250




Drive shaft

WTR 30 / 200
WTR 30 / 250



Drive shaft with scale

WTRF 30 / 105



Other dimensions and materials available on request!


The linear guide with belt is mounted on the drive shafts instead of conveying wheels.
 The use of this guide enables more precise control of the profile section.
 This effect is achieved by the contact surface. Conveying wheels provide only a small surface for transfer of the force to the profile section.
 The belt transfers the force more evenly onto a larger surface. This results in a very smooth-running profile section.
 We will be glad to assist you with further information on possible applications.



LF/5/K Linear guide for laminating

Prices on request!

This version is designed for laminating. Under the laminating roller there is an additional wheel to take up the pressure.




Machine frame, drive assembly and laminating roller not included in scope of delivery.

Please include the above information with your inquiry.

LF/4/B Linear guide for trimming

Prices on request!

This version is designed for trimming.




Machine frame, drive assembly not included in scope of delivery.

Please include the above information with your inquiry.


Tool head 900 mm long, clearance 112.5, left-side version

WZT 40 / 900 / 112 / GL / AL




Tool head 900 mm long, clearance 112.5, right-side version

WZT 40 / 900 / 112 / GR / AL




Tool head for height adjustment

WZT 40 / 900 / H / AL




Holder for quick-release clamp system

ASP 40




Guide element

FE 40



Clamping element


SE 40



Other dimensions and materials available on request!


Tool head 815 mm long, clearance 125

WZTA 40 / 815 / 125 / GU / AL




Tool head 940 mm long, clearance 125

WZTA 40 / 940 / 125 / GU / AL



Tool head 1065 mm long, clearance 125


WZTA 40 / 1065 / 125 / GU / AL



Other dimensions and materials available on request!


Tool head

WZTB 40 / 359 / 125 / ST




Tool head

WZTC 40 / 359 / 125 / AL




Tool head

WZTB 40 / 484 / 125 / ST




Tool head

WZTC 40 / 484 / 125 / AL




Clamping bolts

SPK 22 / M 8




Clamping bolts

SPL 22 / M 8




Clamping plate

SPS 22




Other dimensions and materials available on request!


Tool holder Ø22

WZFB 22 / 300
WZFB 22 / 400


Tool holder Ø22

WZF 22 / 300
WZF 22 / 400

Tool holder, solid material □20

WZFQV 20 / 300
WZFQV 20 / 400
WZFQV 20 / 450
WZFQV 20 / 500


Tool holder □20 tubing

WZFQR 20 / 300
WZFQR 20 / 400
WZFQR 20 / 450
WZFQR 20 / 500

Other dimensions and
materials available on
request!


Cleaning nozzle, straight, left

PRD - G / L / 60
PRD - G / L / 110
PRD - G / L / 160




Cleaning nozzle, straight, right

PRD - G / R / 60
PRD - G / R / 110
PRD - G / R / 160




Cleaning nozzle, angulated, left

PRD - W / L / 60
PRD - W / L / 110
PRD - W / L / 160




Cleaning nozzle, angulated, right

PRD - W / R / 60
PRD - W / R / 110
PRD - W / R / 160




Edge knife, fixed, left

DKM 22 / L




Edge knife, fixed, right

DKM 22 / R




Edge knife, spring-mounted, left

DKG 22 / L




Edge knife, spring-mounted, right

DKG 22 / R




Spring-mounted circular knife, left, pre-mounted

DKKG 22 / 200 / L




Spring-mounted circular knife, right, pre-mounted

DKKG 22 / 200 / R




Transport nozzle

DRD 12 / 200




Transport nozzle

DRD 25 / 200



Residual foil winder for stripping and winding trimmed decorative materials, left-side version

DRW 22 / L




U = 230V, 50Hz, 1~

Other connected loads available on request!

Residual foil winder for stripping and winding trimmed decorative materials, right-side version

DRW 22 / R




U = 230V, 50Hz, 1~

Other connected loads available on request!

Other dimensions and materials available on request!


Foil controller with manual width adjustment and fine adjustment
Two-sided fastening

DSM 2 / 300
DSM 2 / 350
DSM 2 / 450




Foil controller with manual width adjustment and fine adjustment
One-sided fastening

DSM / 300
DSM / 350
DSM / 450



Pneumatic tension shaft with pneumatic brake for laminating material with a core diameter of 76 mm


PSW - P / L / 76 / 350
PSW - P / L / 76 / 450



Tension shaft mount is designed for linear guide (132 x 116). Can also be mounted directly

Pneumatic tension shaft with pneumatic brake for laminating material with a core diameter of 76 mm; With linear guide and manual adjustment


PSW - P / LF / 76 / 350
PSW - P / LF / 76 / 450



Tension shaft mount with linear guide, bore hole 4x Ø 8 with spacing of 278 x 116.


Automatic reel changer **DAR R**
Automatic reel changer with double foil unwinding,
automatic cutting off and gluing, right-side version

Prices on request!



Automatic reel changer **DAR L**
Automatic reel changer with double foil unwinding,
automatic cutting off and gluing, left-side version

Prices on request!




Automatic reel changer

DARV R

Automatic reel changer with double foil unwinding,
automatic cutting off and gluing, adjustable, right-side version

Prices on request!




Automatic reel changer

DARV L

Automatic reel changer with double foil unwinding,
automatic cutting off and gluing, adjustable, left-side version


Prices on request!



PRA-1B6V


Primer station, 1 tank, 6 valves

Prices on request!

**PRA-2B6V**


Primer station, 2 tanks, 6 valves

Prices on request!

**PRA-2B12V**

Primer station, 2 tanks, 12 valves

Prices on request!

**Short description**

With the patented automatic pressure primer dosing, the primer coat is set via a user-friendly control unit.

Pressure is used to conduct the primer via hoses and dosing valves to the applicator felt.

The dosing is controlled by time-lag relays, based on the production speed, which ensures that the profiles are coated optimally.

The control unit can be used to selectively open and close the valves. It is also equipped with displays for the primer pressure and fill level in the primer tank.


The version **PRA-1B6V** is delivered with a tank.

The tank can be built into the existing system or mounted externally, on the column, for example.


The versions **PRA-2B6V** and **PRA-2B12V** are equipped with 2 tanks. A level monitor uses ultrasonic sensors to detect the fill level of the tanks, which can be switched during operation to ensure an uninterrupted production process.

Further variants, e.g. with 9 valves, are also available. Please enquire.


Spring-mounted felt holder, 20mm, mounted top
FH / G / 20




Spring-mounted felt holder, 40mm, mounted top
FH / G / 40




Spring-mounted felt holder, 60mm, mounted top
FH / G / 60




Spring-mounted felt holder, 80mm, mounted top
FH / G / 80




Spring-mounted felt holder, 100mm, mounted top
FH / G / 100




felt holder, 20mm, mounted top
FH / S / 20




felt holder, 40mm, mounted top
FH / S / 40




felt holder, 60mm, mounted top
FH / S / 60




felt holder, 80mm, mounted top
FH / S / 80




felt holder, 100mm, mounted top
FH / S / 100




Felt holder, mounted below, left-side version, rigid design
FH / ULF / 20



Felt holder, mounted below, right-side version, rigid design
FH / URF / 20




Hose connector, for hoses with an inside diameter of 2mm
AT / G18 / 2



Other dimensions and materials available on request!


Fixed assembly with felt holder FH/ULF/20

- FH/ 100 /FH/ULF/20
- FH/ 200 /FH/ULF/20
- FH/ 250 /FH/ULF/20
- FH/ 300 /FH/ULF/20




Fixed assembly with felt holder FH/URF/40

- FH/ 100 /FH/URF/40
- FH/ 200 /FH/URF/40
- FH/ 250 /FH/URF/40
- FH/ 300 /FH/URF/40




Fixed assembly with felt holder FH/G/20

- FH/ 100 /FH/G/20
- FH/ 200 /FH/G/20
- FH/ 250 /FH/G/20
- FH/ 300 /FH/G/20




Fixed assembly with felt holder FH/G/40

- FH/ 100 /FH/G/40
- FH/ 200 /FH/G/40
- FH/ 250 /FH/G/40
- FH/ 300 /FH/G/40




Fixed assembly with felt holder FH/G/60

- FH/ 100 /FH/G/60
- FH/ 200 /FH/G/60
- FH/ 250 /FH/G/60
- FH/ 300 /FH/G/60




Fixed assembly with felt holder FH/G/80

- FH/ 100 /FH/G/80
- FH/ 200 /FH/G/80
- FH/ 250 /FH/G/80
- FH/ 300 /FH/G/80



Fixed assembly with felt holder FH/G/100


- FH/ 100 /FH/G/100
- FH/ 200 /FH/G/100
- FH/ 250 /FH/G/100
- FH/ 300 /FH/G/100



Other dimensions and materials available on request!


Fixed assembly with felt holder FH/S/20

- FH/ 100 /FH/S/20
- FH/ 200 /FH/S/20
- FH/ 250 /FH/S/20
- FH/ 300 /FH/S/20




Fixed assembly with felt holder FH/S/40

- FH/ 100 /FH/S/40
- FH/ 200 /FH/S/40
- FH/ 250 /FH/S/40
- FH/ 300 /FH/S/40




Fixed assembly with felt holder FH/S/60

- FH/ 100 /FH/S/60
- FH/ 200 /FH/S/60
- FH/ 250 /FH/S/60
- FH/ 300 /FH/S/60




Fixed assembly with felt holder FH/S/80

- FH/ 100 /FH/S/80
- FH/ 200 /FH/S/80
- FH/ 250 /FH/S/80
- FH/ 300 /FH/S/80



Fixed assembly with felt holder FH/S/100

- FH/ 100 /FH/S/100
- FH/ 200 /FH/S/100
- FH/ 250 /FH/S/100
- FH/ 300 /FH/S/100





Other dimensions and materials available on request!

Adjustable adhesive nozzle

KDV35R

Prices on request!



The nozzle assembly with adjustable adhesive nozzle enables full-surface application of hot-melt adhesive. The nozzle is continuously adjustable for an application width from 10 - 350 mm. The machine is equipped with an inlet valve and integrated filter (adhesive viscosity 5,000 - 100,000 mPas, coating weight 20 - 200 g/m², maximum gluing pressure 50 bar), in addition to heating zones. The assembly can be laterally adjusted +/- 100mm and the adhesive nozzle can be swiveled manually. The nozzle assembly is fastened on the machine frame on two sides.


Premelter with swiveling tank

ST 920 – GPR/B

Prices on request!




Gluing device ST 920 - GPR/B for 18 - 20 kg foil bags
Tank and storage system. 24 kg, non-stick coating, swiveling
1 pump, AC motor with frequency converter,
0-10 V input for external pump speed adjustment
Flow rate: 2 - 15 kg/h
Melting capacity: ca. 12 kg/h (depending on adhesive)
Viscosity range: 100 - 50,000 mPas
Connections: for 5 external heating zones
Temperature sensor: Pt 100 or Ni 120
Filter: Filter cartridge with filter insert



Time-saving and very flexible

The quick-change system makes it possible to replace a tool head with another tool head, which has already been equipped with the guide and press rollers and is set up for the required profile.

This enables fast setup of profiles that are used frequently in production. The holder is fastened to the machine and the guide element is attached to the tool head.



The tool heads are designed for tool holders with a diameter of 22mm and for a 20mm square cross section. The clamping element can be used for faster changing of individual tool holders.

BUNDESREPUBLIK DEUTSCHLAND

URKUNDE

Über die Eintragung des

Gebrauchsmusters

Nr. 299 18 015.8

IPC: F16B 2/00

Bezeichnung:
Verbindungselement

Gebrauchsmusterinhaber:
Steins Ummantelungsmaschinentechnik GmbH, 37359 Effelder,
DE

Tag der Anmeldung: 13.10.1999

Tag der Eintragung: 03.02.2000




Der Präsident des Deutschen Patent- und Markenamts

Hans-Georg Landfmann

Dr. Hans-Georg Landfmann

UNIVERSAL CLAMP

for clamping round and square material, e.g. round diameter 22 mm, square 20 mm



BUNDESREPUBLIK DEUTSCHLAND

URKUNDE

Über die Eintragung des

Gebrauchsmusters

Nr. 200 01 447.1

IPC: B65H 19/10

Bezeichnung:
Vorrichtung zum automatischen Wechsel einer Warenbahn,
vorzugsweise für Anlagen zum Kaschieren von Profilen

Gebrauchsmusterinhaber:
Steins Ummantelungsmaschinentechnik GmbH, 37359 Effelder,
DE

Tag der Anmeldung: 28.01.2000

Tag der Eintragung: 11.05.2000




Der Präsident des Deutschen Patent- und Markenamts

Hans-Georg Landfmann

Dr. Hans-Georg Landfmann

AUTOMATIC REEL CHANGER

for changing laminating material, e.g. in laminating systems, available in right-side and left-side models



BUNDESREPUBLIK DEUTSCHLAND

URKUNDE

Über die Eintragung des
Gebrauchsmusters
Nr. 200 05 900.9

IPC: B23F 23/00

Bezeichnung:
Anlage zum Herstellen und Kaschieren von Profilen

Gebrauchsmusterinhaber:
Steins Ummantelungsmaschinentechnik GmbH, 37359 Efferde, DE

Tag der Anmeldung: 30.03.2000

Tag der Eintragung: 29.05.2000




Der Präsident des Deutschen Patent- und Markenamts

Hans-Georg Landfermann

Dr. Hans-Georg Landfermann

MACHINE SEGMENT

The modular design of our systems begins with the basic frame.



BUNDESREPUBLIK DEUTSCHLAND

URKUNDE

Über die Eintragung des
Gebrauchsmusters
Nr. 200 07 181.5

IPC: F15D 1/08

Bezeichnung:
Antriebswelle für Antriebslamellen

Gebrauchsmusterinhaber:
Steins Ummantelungsmaschinentechnik GmbH, 37359 Efferde, DE

Tag der Anmeldung: 19.04.2000

Tag der Eintragung: 17.08.2000




Der Präsident des Deutschen Patent- und Markenamts


J. Landfermann

Dr. Landfermann

PNEUMATIC HEXAGONAL TENSION SHAFT



*e.g. for tensioning drive units
for laminating systems*






WIDTH AND HEIGHT ADJUSTMENT

for adjusting the width and/or height for identical profile cross sections with different dimensions



**MECHANICAL QUICK-ACTION
CLAMPING ELEMENT**

e.g. for clamping tool holders in a tool head



BUNDESREPUBLIK DEUTSCHLAND

URKUNDE

über die Eintragung des
Gebrauchsmusters

Nr. 203 06 879.0

IPC: B230 1/03

Bezeichnung:
Selbsttätig arretierende Verbindung beim Verspannen einer
Werkzeugaufnahme

Gebrauchsmuster Inhaber:
Steins Ummantelungsmaschinentechnik GmbH, 99974 Mühlhausen,
DE

Tag der Anmeldung: 30.04.2003

Tag der Eintragung: 31.07.2003




Der Präsident des Deutschen Patent- und Markenamts

Dr. Schade

Dr. Schade

CONNECTION FOR CLAMPING

e.g. of tool holders in a tool head



BUNDESREPUBLIK DEUTSCHLAND

URKUNDE

über die Erteilung des
Patents

Nr. 10 2004 031 489

IPC
B23P 23/00 1 489

Bezeichnung
Ummantelungsanlage zum Kaschieren von Profilleisten

Patentinhaber
Steins Ummantelungsmaschinentechnik GmbH, 99974 Mühlhausen, DE

Erfinder
Stein, August, 99974 Mühlhausen, DE

Tag der Anmeldung
30.06.2004

München, den 15.12.2005




Der Präsident des Deutschen Patent- und Markenamts

Dr. Schade

Dr. Schade

FEED/TRANSPORT UNIT

*e.g. for transport of profiles in
laminating systems*



BUNDESREPUBLIK DEUTSCHLAND

URKUNDE
über die Eintragung des
Gebrauchsmusters

Nr. 20 2005 015 823.2

IPC
F16C 13/02 (2006.01)

Bezeichnung
Rollenhalterung, insbesondere für Andrück- und Führungsrollen für Ummantelungsmaschinen

Gebrauchsmusterinhaber
Steins Ummantelungsmaschinentechnik GmbH, 99974 Mühlhausen, DE

Tag der Anmeldung
08.10.2005

Tag der Eintragung
26.01.2006




Der Präsident des Deutschen Patent- und Markenamts

Dr. Schade

Dr. Schade

PNEUMATIC ROLLER ASSEMBLY

Pressure and guide roller for identical profile sections with different dimensions (in a defined range)



BUNDESREPUBLIK DEUTSCHLAND

URKUNDE
über die Eintragung des
Gebrauchsmusters

Nr. 20 2005 016 692.8

IPC
B23Q 1/25 (2006.01)

Bezeichnung
Werkzeugträger für Führungs- und Andrückrollen zum Kaschieren eines Profils

Gebrauchsmusterinhaber
Steins Ummantelungsmaschinentechnik GmbH, 99974 Mühlhausen, DE

Tag der Anmeldung
25.10.2005

Tag der Eintragung
02.02.2006




Der Präsident des Deutschen Patent- und Markenamts

Dr. Schade

Dr. Schade

QUICK-CHANGE SYSTEM

The pre-set tool head for several profiles enables faster retooling of the system



BUNDESREPUBLIK DEUTSCHLAND

URKUNDE

Über die Erteilung des

Patents

Nr. 103 12 692

IPC
F16C 13/02 (2006.01)

Bezeichnung
Rollenhalterung, insbesondere für Andrück- und Führungsrollen für Ummantelungsmaschinen

Patentinhaber
Steins Ummantelungsmaschinentechnik GmbH, 99974 Mühlhausen, DE

Erfinder
Steins, August, 99974 Mühlhausen, DE

Tag der Anmeldung
21.03.2003

München, den 16.11.2006




Der Präsident des Deutschen Patent- und Markenamts

Dr. Schade

UNIVERSAL ROLLER ASSEMBLY

Roller assembly for press and guide rollers can be adjusted and stopped in all directions and angles



BUNDESREPUBLIK DEUTSCHLAND

URKUNDE

Über die Eintragung des

Gebrauchsmusters

Nr. 20 2006 018 181.4

IPC
B05C 11/10 (2006.01)

Bezeichnung
Vorrichtung zur dosierten Zuführung eines Primer auf ein zu kaschierendes Profil

Gebrauchsmusterinhaber
Steins Ummantelungsmaschinentechnik GmbH, 99974 Mühlhausen, DE

Tag der Anmeldung
30.11.2006

Tag der Eintragung
22.02.2007




Der Präsident des Deutschen Patent- und Markenamts

Dr. Schade

AUTOMATIC PRESSURE PRIMER DOSING

Feeding of the primer is controlled based on the profile shape and the speed of the laminating process to ensure optimum lamination of the profile sections.



BUNDESREPUBLIK DEUTSCHLAND**URKUNDE**

über die Eintragung des

Gebrauchsmusters

Nr. 20 2007 015 218.3

IPC

B27D 5/00 (2006.01)

BezeichnungUmmantelungsanlage zum Aufbringen eines Kaschiermaterials auf
Profileisten**Gebrauchsmusterinhaber**

Steins, August, 99974 Mühlhausen, DE

Tag der Anmeldung

02.11.2007

Tag der Eintragung

17.04.2008



Der Präsident des Deutschen Patent- und Markenamts

Dr. Schade

Dr. Schade

UNIVERSAL NC ADJUSTMENT

Tool head for press and guide rollers can be adjusted in all directions. The use of a universal adjustment system eliminates time-consuming set-up for differing profile section dimensions. This increases flexibility and reduces costs.

